

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV040121\
 Data File : VV020867.D
 Acq On : 02 Apr 2021 03:09
 Operator : SY/MD
 Sample : M1845-20
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 43 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 EW1C8

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SOMVLM032321WMA.M

Title : VOC Analysis

Signal : TIC: VV020858.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.310	78	84	103	rVB	254116	267691	11.91%	1.484%
2	1.571	158	165	173	rBV	215824	236427	10.52%	1.310%
3	2.111	322	333	361	rVB	490369	757300	33.68%	4.197%
4	2.481	446	448	450	rBV3	473	266	0.01%	0.001%
5	2.564	471	474	475	rBV	594	404	0.02%	0.002%
6	2.760	531	535	536	rBV2	965	652	0.03%	0.004%
7	2.912	577	582	589	rVB3	1032	1054	0.05%	0.006%
8	2.944	589	592	595	rBV2	1022	625	0.03%	0.003%
9	3.024	615	617	621	rBV	452	305	0.01%	0.002%
10	3.085	634	636	639	rBV2	300	225	0.01%	0.001%
11	3.140	652	653	656	rVB	699	218	0.01%	0.001%
12	3.188	666	668	671	rVV2	534	261	0.01%	0.001%
13	3.230	679	681	682	rBV2	460	227	0.01%	0.001%
14	3.288	694	699	700	rBV3	514	413	0.02%	0.002%
15	3.426	737	742	746	rBV3	457	572	0.03%	0.003%
16	3.455	749	751	753	rBV	579	239	0.01%	0.001%
17	3.484	757	760	762	rBV2	720	461	0.02%	0.003%
18	3.532	769	775	780	rBV3	524	723	0.03%	0.004%
19	3.584	787	791	793	rBV3	670	506	0.02%	0.003%
20	3.686	818	823	825	rBV	524	349	0.02%	0.002%
21	3.702	825	828	831	rBV3	467	380	0.02%	0.002%
22	3.754	840	844	846	rBV2	577	444	0.02%	0.002%
23	3.809	860	861	863	rBV	420	225	0.01%	0.001%
24	3.908	876	892	926	rBV2	188715	691410	30.75%	3.832%
25	4.352	1014	1030	1065	rBV2	401499	988171	43.95%	5.477%
26	4.802	1168	1170	1174	rVB	888	420	0.02%	0.002%
27	4.825	1174	1177	1179	rBV	512	339	0.02%	0.002%
28	4.889	1194	1197	1199	rBV3	614	394	0.02%	0.002%
29	4.944	1212	1214	1217	rBV2	777	366	0.02%	0.002%
30	5.050	1229	1247	1275	rBV2	874559	2248281	100.00%	12.461%
31	5.333	1329	1335	1340	rBV6	1390	1878	0.08%	0.010%
32	5.355	1340	1342	1344	rVV2	695	318	0.01%	0.002%
33	5.381	1347	1350	1353	rVB2	1149	661	0.03%	0.004%
34	5.403	1355	1357	1359	rBV2	705	303	0.01%	0.002%
35	5.561	1402	1406	1411	rBV3	957	1025	0.05%	0.006%
36	5.622	1412	1425	1456	rBV	688987	1395027	62.05%	7.732%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV040121\
 Data File : VV020867.D
 Acq On : 02 Apr 2021 03:09
 Operator : SY/MD
 Sample : M1845-20
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 43 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 EW1C8

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SOMVLM032321WMA.M
 Title : VOC Analysis

37	5.918	1503	1517	1542	rBV2	308049	643046	28.60%	3.564%
38	6.072	1553	1565	1594	rVB	492090	991257	44.09%	5.494%
39	6.400	1665	1667	1670	rVB3	455	221	0.01%	0.001%
40	6.419	1670	1673	1675	rBV3	661	419	0.02%	0.002%
41	6.526	1704	1706	1709	rVB3	610	320	0.01%	0.002%
42	6.548	1709	1713	1714	rBV3	849	516	0.02%	0.003%
43	6.580	1721	1723	1726	rBV2	736	548	0.02%	0.003%
44	6.612	1729	1733	1735	rBV2	491	343	0.02%	0.002%
45	6.635	1735	1740	1741	rBV3	1050	824	0.04%	0.005%
46	6.789	1785	1788	1790	rVB2	776	421	0.02%	0.002%
47	6.802	1790	1792	1793	rBV	504	217	0.01%	0.001%
48	6.850	1805	1807	1811	rVB2	598	337	0.01%	0.002%
49	6.882	1813	1817	1821	rVB3	1178	857	0.04%	0.005%
50	6.902	1821	1823	1825	rBV	670	339	0.02%	0.002%
51	6.915	1825	1827	1832	rVB3	1139	730	0.03%	0.004%
52	6.937	1832	1834	1837	rVB2	496	262	0.01%	0.001%
53	6.989	1839	1850	1874	rBV	263194	491429	21.86%	2.724%
54	7.175	1906	1908	1910	rBV2	1061	560	0.02%	0.003%
55	7.320	1940	1953	1982	rBV	1035323	1795731	79.87%	9.953%
56	7.625	2038	2048	2070	rBV	192700	342334	15.23%	1.897%
57	7.895	2130	2132	2135	rBV3	516	225	0.01%	0.001%
58	7.918	2136	2139	2141	rBV3	1351	808	0.04%	0.004%
59	8.091	2183	2193	2216	rBV	528274	968341	43.07%	5.367%
60	8.361	2275	2277	2279	rBV2	1071	510	0.02%	0.003%
61	8.525	2322	2328	2331	rVB5	1003	1067	0.05%	0.006%
62	8.545	2331	2334	2340	rBV5	1230	1711	0.08%	0.009%
63	8.747	2395	2397	2399	rVB	839	378	0.02%	0.002%
64	8.760	2399	2401	2403	rVV2	483	275	0.01%	0.002%
65	8.783	2406	2408	2412	rVB3	754	459	0.02%	0.003%
66	8.857	2418	2431	2454	rBV	1063472	1707828	75.96%	9.465%
67	9.098	2504	2506	2508	rBV2	773	259	0.01%	0.001%
68	9.178	2527	2531	2533	rBV3	1051	888	0.04%	0.005%
69	9.336	2578	2580	2582	rBV3	897	426	0.02%	0.002%
70	9.432	2608	2610	2612	rBV	575	345	0.02%	0.002%
71	9.480	2621	2625	2626	rBV	422	260	0.01%	0.001%
72	9.808	2723	2727	2729	rBV3	578	496	0.02%	0.003%
73	9.831	2732	2734	2736	rBV2	709	355	0.02%	0.002%
74	9.972	2775	2778	2782	rBV3	407	336	0.01%	0.002%
75	10.046	2799	2801	2804	rBV2	601	349	0.02%	0.002%
76	10.104	2818	2819	2823	rBV2	421	229	0.01%	0.001%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV040121\
 Data File : VV020867.D
 Acq On : 02 Apr 2021 03:09
 Operator : SY/MD
 Sample : M1845-20
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 43 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 EW1C8

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SOMVLM032321WMA.M

Title : VOC Analysis

77	10.143	2827	2831	2833	rBV2	624	463	0.02%	0.003%
78	10.168	2837	2839	2840	rBV	629	258	0.01%	0.001%
79	10.223	2843	2856	2876	rVV	727344	1139318	50.68%	6.315%
80	10.387	2903	2907	2918	rVB10	1967	3078	0.14%	0.017%
81	10.558	2958	2960	2962	rBV	607	334	0.01%	0.002%
82	10.619	2977	2979	2986	rVB4	656	609	0.03%	0.003%
83	10.651	2986	2989	2991	rBV3	893	564	0.03%	0.003%
84	10.680	2995	2998	2999	rVV3	667	360	0.02%	0.002%
85	10.702	3003	3005	3010	rVV2	665	435	0.02%	0.002%
86	10.831	3040	3045	3047	rBV4	839	626	0.03%	0.003%
87	11.156	3143	3146	3147	rBV	577	327	0.01%	0.002%
88	11.255	3165	3177	3196	rBV	1069690	1617013	71.92%	8.962%
89	11.631	3282	3294	3315	rBV	1102715	1718400	76.43%	9.524%
90	11.956	3393	3395	3399	rBV4	1054	729	0.03%	0.004%
91	12.303	3501	3503	3506	rBV3	610	443	0.02%	0.002%
92	12.358	3516	3520	3523	rBV3	822	850	0.04%	0.005%
93	12.448	3546	3548	3550	rVB2	882	343	0.02%	0.002%
94	12.712	3628	3630	3632	rBV2	596	400	0.02%	0.002%
95	12.863	3674	3677	3678	rBV2	482	259	0.01%	0.001%
96	13.271	3798	3804	3805	rBV3	1277	1202	0.05%	0.007%
97	13.345	3824	3827	3828	rBV	565	272	0.01%	0.002%
98	13.647	3918	3921	3925	rBV3	1136	913	0.04%	0.005%
99	13.702	3936	3938	3939	rBV	1008	379	0.02%	0.002%
100	13.863	3986	3988	3990	rBV2	740	347	0.02%	0.002%

Sum of corrected areas: 18042738

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV040121\
Data File : VV020867.D
Acq On : 02 Apr 2021 03:09
Operator : SY/MD
Sample : M1845-20
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 43 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
EW1C8

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SOMVLM032321WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV040121\
Data File : VV020867.D
Acq On : 02 Apr 2021 03:09
Operator : SY/MD
Sample : M1845-20
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 43 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
EW1C8

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SOMVLM032321WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--			
					#	RT	Resp	Conc
