

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV040220\
 Data File : VV015376.D
 Acq On : 02 Apr 2020 16:01
 Operator : SY/MD
 Sample : VIBLK64
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :

Quant Time: Apr 03 03:09:03 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM040120WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Apr 03 01:25:45 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.64	114	645419	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.87	117	608596	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.27	152	274573	50.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.31	65	209656	36.23	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	72.46%
7) Chloroethane-d5	1.58	69	194649	39.37	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	78.74%
11) 1,1-Dichloroethene-d2	2.12	63	321424m	31.07	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	62.14%
21) 2-Butanone-d5	3.93	46	295823	96.17	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	96.17%
24) Chloroform-d	4.37	84	401594	42.03	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	84.06%
26) 1,2-Dichloroethane-d4	5.06	65	263795	44.32	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	88.64%
32) Benzene-d6	5.07	84	830851	44.33	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	88.66%
36) 1,2-Dichloropropane-d6	6.09	67	250811	45.39	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	90.78%
41) Toluene-d8	7.34	98	787248	43.93	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	87.86%
43) trans-1,3-Dichloropropene-	7.64	79	126970	41.58	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	83.16%
47) 2-Hexanone-d5	8.12	63	237435	94.08	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	94.08%
57) 1,1,2,2-Tetrachloroethane-	10.24	84	366553	46.62	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	93.24%
64) 1,2-Dichlorobenzene-d4	11.65	152	296536	47.48	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	94.96%

Target Compounds					Ovalue
25) Chloroform	4.40	83	12075m	1.388 ug/L	
63) 1,4-Dichlorobenzene	11.30	146	6704	0.715 ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV040220\
Data File : VV015376.D
Acq On : 02 Apr 2020 16:01
Operator : SY/MD
Sample : VIBLK64
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :

Quant Time: Apr 03 03:09:03 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM040120WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Apr 03 01:25:45 2020
Response via : Initial Calibration

