

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV040220\
 Data File : VV015366.D
 Acq On : 02 Apr 2020 11:58
 Operator : SY/MD
 Sample : L2005-06RE
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 CODE8RE

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM040120WMA.M
 Title : VOC Analysis

Signal : TIC

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.316	64	70	82	rVB	353992	362490	5.98%	1.112%
2	1.576	145	151	163	rVB	292475	347045	5.73%	1.064%
3	2.119	312	320	333	rVB	638933	902461	14.89%	2.768%
4	3.251	670	672	674	rBV3	1915	811	0.01%	0.002%
5	3.405	715	720	724	rBV8	2593	2371	0.04%	0.007%
6	3.483	742	744	745	rBV2	1863	812	0.01%	0.002%
7	3.553	764	766	769	rVB3	2074	1138	0.02%	0.003%
8	3.569	769	771	773	rBV3	1617	538	0.01%	0.002%
9	3.727	819	820	821	rBV	948	256	0.00%	0.001%
10	3.820	844	849	851	rBV5	2153	1844	0.03%	0.006%
11	3.881	865	868	870	rBV4	1757	1021	0.02%	0.003%
12	3.939	873	886	934	rBV2	104754	473147	7.81%	1.451%
13	4.373	1008	1021	1052	rVB	386968	973523	16.06%	2.985%
14	4.798	1151	1153	1156	rBV4	1013	458	0.01%	0.001%
15	5.068	1221	1237	1251	rBV2	968723	2428047	40.06%	7.446%
16	5.573	1392	1394	1396	rBV3	1044	484	0.01%	0.001%
17	5.640	1401	1415	1437	rBV	856430	1720242	28.38%	5.275%
18	6.093	1541	1556	1579	rBV	531985	1078684	17.80%	3.308%
19	6.576	1702	1706	1709	rBV4	1908	1499	0.02%	0.005%
20	6.637	1723	1725	1728	rBV4	1758	997	0.02%	0.003%
21	6.679	1733	1738	1744	rBV7	2198	2730	0.05%	0.008%
22	6.856	1790	1793	1796	rBV5	1120	938	0.02%	0.003%
23	6.888	1801	1803	1805	rVV3	1220	487	0.01%	0.001%
24	6.942	1815	1820	1824	rBV6	2176	2428	0.04%	0.007%
25	7.007	1827	1840	1862	rBV	335521	604442	9.97%	1.854%
26	7.254	1915	1917	1920	rBV4	1368	711	0.01%	0.002%
27	7.335	1928	1942	1972	rBV	1224446	2178471	35.94%	6.681%
28	7.640	2024	2037	2057	rBV	229894	407362	6.72%	1.249%
29	7.852	2101	2103	2106	rVB3	1910	901	0.01%	0.003%
30	7.936	2125	2129	2130	rBV4	2284	1874	0.03%	0.006%
31	8.116	2173	2185	2217	rBV3	560207	1164794	19.22%	3.572%
32	8.463	2289	2293	2297	rBV7	2107	2004	0.03%	0.006%
33	8.563	2321	2324	2327	rBV5	1649	1150	0.02%	0.004%
34	8.624	2342	2343	2346	rBV3	989	630	0.01%	0.002%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV040220\
 Data File : VV015366.D
 Acq On : 02 Apr 2020 11:58
 Operator : SY/MD
 Sample : L2005-06RE
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 CODE8RE

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM040120WMA.M
 Title : VOC Analysis

35	8.679	2356	2360	2362	rBV4	1795	1016	0.02%	0.003%
36	8.691	2362	2364	2371	rVB7	1731	1393	0.02%	0.004%
37	8.817	2402	2403	2405	rBV2	1043	517	0.01%	0.002%
38	8.875	2408	2421	2423	rBV	1396584	1861326	30.71%	5.708%
39	9.273	2544	2545	2547	rBV2	1359	641	0.01%	0.002%
40	9.344	2564	2567	2569	rBV3	2403	1478	0.02%	0.005%
41	9.457	2600	2602	2604	rBV2	2508	1171	0.02%	0.004%
42	9.794	2706	2707	2709	rVB2	956	238	0.00%	0.001%
43	9.862	2726	2728	2729	rBV2	1141	327	0.01%	0.001%
44	9.939	2748	2752	2754	rBV4	1881	1429	0.02%	0.004%
45	9.952	2754	2756	2760	rVV5	1515	1160	0.02%	0.004%
46	10.064	2789	2791	2795	rVB4	1738	923	0.02%	0.003%
47	10.080	2795	2796	2799	rVB4	1497	638	0.01%	0.002%
48	10.103	2799	2803	2804	rBV3	1992	1326	0.02%	0.004%
49	10.129	2808	2811	2812	rBV3	1181	796	0.01%	0.002%
50	10.238	2833	2845	2864	rBV	765300	1199498	19.79%	3.678%
51	10.450	2909	2911	2913	rBV3	1638	850	0.01%	0.003%
52	10.560	2938	2945	2948	rBV8	4179	4635	0.08%	0.014%
53	10.637	2966	2969	2972	rBV4	1018	697	0.01%	0.002%
54	10.736	2999	3000	3003	rBV3	455	275	0.00%	0.001%
55	10.775	3010	3012	3017	rBV4	1489	1182	0.02%	0.004%
56	10.826	3025	3028	3029	rBV2	682	340	0.01%	0.001%
57	11.003	3080	3083	3084	rBV3	1600	804	0.01%	0.002%
58	11.023	3087	3089	3090	rBV3	1785	744	0.01%	0.002%
59	11.058	3098	3100	3104	rVB4	1573	938	0.02%	0.003%
60	11.080	3105	3107	3110	rBV3	1150	852	0.01%	0.003%
61	11.154	3125	3130	3132	rBV4	1823	1225	0.02%	0.004%
62	11.203	3134	3145	3156	rBV	396624	612702	10.11%	1.879%
63	11.273	3156	3167	3169	rBV	1606979	2074519	34.23%	6.362%
64	11.662	3271	3288	3310	rBV2	2321100	5142716	84.85%	15.771%
65	12.032	3401	3403	3405	rVB3	1141	433	0.01%	0.001%
66	12.228	3458	3464	3470	rVB10	2634	2647	0.04%	0.008%
67	12.273	3470	3478	3484	rBV10	2655	4447	0.07%	0.014%
68	12.421	3514	3524	3532	rBV3	22623	36773	0.61%	0.113%
69	12.492	3542	3546	3549	rBV6	2787	2689	0.04%	0.008%
70	12.550	3561	3564	3566	rBV4	1402	895	0.01%	0.003%
71	12.601	3570	3580	3593	rVV6	27391	70052	1.16%	0.215%

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV040220\
 Data File : VV015366.D
 Acq On : 02 Apr 2020 11:58
 Operator : SY/MD
 Sample : L2005-06RE
 Misc : 5.0mL/MSVOA V/WATER
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 CODE8RE

Integration Parameters: LSCINT.P

Integrator: RTE
 Smoothing : OFF
 Sampling : 1
 Start Thrs: 0.2
 Stop Thrs : 0

Filtering: 5
 Min Area: 0 % of largest Peak
 Max Peaks: 100
 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
 Peak separation: 5

Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM040120WMA.M
 Title : VOC Analysis

72	12.672	3595	3602	3613	rVB3	24496	35768	0.59%	0.110%
73	12.775	3624	3634	3645	rBV3	17063	29500	0.49%	0.090%
74	12.839	3653	3654	3657	rBV3	1052	715	0.01%	0.002%
75	13.022	3701	3711	3725	rVB7	6986	15079	0.25%	0.046%
76	13.096	3732	3734	3736	rBV3	1436	651	0.01%	0.002%
77	13.174	3755	3758	3761	rBV5	1855	1618	0.03%	0.005%
78	13.215	3769	3771	3772	rBV2	927	527	0.01%	0.002%
79	13.286	3779	3793	3814	rBV	3966811	6061147	100.00%	18.587%
80	13.768	3931	3943	3958	rBV	1557235	2341352	38.63%	7.180%
81	14.296	4105	4107	4109	rBV3	1847	1103	0.02%	0.003%
82	14.373	4129	4131	4134	rBV4	1676	817	0.01%	0.003%
83	14.389	4134	4136	4139	rBV3	1781	1133	0.02%	0.003%
84	14.846	4266	4278	4289	rVB5	48690	102556	1.69%	0.315%
85	15.424	4448	4458	4473	rVB	193925	315822	5.21%	0.969%


Sum of corrected areas: 32608870

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV040220\
Data File : VV015366.D
Acq On : 02 Apr 2020 11:58
Operator : SY/MD
Sample : L2005-06RE
Misc : 5.0mL/MSVOA V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
CODE8RE

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM040120WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\V0ASRV\HPCHEM1\MSVOA_V\DATA\VV040220\
Data File : VV015366.D
Acq On : 02 Apr 2020 11:58
Operator : SY/MD
Sample : L2005-06RE
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0DE8RE

Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVLM040120WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\V0ASRV\HPCHEM1\MSV0A_V\DATA\VV040220\
Data File : VV015366.D
Acq On : 02 Apr 2020 11:58
Operator : SY/MD
Sample : L2005-06RE
Misc : 5.0mL/MSV0A_V/WATER
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSV0A_V
ClientSampleId :
C0DE8RE

Quant Method : Z:\V0ASRV\HPCHEM1\MSV0A_V\METHOD\SOMVLM040120WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--
					# RT Resp Conc