

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV040519\
 Data File : VV010125.D
 Acq On : 05 Apr 2019 11:39
 Operator : SY/MD
 Sample : VV0405SBL01
 Misc : 5.00G/10mL/MSVOA V/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VBLK61

Quant Time: Apr 06 00:14:38 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOM2VLM040219S.M
 Quant Title : VOC Analysis
 QLast Update : Fri Apr 05 23:46:15 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.66	114	270322	25.00	ug/L	0.00
28) Chlorobenzene-d5	8.89	117	258004	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.30	152	119312	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	78533	21.70	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	86.80%
7) Chloroethane-d5	1.58	69	111152	24.73	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	98.92%
10) 1,1-Dichloroethene-d2	2.12	63	154705	16.95	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	67.80%
20) 2-Butanone-d5	3.95	46	47822	46.44	ug/L	0.01
Spiked Amount	50.000	Range	20 - 135	Recovery	=	92.88%
24) Chloroform-d	4.40	84	152336	22.37	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	89.48%
26) 1,2-Dichloroethane-d4	5.08	65	91490	24.01	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	96.04%
29) Benzene-d6	5.09	84	328685	24.57	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	98.28%
33) 1,2-Dichloropropane-d6	6.11	67	93969	23.80	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	95.20%
37) Toluene-d8	7.36	98	310455	24.08	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	96.32%
38) trans-1,3-Dichloropropene-	7.66	79	36944	21.89	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	87.56%
39) 2-Hexanone-d5	8.14	63	36741	46.39	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	92.78%
48) 1,1,2,2-Tetrachloroethane-	10.26	84	88223	22.65	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	90.60%
61) 1,2-Dichlorobenzene-d4	11.67	152	117127	25.20	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	100.80%


Target Compounds					Ovalue
16) Methylene chloride	2.53	84	8344	1.757 ug/L	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV040519\
Data File : VV010125.D
Acq On : 05 Apr 2019 11:39
Operator : SY/MD
Sample : VV0405SBL01
Misc : 5.00G/10mL/MSVOA V/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VBLK61

Quant Time: Apr 06 00:14:38 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOM2VLM040219S.M
Quant Title : VOC Analysis
QLast Update : Fri Apr 05 23:46:15 2019
Response via : Initial Calibration





#16
Methylene chloride
Concen: 1.757 ug/L
RT: 2.53 min Scan# 449
Delta R.T. -0.00 min
Lab File: VV010125.D
Acq: 05 Apr 2019 11:39

Instrument :
MSVOA_V
ClientSampleId :
VBLK61

Tot Ion	Ratio	Lower	Upper
84	100		
49	118.7	84.3	156.5
86	63.1	45.4	84.2

