

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW040524\
 Data File : VW035020.D
 Acq On : 05 Apr 2024 21:52
 Operator : SY/MD
 Sample : P2006-08
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 33 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 MC0R74

Quant Time: Apr 06 03:18:02 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM032624WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat Apr 06 02:25:24 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.532	114	364969	50.000	ug/L	0.00
28) Chlorobenzene-d5	8.783	117	352200	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.185	152	148951	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.278	65	165285	46.893	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	93.780%
7) Chloroethane-d5	1.532	69	156355	51.072	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	102.140%
11) 1,1-Dichloroethene-d2	2.060	65	70601	45.695	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	91.380%
21) 2-Butanone-d5	3.793	46	188197	90.028	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	90.030%
24) Chloroform-d	4.246	84	278222	46.948	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	93.900%
26) 1,2-Dichloroethane-d4	4.941	65	178311	47.392	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.780%
32) Benzene-d6	4.957	84	560689	47.393	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.780%
36) 1,2-Dichloropropane-d6	5.986	67	182298	48.525	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	97.040%
41) Toluene-d8	7.243	98	480430	45.092	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	90.180%
43) trans-1,3-Dichloroprop...	7.551	79	72916	39.925	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	79.840%
47) 2-Hexanone-d5	8.024	63	106769	75.170	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	75.170%
56) 1,1,2,2-Tetrachloroeth...	10.149	84	234556	45.339	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	90.680%
66) 1,2-Dichlorobenzene-d4	11.558	152	166698	49.846	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	99.700%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV040524\
Data File : VV035020.D
Acq On : 05 Apr 2024 21:52
Operator : SY/MD
Sample : P2006-08
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 33 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
MC0R74

Quant Time: Apr 06 03:18:02 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM032624WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Apr 06 02:25:24 2024
Response via : Initial Calibration

