

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV040524\
 Data File : VV035007.D
 Acq On : 05 Apr 2024 15:45
 Operator : SY/MD
 Sample : P1993-18
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BH2P0

Quant Time: Apr 06 01:04:12 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM032624WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat Apr 06 00:54:20 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	5.532	114	400216	50.000	ug/L	0.00
28) Chlorobenzene-d5	8.783	117	383937	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.185	152	165565	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.278	65	114522	29.630	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	59.260%#
7) Chloroethane-d5	1.529	69	116295	34.642	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	69.280%#
11) 1,1-Dichloroethene-d2	2.060	65	56065	33.091	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	66.180%
21) 2-Butanone-d5	3.786	46	195087	85.105	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	85.100%
24) Chloroform-d	4.246	84	254040	39.092	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	78.180%
26) 1,2-Dichloroethane-d4	4.940	65	164272	39.815	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	79.640%
32) Benzene-d6	4.960	84	481780	37.357	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	74.720%
36) 1,2-Dichloropropane-d6	5.985	67	168289	41.093	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	82.180%
41) Toluene-d8	7.243	98	399588	34.404	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	68.800%#
43) trans-1,3-Dichloroprop...	7.555	79	68554	34.433	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	68.860%
47) 2-Hexanone-d5	8.024	63	103142	66.613	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	66.610%
56) 1,1,2,2-Tetrachloroeth...	10.149	84	237020	42.028	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	84.060%
66) 1,2-Dichlorobenzene-d4	11.558	152	158654	42.680	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	85.360%
Target Compounds						
					Qvalue	
13) Acetone	2.121	43	11640	5.531	ug/L	97
25) Chloroform	4.278	83	62064	10.541	ug/L	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV040524\
Data File : VV035007.D
Acq On : 05 Apr 2024 15:45
Operator : SY/MD
Sample : P1993-18
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 19 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BH2P0

Quant Time: Apr 06 01:04:12 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM032624WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Apr 06 00:54:20 2024
Response via : Initial Calibration





#13

Acetone

Concen: 5.531 ug/L

RT: 2.121 min Scan# 31

Delta R.T. -0.006 min

Lab File: VV035007.D

Acq: 05 Apr 2024 15:45

Instrument :

MSVOA_V

ClientSampleId :





BH2P0

Tgt Ion: 43 Resp: 11640

Ion Ratio Lower Upper

43 100

58 35.0 0.0 66.0



#25

Chloroform

Concen: 10.541 ug/L

RT: 4.278 min Scan# 1007

Delta R.T. 0.007 min

Lab File: VV035007.D

Acq: 05 Apr 2024 15:45

Tgt Ion: 83 Resp: 62064

Ion Ratio Lower Upper

83 100

85 63.3 46.0 85.4

