

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV040524\
 Data File : VV035031.D
 Acq On : 06 Apr 2024 02:15
 Operator : SY/MD
 Sample : P2009-06
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 44 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 E0LZ5

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM032624WMA.M
 Title : VOC Analysis

Signal : TIC: VV035031.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.282	68	75	90	rVB	277620	290519	15.77%	2.064%
2	1.532	146	153	170	rVB	259819	298068	16.18%	2.118%
3	2.060	307	317	334	rBV	447456	648672	35.20%	4.608%
4	2.564	471	474	477	rVB3	773	423	0.02%	0.003%
5	2.844	555	561	564	rBV3	811	844	0.05%	0.006%
6	2.970	596	600	602	rBV3	525	434	0.02%	0.003%
7	3.018	613	615	617	rVB2	247	66	0.00%	0.000%
8	3.101	638	641	643	rBV3	312	220	0.01%	0.002%
9	3.162	657	660	662	rBV	517	296	0.02%	0.002%
10	3.246	684	686	688	rBV3	318	171	0.01%	0.001%
11	3.278	693	696	700	rBV2	474	363	0.02%	0.003%
12	3.400	733	734	735	rBV2	202	74	0.00%	0.001%
13	3.461	752	753	754	rBV2	297	103	0.01%	0.001%
14	3.510	764	768	771	rBV3	356	349	0.02%	0.002%
15	3.564	783	785	786	rBV	320	134	0.01%	0.001%
16	3.609	794	799	801	rBV2	510	467	0.03%	0.003%
17	3.725	834	835	838	rVB	212	58	0.00%	0.000%
18	3.793	845	856	904	rBV	112162	369808	20.07%	2.627%
19	4.249	982	998	1030	rBV	273851	715913	38.85%	5.086%
20	4.953	1197	1217	1260	rBV2	687448	1842670	100.00%	13.091%
21	5.291	1319	1322	1327	rBV4	537	446	0.02%	0.003%
22	5.407	1355	1358	1360	rBV	546	392	0.02%	0.003%
23	5.458	1371	1374	1380	rBV6	714	636	0.03%	0.005%
24	5.532	1386	1397	1434	rBV	461007	957965	51.99%	6.806%
25	5.834	1479	1491	1519	rBV4	136380	300751	16.32%	2.137%
26	5.986	1527	1538	1571	rVB	395322	813851	44.17%	5.782%
27	6.265	1623	1625	1627	rBV	641	319	0.02%	0.002%
28	6.391	1662	1664	1670	rVB4	418	377	0.02%	0.003%
29	6.445	1677	1681	1685	rVB3	795	538	0.03%	0.004%
30	6.465	1685	1687	1691	rBV2	365	338	0.02%	0.002%
31	6.497	1695	1697	1700	rBV3	545	315	0.02%	0.002%
32	6.510	1700	1701	1703	rBV2	510	160	0.01%	0.001%
33	6.561	1715	1717	1722	rBV	459	429	0.02%	0.003%
34	6.712	1763	1764	1767	rBV2	296	164	0.01%	0.001%
35	6.773	1780	1783	1786	rBV2	318	284	0.02%	0.002%
36	6.802	1790	1792	1797	rVB3	409	241	0.01%	0.002%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV040524\
 Data File : VV035031.D
 Acq On : 06 Apr 2024 02:15
 Operator : SY/MD
 Sample : P2009-06
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 44 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 E0LZ5

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM032624WMA.M
 Title : VOC Analysis

37	6.821	1797	1798	1801	rBV2	481	202	0.01%	0.001%
38	6.912	1815	1826	1858	rBV	194698	380425	20.65%	2.703%
39	7.243	1918	1929	1957	rBV	786838	1403309	76.16%	9.970%
40	7.551	2016	2025	2053	rBV	129765	246788	13.39%	1.753%
41	7.844	2113	2116	2120	rBV2	749	702	0.04%	0.005%
42	8.027	2164	2173	2229	rBV3	330199	809628	43.94%	5.752%
43	8.532	2328	2330	2331	rBV	734	373	0.02%	0.003%
44	8.712	2381	2386	2387	rBV3	754	598	0.03%	0.004%
45	8.783	2397	2408	2448	rBV	707320	1311407	71.17%	9.317%
46	9.095	2502	2505	2507	rBV2	772	398	0.02%	0.003%
47	9.108	2507	2509	2511	rBV2	465	202	0.01%	0.001%
48	9.275	2557	2561	2567	rVB4	499	577	0.03%	0.004%
49	9.304	2567	2570	2572	rBV2	497	349	0.02%	0.002%
50	9.333	2576	2579	2581	rBV2	379	321	0.02%	0.002%
51	9.387	2594	2596	2598	rBV	524	259	0.01%	0.002%
52	9.413	2602	2604	2605	rBV	273	88	0.00%	0.001%
53	9.555	2644	2648	2649	rBV	318	225	0.01%	0.002%
54	9.667	2680	2683	2685	rBV2	554	317	0.02%	0.002%
55	9.715	2696	2698	2701	rBV3	374	171	0.01%	0.001%
56	9.731	2701	2703	2704	rBV	271	92	0.00%	0.001%
57	9.763	2710	2713	2714	rBV	249	137	0.01%	0.001%
58	9.805	2723	2726	2728	rBV	386	196	0.01%	0.001%
59	9.841	2735	2737	2739	rBV2	323	169	0.01%	0.001%
60	10.008	2787	2789	2791	rBV	215	74	0.00%	0.001%
61	10.037	2794	2798	2799	rBV2	411	287	0.02%	0.002%
62	10.149	2822	2833	2862	rBV	519875	827588	44.91%	5.879%
63	10.352	2892	2896	2899	rBV3	1007	807	0.04%	0.006%
64	10.384	2904	2906	2912	rVV3	319	313	0.02%	0.002%
65	10.429	2918	2920	2925	rVB3	589	459	0.02%	0.003%
66	10.461	2925	2930	2931	rBV2	393	341	0.02%	0.002%
67	10.509	2943	2945	2948	rBV2	578	384	0.02%	0.003%
68	10.580	2965	2967	2969	rBV2	200	106	0.01%	0.001%
69	10.596	2969	2972	2977	rBV2	477	389	0.02%	0.003%
70	10.715	3000	3009	3010	rBV2	544	800	0.04%	0.006%
71	10.789	3030	3032	3035	rBV	368	171	0.01%	0.001%
72	10.802	3035	3036	3040	rBV3	371	236	0.01%	0.002%
73	10.863	3051	3055	3058	rBV2	467	411	0.02%	0.003%
74	10.989	3092	3094	3097	rBV	301	155	0.01%	0.001%
75	11.014	3100	3102	3108	rVB3	585	429	0.02%	0.003%
76	11.046	3108	3112	3118	rBV4	600	653	0.04%	0.005%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV040524\
 Data File : VV035031.D
 Acq On : 06 Apr 2024 02:15
 Operator : SY/MD
 Sample : P2009-06
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 44 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 E0LZ5

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM032624WMA.M
 Title : VOC Analysis

77	11.079	3119	3122	3126	rBV3	389	356	0.02%	0.003%
78	11.124	3126	3136	3144	rBV2	12042	20327	1.10%	0.144%
79	11.185	3144	3155	3184	rVV2	646747	1223625	66.40%	8.693%
80	11.558	3260	3271	3298	rBV2	758679	1328029	72.07%	9.435%
81	11.972	3397	3400	3402	rBV3	410	226	0.01%	0.002%
82	12.011	3408	3412	3416	rBV2	551	507	0.03%	0.004%
83	12.130	3447	3449	3451	rBV	443	254	0.01%	0.002%
84	12.464	3550	3553	3555	rBV2	435	327	0.02%	0.002%
85	12.718	3630	3632	3634	rBV	370	212	0.01%	0.002%
86	12.786	3650	3653	3655	rBV3	505	378	0.02%	0.003%
87	13.030	3727	3729	3730	rBV2	316	141	0.01%	0.001%
88	13.197	3771	3781	3798	rBV2	105186	170234	9.24%	1.209%
89	13.577	3894	3899	3903	rBV3	626	643	0.03%	0.005%
90	13.680	3922	3931	3946	rBV2	34004	57529	3.12%	0.409%
91	13.918	4003	4005	4009	rVB2	747	366	0.02%	0.003%
92	15.332	4438	4445	4460	rVB3	22344	35347	1.92%	0.251%




Sum of corrected areas: 14075895

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV040524\
Data File : VV035031.D
Acq On : 06 Apr 2024 02:15
Operator : SY/MD
Sample : P2009-06
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 44 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
E0LZ5

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM032624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV040524\
Data File : VV035031.D
Acq On : 06 Apr 2024 02:15
Operator : SY/MD
Sample : P2009-06
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 44 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
E0LZ5

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM032624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV040524\
Data File : VV035031.D
Acq On : 06 Apr 2024 02:15
Operator : SY/MD
Sample : P2009-06
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 44 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
E0LZ5

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM032624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	#	RT	Resp	Conc
------------------	----	---------	-------	----------	---	----	------	------