

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV040819\
 Data File : VV010189.D
 Acq On : 08 Apr 2019 21:58
 Operator : SY/MD
 Sample : VV0408SBL02
 Misc : 5.00G/10mL/MSVOA V/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VBLK64

Quant Time: Apr 09 09:34:15 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOM2VLM040219S.M
 Quant Title : VOC Analysis
 QLast Update : Tue Apr 09 07:35:38 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.67	114	245928	25.00	ug/L	0.00
28) Chlorobenzene-d5	8.90	117	236893	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.30	152	115020	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	64484	19.59	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	78.36%
7) Chloroethane-d5	1.57	69	73719	18.03	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	72.12%
10) 1,1-Dichloroethene-d2	2.13	63	124437	14.98	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	59.92%
20) 2-Butanone-d5	3.95	46	41466	44.26	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	88.52%
24) Chloroform-d	4.40	84	123541	19.94	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	79.76%
26) 1,2-Dichloroethane-d4	5.08	65	74397	21.46	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	85.84%
29) Benzene-d6	5.10	84	254987	20.76	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	83.04%
33) 1,2-Dichloropropane-d6	6.12	67	76986	21.23	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	84.92%
37) Toluene-d8	7.36	98	239292	20.22	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	80.88%
38) trans-1,3-Dichloropropene-	7.67	79	30096	19.42	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	77.68%
39) 2-Hexanone-d5	8.14	63	29396	40.43	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	80.86%
48) 1,1,2,2-Tetrachloroethane-	10.26	84	74834	20.93	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	83.72%
61) 1,2-Dichlorobenzene-d4	11.68	152	93529	20.87	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	83.48%


Target Compounds					Ovalue
16) Methylene chloride	2.54	84	9351	2.164 ug/L	91




(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV040819\
Data File : VV010189.D
Acq On : 08 Apr 2019 21:58
Operator : SY/MD
Sample : VV0408SBL02
Misc : 5.00G/10mL/MSVOA V/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VBLK64

Quant Time: Apr 09 09:34:15 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOM2VLM040219S.M
Quant Title : VOC Analysis
QLast Update : Tue Apr 09 07:35:38 2019
Response via : Initial Calibration





#16
Methylene chloride
Concen: 2.164 ug/L
RT: 2.54 min Scan# 450
Delta R.T. 0.00 min
Lab File: VV010189.D
Acq: 08 Apr 2019 21:58

Instrument :
MSVOA_V
ClientSampleId :
VBLK64

Tot Ion:	84	Resp:	9351
Ion	Ratio	Lower	Upper
84	100		
49	106.8	84.3	156.5
86	61.3	45.4	84.2

