

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV040821\
 Data File : VV020964.D
 Acq On : 08 Apr 2021 12:00
 Operator : SY/MD
 Sample : M1880-04
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VHBLK01

Quant Time: Apr 09 06:30:50 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SOMVLM032321WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Apr 09 06:30:02 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.619	114	584005	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.854	117	564536	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.255	152	273720	50.00	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.307	65	176709	42.62	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	85.24%
7) Chloroethane-d5	1.568	69	138446	44.17	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	88.34%
11) 1,1-Dichloroethene-d2	2.108	63	270589	34.59	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	69.18%
21) 2-Butanone-d5	3.892	46	192014	71.18	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	71.18%
24) Chloroform-d	4.349	84	388861	47.19	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.38%
26) 1,2-Dichloroethane-d4	5.031	65	255308	47.03	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.06%
32) Benzene-d6	5.050	84	710166	47.19	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.38%
36) 1,2-Dichloropropane-d6	6.069	67	200201	43.34	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	86.68%
41) Toluene-d8	7.317	98	686700	49.03	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	98.06%
43) trans-1,3-Dichloroprop...	7.622	79	113810	46.30	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	92.60%
47) 2-Hexanone-d5	8.092	63	130874	67.57	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	67.57%
57) 1,1,2,2-Tetrachloroeth...	10.220	84	251552	37.38	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	74.76%
64) 1,2-Dichlorobenzene-d4	11.628	152	286475	53.93	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	107.86%
Target Compounds						
					Qvalue	
48) 2-Hexanone	8.149	43	11532	2.76	ug/L	# 80

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV040821\
Data File : VV020964.D
Acq On : 08 Apr 2021 12:00
Operator : SY/MD
Sample : M1880-04
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VHBLK01

Quant Time: Apr 09 06:30:50 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SOMVLM032321WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Apr 09 06:30:02 2021
Response via : Initial Calibration

