

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW040824\
 Data File : VW035051.D
 Acq On : 08 Apr 2024 13:52
 Operator : SY/MD
 Sample : P2017-11 10X
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BH5F2

Quant Time: Apr 08 14:17:16 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM032624WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat Apr 06 02:25:24 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.532	114	392775	50.000	ug/L	0.00
28) Chlorobenzene-d5	8.783	117	379972	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.185	152	171360	50.000	ug/L	0.00

System Monitoring Compounds						
4) Vinyl Chloride-d3	1.278	65	164318	43.319	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	86.640%
7) Chloroethane-d5	1.526	69	89866	27.276	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	54.560%#
11) 1,1-Dichloroethene-d2	2.053	65	72888	43.835	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	87.680%
21) 2-Butanone-d5	3.796	46	215732	95.894	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	95.890%
24) Chloroform-d	4.246	84	292051	45.793	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	91.580%
26) 1,2-Dichloroethane-d4	4.937	65	192049	47.430	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.860%
32) Benzene-d6	4.957	84	594470	46.576	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	93.160%
36) 1,2-Dichloropropane-d6	5.986	67	195354	48.200	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	96.400%
41) Toluene-d8	7.243	98	517772	45.045	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	90.080%
43) trans-1,3-Dichloroprop...	7.551	79	86735	44.020	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	88.040%
47) 2-Hexanone-d5	8.031	63	134860	88.007	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	88.010%
56) 1,1,2,2-Tetrachloroeth...	10.153	84	259600	46.512	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	93.020%
66) 1,2-Dichlorobenzene-d4	11.561	152	182187	47.353	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	94.700%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV040824\
Data File : VV035051.D
Acq On : 08 Apr 2024 13:52
Operator : SY/MD
Sample : P2017-11 10X
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BH5F2

Quant Time: Apr 08 14:17:16 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM032624WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Apr 06 02:25:24 2024
Response via : Initial Calibration

