

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV040920\
 Data File : VV015446.D
 Acq On : 10 Apr 2020 02:43
 Operator : SY/MD
 Sample : L2207-06
 Misc : 25.0mL/MSVOA V/WATER
 ALS Vial : 39 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VHBLK01

Manual Integrations
 APPROVED

apatel
 4/10/2020 11:13:34 AM

Quant Time: Apr 10 07:37:41 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR040920WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Fri Apr 10 05:37:21 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.64	114	115269	5.00	ug/L	0.00
28) Chlorobenzene-d5	8.87	117	110252	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.27	152	54898	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.31	65	28447	4.75	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	95.00%
7) Chloroethane-d5	1.58	69	26816	4.87	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	97.40%
11) 1,1-Dichloroethene-d2	2.12	63	41256	3.28	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	65.60%
20) 2-Butanone-d5	3.96	46	103396m	61.57	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	123.14%
24) Chloroform-d	4.38	84	63004	4.76	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	95.20%
26) 1,2-Dichloroethane-d4	5.06	65	37987	5.32	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	106.40%
32) Benzene-d6	5.08	84	123771	5.06	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	101.20%
36) 1,2-Dichloropropane-d6	6.10	67	40028	5.26	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	105.20%
41) Toluene-d8	7.34	98	112742	4.83	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	96.60%
43) trans-1,3-Dichloropropene-	7.65	79	15524	4.68	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	93.60%
46) 2-Hexanone-d5	8.12	63	91903	57.52	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	115.04%
57) 1,1,2,2-Tetrachloroethane-	10.24	84	31841	5.27	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	105.40%
64) 1,2-Dichlorobenzene-d4	11.65	152	44244	5.02	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	100.40%

Target Compounds					Ovalue
25) Chloroform	4.40	83	3615	0.230 ug/L	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV040920\
Data File : VV015446.D
Acq On : 10 Apr 2020 02:43
Operator : SY/MD
Sample : L2207-06
Misc : 25.0mL/MSVOA V/WATER
ALS Vial : 39 Sample Multiplier: 1




Instrument :
MSVOA_V
ClientSampleId :
VHBLK01

Manual Integrations
APPROVED

apatel
4/10/2020 11:13:34 AM

Quant Time: Apr 10 07:37:41 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR040920WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Fri Apr 10 05:37:21 2020
Response via : Initial Calibration





#25

Chloroform

Concen: 0.230 ug/L

RT: 4.40 min Scan# 1030

Delta R.T. -0.00 min

Lab File: VV015446.D

Acq: 10 Apr 2020 02:43

Tot Ion	Ratio	Lower	Upper
83	100		
85	66.3	45.9	85.3

Instrument :
MSVOA_V
ClientSampleId :
VHBLK01

Manual Integrations
APPROVED

apatel
4/10/2020 11:13:34 AM

