

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV041019\
 Data File : VV010217.D
 Acq On : 10 Apr 2019 18:48
 Operator : SY/MD
 Sample : VV0410SBL01
 Misc : 5.00G/10mL/MSVOA V/SOIL
 ALS Vial : 1 Sample Multiplier: 1

Quant Time: Apr 11 07:44:49 2019
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOM2VLM041019S.M
 Quant Title : VOC Analysis
 QLast Update : Thu Apr 11 07:05:16 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.66	114	289656	25.00	ug/L	0.00
28) Chlorobenzene-d5	8.89	117	275125	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.30	152	125407	25.00	ug/L	0.00

System Monitoring Compounds


4) Vinyl Chloride-d3	1.32	65	75522	22.65	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	90.60%
7) Chloroethane-d5	1.57	69	67300	23.49	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	93.96%
10) 1,1-Dichloroethene-d2	2.13	63	143940	16.96	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	67.84%
20) 2-Butanone-d5	3.93	46	41421	49.09	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	98.18%
24) Chloroform-d	4.40	84	141263	21.36	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	85.44%
26) 1,2-Dichloroethane-d4	5.08	65	91179	24.20	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	96.80%
29) Benzene-d6	5.10	84	326221	24.59	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	98.36%
33) 1,2-Dichloropropane-d6	6.12	67	94662	23.99	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	95.96%
37) Toluene-d8	7.36	98	320448	24.77	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	99.08%
38) trans-1,3-Dichloropropene-	7.66	79	38152	23.19	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	92.76%
39) 2-Hexanone-d5	8.13	63	31755	46.59	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	93.18%
48) 1,1,2,2-Tetrachloroethane-	10.26	84	84095	23.74	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	94.96%
61) 1,2-Dichlorobenzene-d4	11.67	152	116880	25.24	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	100.96%




Target Compounds					Ovalue
16) Methylene chloride	2.54	84	14511	2.558 ug/L	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV041019\
Data File : VV010217.D
Acq On : 10 Apr 2019 18:48
Operator : SY/MD
Sample : VV0410SBL01
Misc : 5.00G/10mL/MSVOA V/SOIL
ALS Vial : 1 Sample Multiplier: 1

Quant Time: Apr 11 07:44:49 2019
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOM2VLM041019S.M
Quant Title : VOC Analysis
QLast Update : Thu Apr 11 07:05:16 2019
Response via : Initial Calibration





#16

Methylene chloride

Concen: 2.558 ug/L

RT: 2.54 min Scan# 450

Delta R.T. 0.00 min

Lab File: VV010217.D

Acq: 10 Apr 2019 18:48

Tot Ion: 84 Resp: 14511

Ion	Ratio	Lower	Upper
84	100		
49	107.8	79.9	148.5
86	64.7	44.5	82.7

