

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW041023\
 Data File : VW030460.D
 Acq On : 10 Apr 2023 11:51
 Operator : SY/MD
 Sample : 02250-10
 Misc : 25.0mL/MSVOA_V/WATER
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BHDY0

Quant Time: Apr 11 06:26:53 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR032323WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Tue Apr 11 06:24:59 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.542	114	119837	5.000	ug/L	0.00
28) Chlorobenzene-d5	8.792	117	120585	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.194	152	58292	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.281	65	29244	3.685	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	73.600%
7) Chloroethane-d5	1.535	69	32785	4.257	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	85.200%
11) 1,1-Dichloroethene-d2	2.063	63	54538	2.896	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	58.000%#
20) 2-Butanone-d5	3.815	46	84964	41.417	ug/L	-0.01
Spiked Amount	50.000	Range	40 - 130	Recovery	=	82.840%
24) Chloroform-d	4.256	84	88462	4.605	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	92.200%
26) 1,2-Dichloroethane-d4	4.953	65	43658	4.817	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	96.400%
32) Benzene-d6	4.969	84	150399	4.426	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	88.600%
36) 1,2-Dichloropropane-d6	5.995	67	48743	4.582	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	91.600%
41) Toluene-d8	7.249	98	127989	4.102	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	82.000%
43) trans-1,3-Dichloroprop...	7.561	79	16181	4.040	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	80.800%
46) 2-Hexanone-d5	8.034	63	65954	40.978	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	81.960%
56) 1,1,2,2-Tetrachloroeth...	10.162	84	36098	4.305	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	86.200%
66) 1,2-Dichlorobenzene-d4	11.567	152	52730	5.061	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	101.200%
Target Compounds					Qvalue	
42) Toluene	7.326	91	36987	0.811	ug/L	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV041023\
Data File : VV030460.D
Acq On : 10 Apr 2023 11:51
Operator : SY/MD
Sample : 02250-10
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 5 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BHDY0

Quant Time: Apr 11 06:26:53 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR032323WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Tue Apr 11 06:24:59 2023
Response via : Initial Calibration

