

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW041024\
 Data File : VW035096.D
 Acq On : 10 Apr 2024 09:56
 Operator : SY/MD
 Sample : VW0410WBL01
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VBLK266

Quant Time: Apr 11 06:55:55 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM032624WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed Apr 10 04:53:36 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.532	114	328988	50.000	ug/L	0.00
28) Chlorobenzene-d5	8.783	117	323509	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.185	152	137857	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.278	65	166148	52.294	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	104.580%
7) Chloroethane-d5	1.526	69	137062	49.667	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	99.340%
11) 1,1-Dichloroethene-d2	2.056	65	69833	50.141	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	100.280%
21) 2-Butanone-d5	3.780	46	204989	108.786	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	108.790%
24) Chloroform-d	4.243	84	277093	51.871	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	103.740%
26) 1,2-Dichloroethane-d4	4.937	65	180790	53.306	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	106.620%
32) Benzene-d6	4.957	84	561033	51.628	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	103.260%
36) 1,2-Dichloropropane-d6	5.986	67	183854	53.279	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	106.560%
41) Toluene-d8	7.243	98	479682	49.015	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	98.020%
43) trans-1,3-Dichloroprop...	7.551	79	74659	44.504	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	89.000%
47) 2-Hexanone-d5	8.021	63	115061	88.192	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	88.190%
56) 1,1,2,2-Tetrachloroeth...	10.149	84	241541	50.830	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	101.660%
66) 1,2-Dichlorobenzene-d4	11.558	152	167170	54.010	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	108.020%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV041024\
Data File : VV035096.D
Acq On : 10 Apr 2024 09:56
Operator : SY/MD
Sample : VV0410WBL01
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VBLK266

Quant Time: Apr 11 06:55:55 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM032624WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Apr 10 04:53:36 2024
Response via : Initial Calibration

