

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV041024\
 Data File : VV035117.D
 Acq On : 10 Apr 2024 18:28
 Operator : SY/MD
 Sample : P2054-07
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BH2P9

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM032624WMA.M
 Title : VOC Analysis

Signal : TIC: VV035117.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.278	68	74	92	rVB	237138	250074	16.15%	2.251%
2	1.532	146	153	172	rVB	221283	256129	16.54%	2.306%
3	2.056	307	316	332	rBV	378262	551064	35.58%	4.961%
4	2.596	480	484	486	rBV2	762	621	0.04%	0.006%
5	2.693	510	514	516	rBV3	635	600	0.04%	0.005%
6	2.754	531	533	537	rVB2	251	127	0.01%	0.001%
7	2.979	601	603	604	rBV	230	85	0.01%	0.001%
8	2.995	604	608	610	rVB3	396	291	0.02%	0.003%
9	3.021	610	616	617	rBV3	468	464	0.03%	0.004%
10	3.053	624	626	629	rVB2	392	206	0.01%	0.002%
11	3.104	640	642	643	rBV2	184	54	0.00%	0.000%
12	3.117	643	646	648	rVV2	267	169	0.01%	0.002%
13	3.153	652	657	660	rBV2	326	312	0.02%	0.003%
14	3.230	677	681	685	rVB2	234	212	0.01%	0.002%
15	3.252	685	688	693	rVB2	241	198	0.01%	0.002%
16	3.284	696	698	700	rBV2	243	122	0.01%	0.001%
17	3.297	700	702	705	rVB3	265	106	0.01%	0.001%
18	3.333	710	713	718	rVB2	436	377	0.02%	0.003%
19	3.355	718	720	723	rBV	328	173	0.01%	0.002%
20	3.371	723	725	728	rBV	419	260	0.02%	0.002%
21	3.436	743	745	746	rBV	185	71	0.00%	0.001%
22	3.458	749	752	754	rBV2	204	124	0.01%	0.001%
23	3.474	755	757	759	rBV	223	116	0.01%	0.001%
24	3.522	769	772	773	rBV2	454	220	0.01%	0.002%
25	3.551	777	781	785	rBB2	147	122	0.01%	0.001%
26	3.574	785	788	789	rBV	199	119	0.01%	0.001%
27	3.596	793	795	797	rBV	528	253	0.02%	0.002%
28	3.667	815	817	819	rBV	313	112	0.01%	0.001%
29	3.702	824	828	829	rBV2	376	259	0.02%	0.002%
30	3.738	836	839	843	rBV4	571	440	0.03%	0.004%
31	3.796	848	857	900	rBV	102113	332187	21.45%	2.991%
32	4.246	982	997	1023	rBV	236091	614411	39.67%	5.531%
33	4.719	1142	1144	1146	rBV2	348	168	0.01%	0.002%
34	4.815	1172	1174	1178	rBV3	534	323	0.02%	0.003%
35	4.889	1194	1197	1201	rBV2	426	405	0.03%	0.004%
36	4.953	1201	1217	1251	rBV2	585968	1548905	100.00%	13.944%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV041024\
 Data File : VV035117.D
 Acq On : 10 Apr 2024 18:28
 Operator : SY/MD
 Sample : P2054-07
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BH2P9

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM032624WMA.M
 Title : VOC Analysis

37	5.320	1329	1331	1335	rVB2	592	365	0.02%	0.003%
38	5.349	1336	1340	1341	rBV2	521	426	0.03%	0.004%
39	5.381	1348	1350	1353	rBV	454	295	0.02%	0.003%
40	5.532	1387	1397	1431	rBV	368314	780802	50.41%	7.029%
41	5.831	1482	1490	1504	rVB4	12082	24761	1.60%	0.223%
42	5.985	1518	1538	1567	rBV	348899	786847	50.80%	7.084%
43	6.796	1787	1790	1793	rBV3	478	249	0.02%	0.002%
44	6.863	1809	1811	1815	rBV2	322	210	0.01%	0.002%
45	6.911	1816	1826	1854	rBV	168130	327060	21.12%	2.944%
46	7.243	1918	1929	1967	rBV	666181	1180387	76.21%	10.627%
47	7.554	2016	2026	2055	rBV	113259	217551	14.05%	1.959%
48	7.934	2142	2144	2147	rBV2	291	156	0.01%	0.001%
49	7.966	2151	2154	2157	rBV2	394	211	0.01%	0.002%
50	7.982	2157	2159	2161	rVB2	331	130	0.01%	0.001%
51	8.027	2161	2173	2218	rBV2	305351	723238	46.69%	6.511%
52	8.741	2393	2395	2396	rBV	289	88	0.01%	0.001%
53	8.783	2397	2408	2437	rBV	575468	960246	62.00%	8.645%
54	9.130	2515	2516	2520	rVB3	617	271	0.02%	0.002%
55	9.175	2528	2530	2531	rBV	276	77	0.00%	0.001%
56	9.233	2545	2548	2549	rBV2	432	177	0.01%	0.002%
57	9.246	2549	2552	2559	rVB5	662	555	0.04%	0.005%
58	9.271	2559	2560	2561	rBV5	353	111	0.01%	0.001%
59	9.468	2619	2621	2622	rBV5	221	100	0.01%	0.001%
60	9.513	2633	2635	2638	rBV2	405	163	0.01%	0.001%
61	9.567	2649	2652	2655	rBV3	574	491	0.03%	0.004%
62	9.599	2660	2662	2664	rVV2	386	187	0.01%	0.002%
63	9.622	2666	2669	2673	rVB	592	432	0.03%	0.004%
64	9.667	2678	2683	2686	rBV3	435	486	0.03%	0.004%
65	9.734	2701	2704	2707	rVB2	498	272	0.02%	0.002%
66	9.783	2717	2719	2723	rBV	570	512	0.03%	0.005%
67	9.844	2736	2738	2740	rBV	355	148	0.01%	0.001%
68	9.876	2746	2748	2756	rVB3	797	610	0.04%	0.005%
69	9.908	2756	2758	2762	rBV2	185	80	0.01%	0.001%
70	9.998	2783	2786	2787	rBV	289	193	0.01%	0.002%
71	10.043	2797	2800	2802	rBV	342	188	0.01%	0.002%
72	10.107	2819	2820	2821	rBV	302	94	0.01%	0.001%
73	10.149	2822	2833	2855	rVV	451653	721802	46.60%	6.498%
74	10.455	2925	2928	2929	rBV	294	136	0.01%	0.001%
75	10.596	2970	2972	2978	rBV2	260	228	0.01%	0.002%
76	10.641	2982	2986	2988	rVB	329	210	0.01%	0.002%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV041024\
 Data File : VV035117.D
 Acq On : 10 Apr 2024 18:28
 Operator : SY/MD
 Sample : P2054-07
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BH2P9

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM032624WMA.M
 Title : VOC Analysis

77	10.763	3022	3024	3027	rBV2	312	223	0.01%	0.002%
78	11.088	3123	3125	3126	rBV2	270	91	0.01%	0.001%
79	11.185	3144	3155	3183	rBV	517148	822741	53.12%	7.407%
80	11.358	3208	3209	3211	rBV	554	187	0.01%	0.002%
81	11.455	3237	3239	3241	rBV	362	113	0.01%	0.001%
82	11.509	3247	3256	3260	rBV7	5387	9214	0.59%	0.083%
83	11.557	3261	3271	3298	rVB	618527	978908	63.20%	8.813%
84	11.853	3361	3363	3365	rVB2	657	280	0.02%	0.003%
85	11.908	3378	3380	3385	rBV3	641	586	0.04%	0.005%
86	12.149	3452	3455	3458	rBV	614	319	0.02%	0.003%
87	12.393	3528	3531	3536	rBV5	756	530	0.03%	0.005%
88	12.416	3536	3538	3540	rBV2	353	165	0.01%	0.001%
89	12.474	3555	3556	3558	rVB	523	182	0.01%	0.002%
90	12.496	3561	3563	3565	rBV2	429	248	0.02%	0.002%
91	12.590	3590	3592	3594	rBV2	701	317	0.02%	0.003%
92	13.053	3734	3736	3737	rBV	352	153	0.01%	0.001%
93	13.210	3779	3785	3790	rBV5	1511	2072	0.13%	0.019%
94	13.268	3799	3803	3809	rBV3	475	548	0.04%	0.005%
95	13.358	3827	3831	3834	rBV3	501	500	0.03%	0.005%




Sum of corrected areas: 11107801

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV041024\
Data File : VV035117.D
Acq On : 10 Apr 2024 18:28
Operator : SY/MD
Sample : P2054-07
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 25 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BH2P9

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM032624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV041024\
Data File : VV035117.D
Acq On : 10 Apr 2024 18:28
Operator : SY/MD
Sample : P2054-07
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 25 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BH2P9

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM032624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV041024\
Data File : VV035117.D
Acq On : 10 Apr 2024 18:28
Operator : SY/MD
Sample : P2054-07
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 25 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BH2P9

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM032624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	#	RT	Resp	Conc
------------------	----	---------	-------	----------	---	----	------	------