

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV041124\
 Data File : VV035154.D
 Acq On : 12 Apr 2024 04:06
 Operator : SY/MD
 Sample : P2057-11
 Misc : 25.0mL/MSVOA_V/WATER
 ALS Vial : 32 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 COBM9

Quant Time: Apr 12 05:56:05 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR040224WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Fri Apr 12 02:02:37 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.535	114	162010	5.000	ug/L	0.00
28) Chlorobenzene-d5	8.786	117	169785	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.185	152	73633	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.278	65	54507	4.082	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	81.600%
7) Chloroethane-d5	1.532	69	55196	5.014	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	100.200%
11) 1,1-Dichloroethene-d2	2.060	65	25980	4.284	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	85.600%
20) 2-Butanone-d5	3.815	46	148850	71.251	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	142.500%#
24) Chloroform-d	4.249	84	116654	5.400	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	108.000%
26) 1,2-Dichloroethane-d4	4.944	65	62138	6.369	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	127.400%
32) Benzene-d6	4.960	84	224211	5.048	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	101.000%
36) 1,2-Dichloropropane-d6	5.989	67	74390	5.707	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	114.200%
41) Toluene-d8	7.243	98	177076	4.389	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	87.800%
43) trans-1,3-Dichloroprop...	7.561	79	18412	3.976	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	79.600%
46) 2-Hexanone-d5	8.027	63	103271	64.979	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	129.960%
56) 1,1,2,2-Tetrachloroeth...	10.153	84	55346	6.085	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	121.800%#
66) 1,2-Dichlorobenzene-d4	11.561	152	67710	5.838	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	116.800%
Target Compounds						
					Qvalue	
47) Tetrachloroethene	7.905	164	23849	2.344	ug/L	96

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV041124\
Data File : VV035154.D
Acq On : 12 Apr 2024 04:06
Operator : SY/MD
Sample : P2057-11
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 32 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0BM9

Quant Time: Apr 12 05:56:05 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR040224WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Fri Apr 12 02:02:37 2024
Response via : Initial Calibration

