

Data File : VV010279.D
Acq On : 12 Apr 2019 11:05
Operator : SY/MD
Sample : VV0412SBL01
Misc : 5.00G/10mL/MSVOA_V/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VBLK68

Quant Time: Apr 13 05:00:03 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOM2VLM041019S.M
Quant Title : VOC Analysis
QLast Update : Sat Apr 13 04:47:32 2019
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.66	114	273781	25.00	ug/L	0.00
28) Chlorobenzene-d5	8.89	117	257839	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.30	152	122042	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	66374	21.06	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	84.24%
7) Chloroethane-d5	1.55	69	45015	16.62	ug/L	-0.02
Spiked Amount	25.000	Range	30 - 150	Recovery	=	66.48%
10) 1,1-Dichloroethene-d2	2.12	63	139844	17.43	ug/L	-0.01
Spiked Amount	25.000	Range	45 - 110	Recovery	=	69.72%
20) 2-Butanone-d5	3.93	46	40558	50.85	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	101.70%
24) Chloroform-d	4.39	84	129224	20.67	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	82.68%
26) 1,2-Dichloroethane-d4	5.08	65	84338	23.68	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	94.72%
29) Benzene-d6	5.09	84	308512	24.81	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	99.24%
33) 1,2-Dichloropropane-d6	6.11	67	87408	23.64	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	94.56%
37) Toluene-d8	7.36	98	293983	24.25	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	97.00%
38) trans-1,3-Dichloropropene-	7.66	79	35340	22.92	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	91.68%
39) 2-Hexanone-d5	8.13	63	31484	49.29	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	98.58%
48) 1,1,2,2-Tetrachloroethane-	10.26	84	80416	24.23	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	96.92%
61) 1,2-Dichlorobenzene-d4	11.67	152	112554	24.97	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	99.88%


Target Compounds					Qvalue
16) Methylene chloride	2.53	84	11269	2.102 ug/L	93


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data File : VV010279.D
Acq On : 12 Apr 2019 11:05
Operator : SY/MD
Sample : VV0412SBL01
Misc : 5.00G/10mL/MSVOA_V/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VBLK68

Quant Time: Apr 13 05:00:03 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOM2VLM041019S.M
Quant Title : VOC Analysis
QLast Update : Sat Apr 13 04:47:32 2019
Response via : Initial Calibration





#16
Methylene chloride
Concen: 2.102 ug/L
RT: 2.53 min Scan# 447
Delta R.T. -0.01 min
Lab File: VV010279.D
Acq: 12 Apr 2019 11:05

Instrument :
MSVOA_V
ClientSampleId :
VBLK68

Tgt Ion: 84 Resp: 11269
Ion Ratio Lower Upper
84 100
49 120.3 79.9 148.5
86 70.1 44.5 82.7

