

Data File : VV010300.D
Acq On : 12 Apr 2019 22:00
Operator : SY/MD
Sample : K2352-02
Misc : 4.71G/10mL/MSVOA_V/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
DB743

Quant Time: Apr 13 06:01:02 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOM2VLM041019S.M
Quant Title : VOC Analysis
QLast Update : Sat Apr 13 05:50:22 2019
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.66	114	247577	25.00	ug/L	0.00
28) Chlorobenzene-d5	8.89	117	242053	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.30	152	120622	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.32	65	39617	13.90	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	55.60%
7) Chloroethane-d5	1.56	69	32921	13.44	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	53.76%
10) 1,1-Dichloroethene-d2	2.12	63	91562	12.62	ug/L	0.00
Spiked Amount	25.000	Range	45 - 110	Recovery	=	50.48%
20) 2-Butanone-d5	3.94	46	40586	56.28	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	112.56%
24) Chloroform-d	4.40	84	113267	20.03	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	80.12%
26) 1,2-Dichloroethane-d4	5.08	65	75487	23.44	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	93.76%
29) Benzene-d6	5.09	84	226485	19.41	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	77.64%
33) 1,2-Dichloropropane-d6	6.11	67	74954	21.59	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	86.36%
37) Toluene-d8	7.36	98	211508	18.58	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	74.32%
38) trans-1,3-Dichloropropene-	7.66	79	28076	19.40	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	77.60%
39) 2-Hexanone-d5	8.13	63	31720	52.90	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	105.80%
48) 1,1,2,2-Tetrachloroethane-	10.26	84	79367	25.47	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	101.88%
61) 1,2-Dichlorobenzene-d4	11.67	152	96904	21.75	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	87.00%


Target Compounds						Qvalue
16) Methylene chloride	2.53	84	11949	2.464	ug/L	95


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data File : VV010300.D
Acq On : 12 Apr 2019 22:00
Operator : SY/MD
Sample : K2352-02
Misc : 4.71G/10mL/MSVOA_V/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
DB743

Quant Time: Apr 13 06:01:02 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOM2VLM041019S.M
Quant Title : VOC Analysis
QLast Update : Sat Apr 13 05:50:22 2019
Response via : Initial Calibration





#16

Methylene chloride

Concen: 2.464 ug/L

RT: 2.53 min Scan# 448

Delta R.T. -0.00 min

Lab File: VV010300.D

Acq: 12 Apr 2019 22:00

Instrument :
MSVOA_V
ClientSampleId :
DB743

Tgt Ion: 84 Resp: 11949

Ion Ratio Lower Upper

84 100

49 116.7 79.9 148.5

86 70.4 44.5 82.7

