

Data File : VV010314.D
Acq On : 13 Apr 2019 04:07
Operator : SY/MD
Sample : K2304-09
Misc : 5.02G/10mL/MSVOA_V/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VHBLK01

Quant Time: Apr 13 06:48:56 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOM2VLM041019S.M
Quant Title : VOC Analysis
QLast Update : Sat Apr 13 05:50:22 2019
Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.66	114	292025	25.00	ug/L	0.00
28) Chlorobenzene-d5	8.89	117	279741	25.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.30	152	115941	25.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.31	65	66120	19.67	ug/L	0.00
Spiked Amount	25.000	Range	30 - 150	Recovery	=	78.68%
7) Chloroethane-d5	1.55	69	70841	24.52	ug/L	-0.01
Spiked Amount	25.000	Range	30 - 150	Recovery	=	98.08%
10) 1,1-Dichloroethene-d2	2.11	63	118351	13.83	ug/L	-0.02
Spiked Amount	25.000	Range	45 - 110	Recovery	=	55.32%
20) 2-Butanone-d5	3.92	46	45339	53.30	ug/L	-0.01
Spiked Amount	50.000	Range	20 - 135	Recovery	=	106.60%
24) Chloroform-d	4.39	84	149065	22.35	ug/L	0.00
Spiked Amount	25.000	Range	40 - 150	Recovery	=	89.40%
26) 1,2-Dichloroethane-d4	5.07	65	97246	25.60	ug/L	0.00
Spiked Amount	25.000	Range	70 - 130	Recovery	=	102.40%
29) Benzene-d6	5.09	84	324781	24.08	ug/L	0.00
Spiked Amount	25.000	Range	20 - 135	Recovery	=	96.32%
33) 1,2-Dichloropropane-d6	6.11	67	100683	25.09	ug/L	0.00
Spiked Amount	25.000	Range	70 - 120	Recovery	=	100.36%
37) Toluene-d8	7.36	98	300055	22.81	ug/L	0.00
Spiked Amount	25.000	Range	30 - 130	Recovery	=	91.24%
38) trans-1,3-Dichloropropene-	7.66	79	36980	22.11	ug/L	0.00
Spiked Amount	25.000	Range	30 - 135	Recovery	=	88.44%
39) 2-Hexanone-d5	8.13	63	29864	43.10	ug/L	0.00
Spiked Amount	50.000	Range	20 - 135	Recovery	=	86.20%
48) 1,1,2,2-Tetrachloroethane-	10.26	84	82471	22.90	ug/L	0.00
Spiked Amount	25.000	Range	45 - 120	Recovery	=	91.60%
61) 1,2-Dichlorobenzene-d4	11.67	152	103728	24.23	ug/L	0.00
Spiked Amount	25.000	Range	75 - 120	Recovery	=	96.92%


Target Compounds					Qvalue
16) Methylene chloride	2.53	84	15508	2.712 ug/L	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data File : VV010314.D
Acq On : 13 Apr 2019 04:07
Operator : SY/MD
Sample : K2304-09
Misc : 5.02G/10mL/MSVOA_V/SOIL
ALS Vial : 1 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VHBLK01

Quant Time: Apr 13 06:48:56 2019
Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOM2VLM041019S.M
Quant Title : VOC Analysis
QLast Update : Sat Apr 13 05:50:22 2019
Response via : Initial Calibration





#16

Methylene chloride

Concen: 2.712 ug/L

RT: 2.53 min Scan# 447

Delta R.T. -0.01 min

Lab File: VV010314.D

Acq: 13 Apr 2019 04:07

Instrument :

MSVOA_V

ClientSampleId :

VHBLK01

Tgt Ion: 84 Resp: 15508

Ion Ratio Lower Upper

84 100

49 108.0 79.9 148.5

86 63.6 44.5 82.7

