

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW041223\
 Data File : VW030514.D
 Acq On : 12 Apr 2023 13:42
 Operator : SY/MD
 Sample : 02254-08DL 200X
 Misc : 25.0mL/MSVOA_V/WATER
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0AC6DL

Quant Time: Apr 13 02:48:21 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR032323WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Thu Apr 13 02:44:31 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Difluorobenzene	5.545	114	103827	5.000	ug/L	0.00
28) Chlorobenzene-d5	8.796	117	103966	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.194	152	49012	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.282	65	29207	4.247	ug/L	0.00
Spiked Amount	5.000	Range 40 - 130	Recovery	=	85.000%	
7) Chloroethane-d5	1.536	69	26946	4.038	ug/L	0.00
Spiked Amount	5.000	Range 65 - 130	Recovery	=	80.800%	
11) 1,1-Dichloroethene-d2	2.066	63	86626	5.309	ug/L	0.00
Spiked Amount	5.000	Range 60 - 125	Recovery	=	106.200%	
20) 2-Butanone-d5	3.847	46	68499	38.539	ug/L	0.01
Spiked Amount	50.000	Range 40 - 130	Recovery	=	77.080%	
24) Chloroform-d	4.262	84	72041	4.329	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	86.600%	
26) 1,2-Dichloroethane-d4	4.957	65	38580	4.913	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	98.200%	
32) Benzene-d6	4.973	84	129255	4.412	ug/L	0.00
Spiked Amount	5.000	Range 70 - 125	Recovery	=	88.200%	
36) 1,2-Dichloropropane-d6	6.002	67	40515	4.417	ug/L	0.00
Spiked Amount	5.000	Range 60 - 140	Recovery	=	88.400%	
41) Toluene-d8	7.252	98	114037	4.239	ug/L	0.00
Spiked Amount	5.000	Range 70 - 130	Recovery	=	84.800%	
43) trans-1,3-Dichloroprop...	7.564	79	13747	3.981	ug/L	0.00
Spiked Amount	5.000	Range 55 - 130	Recovery	=	79.600%	
46) 2-Hexanone-d5	8.040	63	53628	38.646	ug/L	0.00
Spiked Amount	50.000	Range 45 - 130	Recovery	=	77.300%	
56) 1,1,2,2-Tetrachloroeth...	10.162	84	29306	4.054	ug/L	0.00
Spiked Amount	5.000	Range 65 - 120	Recovery	=	81.000%	
66) 1,2-Dichlorobenzene-d4	11.571	152	43224	4.934	ug/L	0.00
Spiked Amount	5.000	Range 80 - 120	Recovery	=	98.600%	
Target Compounds						
12) 1,1-Dichloroethene	2.076	96	58571	6.752	ug/L	82
19) 1,1-Dichloroethane	3.121	63	94540	5.336	ug/L	98
29) 1,1,1-Trichloroethane	4.526	97	162176	9.705	ug/L	99
34) Trichloroethene	5.847	95	1263	0.127	ug/L	89

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV041223\
Data File : VV030514.D
Acq On : 12 Apr 2023 13:42
Operator : SY/MD
Sample : 02254-08DL 200X
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 6 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0AC6DL

Quant Time: Apr 13 02:48:21 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR032323WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Thu Apr 13 02:44:31 2023
Response via : Initial Calibration

