

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV041321\
 Data File : VV020997.D
 Acq On : 13 Apr 2021 14:06
 Operator : SY/MD
 Sample : M1968-01
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BG3G8

Quant Time: Apr 14 03:45:30 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SOMVLM041321WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed Apr 14 03:24:48 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.622	114	468400	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.857	117	446149	50.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.255	152	213505	50.00	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.311	65	137687	51.49	ug/L	0.00
Spiked Amount 50.000	Range 60 - 135		Recovery = 102.98%			
7) Chloroethane-d5	1.571	69	108454	51.85	ug/L	0.00
Spiked Amount 50.000	Range 70 - 130		Recovery = 103.70%			
11) 1,1-Dichloroethene-d2	2.108	63	216098	37.72	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery = 75.44%			
21) 2-Butanone-d5	3.899	46	173349	108.72	ug/L	0.00
Spiked Amount 100.000	Range 40 - 130		Recovery = 108.72%			
24) Chloroform-d	4.352	84	337049	49.99	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery = 99.98%			
26) 1,2-Dichloroethane-d4	5.037	65	226500	51.68	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery = 103.36%			
32) Benzene-d6	5.056	84	599926	54.97	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery = 109.94%			
36) 1,2-Dichloropropane-d6	6.076	67	171258	54.61	ug/L	0.00
Spiked Amount 50.000	Range 70 - 120		Recovery = 109.22%			
41) Toluene-d8	7.320	98	581810	52.07	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 104.14%			
43) trans-1,3-Dichloroprop...	7.625	79	98915	51.32	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery = 102.64%			
47) 2-Hexanone-d5	8.092	63	150484	114.98	ug/L	0.00
Spiked Amount 100.000	Range 45 - 130		Recovery = 114.98%			
57) 1,1,2,2-Tetrachloroeth...	10.223	84	252187	51.46	ug/L	0.00
Spiked Amount 50.000	Range 65 - 120		Recovery = 102.92%			
64) 1,2-Dichlorobenzene-d4	11.632	152	255858	59.10	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 118.20%			
Target Compounds					Qvalue	
13) Acetone	2.188	43	11174	7.76	ug/L	94

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV041321\
Data File : VV020997.D
Acq On : 13 Apr 2021 14:06
Operator : SY/MD
Sample : M1968-01
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 12 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BG3G8

Quant Time: Apr 14 03:45:30 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SOMVLM041321WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Apr 14 03:24:48 2021
Response via : Initial Calibration

