

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV041420\  
 Data File : VV015475.D  
 Acq On : 14 Apr 2020 20:46  
 Operator : SY/MD  
 Sample : L2273-17  
 Misc : 25.0mL/MSVOA V/WATER  
 ALS Vial : 22 Sample Multiplier: 1

Instrument :  
 MSVOA\_V  
 ClientSampleId :  
 YAQ95

Quant Time: Apr 15 05:22:32 2020  
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA\_V\METHOD\SOMVTR040920WMA.M  
 Quant Title : TRACE VOA SOM01.0  
 QLast Update : Wed Apr 15 02:17:02 2020  
 Response via : Initial Calibration

| Internal Standards         | R.T.  | QIon | Response | Conc | Units | Dev(Min) |
|----------------------------|-------|------|----------|------|-------|----------|
| 1) 1,4-Difluorobenzene     | 5.64  | 114  | 111452   | 5.00 | ug/L  | 0.00     |
| 28) Chlorobenzene-d5       | 8.87  | 117  | 106127   | 5.00 | ug/L  | 0.00     |
| 60) 1,4-Dichlorobenzene-d4 | 11.27 | 152  | 52198    | 5.00 | ug/L  | 0.00     |

## System Monitoring Compounds

|                                |        |       |          |          |      |         |
|--------------------------------|--------|-------|----------|----------|------|---------|
| 4) Vinyl Chloride-d3           | 1.32   | 65    | 32212    | 5.57     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 40 - 130 | Recovery | =    | 111.40% |
| 7) Chloroethane-d5             | 1.58   | 69    | 28403    | 5.33     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 65 - 130 | Recovery | =    | 106.60% |
| 11) 1,1-Dichloroethene-d2      | 2.12   | 63    | 45570    | 3.74     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 60 - 125 | Recovery | =    | 74.80%  |
| 20) 2-Butanone-d5              | 3.92   | 46    | 79001    | 48.65    | ug/L | 0.00    |
| Spiked Amount                  | 50.000 | Range | 40 - 130 | Recovery | =    | 97.30%  |
| 24) Chloroform-d               | 4.38   | 84    | 59367    | 4.63     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 70 - 125 | Recovery | =    | 92.60%  |
| 26) 1,2-Dichloroethane-d4      | 5.06   | 65    | 33679    | 4.88     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 70 - 130 | Recovery | =    | 97.60%  |
| 32) Benzene-d6                 | 5.08   | 84    | 122361   | 5.20     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 70 - 125 | Recovery | =    | 104.00% |
| 36) 1,2-Dichloropropane-d6     | 6.10   | 67    | 37650    | 5.13     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 60 - 140 | Recovery | =    | 102.60% |
| 41) Toluene-d8                 | 7.34   | 98    | 114409   | 5.09     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 70 - 130 | Recovery | =    | 101.80% |
| 43) trans-1,3-Dichloropropene- | 7.64   | 79    | 15106    | 4.74     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 55 - 130 | Recovery | =    | 94.80%  |
| 46) 2-Hexanone-d5              | 8.11   | 63    | 62057    | 40.35    | ug/L | 0.00    |
| Spiked Amount                  | 50.000 | Range | 45 - 130 | Recovery | =    | 80.70%  |
| 57) 1,1,2,2-Tetrachloroethane- | 10.24  | 84    | 26654    | 4.58     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 65 - 120 | Recovery | =    | 91.60%  |
| 64) 1,2-Dichlorobenzene-d4     | 11.65  | 152   | 41814    | 4.99     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 80 - 120 | Recovery | =    | 99.80%  |

## Target Compounds

|                       |      |     |       |              | Ovalue |
|-----------------------|------|-----|-------|--------------|--------|
| 13) Acetone           | 2.20 | 43  | 9286  | 8.095 ug/L # | 51     |
| 25) Chloroform        | 4.41 | 83  | 29760 | 1.957 ug/L   | 98     |
| 47) Tetrachloroethene | 8.00 | 164 | 27654 | 4.366 ug/L   | 97     |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV041420\  
Data File : VV015475.D  
Acq On : 14 Apr 2020 20:46  
Operator : SY/MD  
Sample : L2273-17  
Misc : 25.0mL/MSVOA V/WATER  
ALS Vial : 22 Sample Multiplier: 1

Instrument :  
MSVOA\_V  
ClientSampleId :  
Yaq95

Quant Time: Apr 15 05:22:32 2020  
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA\_V\METHOD\SOMVTR040920WMA.M  
Quant Title : TRACE VOA SOM01.0  
QLast Update : Wed Apr 15 02:17:02 2020  
Response via : Initial Calibration

