

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV041420\
 Data File : VV015458.D
 Acq On : 14 Apr 2020 11:28
 Operator : SY/MD
 Sample : VV0414WBL01
 Misc : 25.0mL/MSVOA V/WATER
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VBLK35

Quant Time: Apr 15 02:43:19 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR040920WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Wed Apr 15 02:17:02 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.64	114	121727	5.00	ug/L	0.00
28) Chlorobenzene-d5	8.87	117	114881	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.27	152	56019	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.31	65	36843	5.83	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	116.60%
7) Chloroethane-d5	1.58	69	30839	5.30	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	106.00%
11) 1,1-Dichloroethene-d2	2.12	63	49712	3.74	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	74.80%
20) 2-Butanone-d5	3.95	46	88594	49.96	ug/L	0.02
Spiked Amount	50.000	Range	40 - 130	Recovery	=	99.92%
24) Chloroform-d	4.38	84	62839	4.49	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	89.80%
26) 1,2-Dichloroethane-d4	5.06	65	37013	4.91	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	98.20%
32) Benzene-d6	5.07	84	131603	5.16	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	103.20%
36) 1,2-Dichloropropane-d6	6.10	67	40176	5.06	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	101.20%
41) Toluene-d8	7.34	98	123608	5.08	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	101.60%
43) trans-1,3-Dichloropropene-	7.65	79	17285	5.01	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	100.20%
46) 2-Hexanone-d5	8.12	63	73202	43.97	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	87.94%
57) 1,1,2,2-Tetrachloroethane-	10.24	84	28645	4.55	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	91.00%
64) 1,2-Dichlorobenzene-d4	11.65	152	44015	4.89	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	97.80%


Target Compounds					Ovalue
25) Chloroform	4.40	83	4821	0.290 ug/L	92


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV041420\
Data File : VV015458.D
Acq On : 14 Apr 2020 11:28
Operator : SY/MD
Sample : VV0414WBL01
Misc : 25.0mL/MSVOA V/WATER
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VBLK35

Quant Time: Apr 15 02:43:19 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR040920WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Wed Apr 15 02:17:02 2020
Response via : Initial Calibration





#25
 Chloroform
 Concen: 0.290 ug/L
 RT: 4.40 min Scan# 1030
 Delta R.T. -0.00 min
 Lab File: VV015458.D
 Acq: 14 Apr 2020 11:28

Instrument :
 MSVOA_V
 ClientSampleId :
 VBLK35

Tot Ion: 83 Resp: 4821
 Ion Ratio Lower Upper
 83 100
 85 71.9 45.9 85.3

