

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV041421\
 Data File : VV021011.D
 Acq On : 14 Apr 2021 17:23
 Operator : SY/MD
 Sample : M2031-05
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BG540

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM041421WMA.M

Title : VOC Analysis

Signal : TIC: VV021011.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.310	78	84	97	rVB	197037	214123	11.97%	1.599%
2	1.571	159	165	181	rVB	163348	203550	11.38%	1.520%
3	2.111	323	333	349	rBV	414012	598017	33.43%	4.466%
4	2.297	384	391	401	rVB2	3482	5269	0.29%	0.039%
5	2.362	408	411	416	rBV2	547	543	0.03%	0.004%
6	2.580	476	479	481	rBV	630	267	0.01%	0.002%
7	2.616	488	490	492	rBV2	878	482	0.03%	0.004%
8	2.751	528	532	533	rBV2	753	535	0.03%	0.004%
9	2.857	559	565	568	rBV2	533	578	0.03%	0.004%
10	2.889	568	575	578	rBV3	458	486	0.03%	0.004%
11	3.024	615	617	620	rVV2	624	430	0.02%	0.003%
12	3.053	623	626	630	rVV2	702	586	0.03%	0.004%
13	3.072	630	632	637	rVB2	694	388	0.02%	0.003%
14	3.101	637	641	644	rVB	471	429	0.02%	0.003%
15	3.124	644	648	650	rBB2	553	361	0.02%	0.003%
16	3.146	651	655	657	rBV2	301	258	0.01%	0.002%
17	3.182	664	666	668	rBV2	650	321	0.02%	0.002%
18	3.259	686	690	692	rBV2	502	356	0.02%	0.003%
19	3.387	727	730	735	rVB2	428	427	0.02%	0.003%
20	3.416	735	739	744	rBV	383	359	0.02%	0.003%
21	3.461	749	753	754	rBV	602	403	0.02%	0.003%
22	3.494	760	763	767	rBV2	357	297	0.02%	0.002%
23	3.580	786	790	791	rBV	453	326	0.02%	0.002%
24	3.725	832	835	836	rBV3	610	328	0.02%	0.002%
25	3.821	862	865	869	rBV2	607	594	0.03%	0.004%
26	3.899	878	889	915	rBV2	90098	298341	16.68%	2.228%
27	4.352	1013	1030	1056	rBV	307507	781355	43.68%	5.836%
28	4.661	1124	1126	1128	rBV3	684	299	0.02%	0.002%
29	4.825	1173	1177	1180	rBV2	619	603	0.03%	0.005%
30	4.915	1202	1205	1208	rVB	550	324	0.02%	0.002%
31	5.050	1230	1247	1279	rBV2	689633	1788773	100.00%	13.360%
32	5.458	1372	1374	1376	rBV2	560	358	0.02%	0.003%
33	5.526	1392	1395	1396	rVV	531	270	0.02%	0.002%
34	5.561	1401	1406	1408	rBV3	652	495	0.03%	0.004%
35	5.622	1412	1425	1457	rBV	475951	968703	54.15%	7.235%
36	5.911	1509	1515	1517	rBV4	2049	1915	0.11%	0.014%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW041421\
 Data File : VW021011.D
 Acq On : 14 Apr 2021 17:23
 Operator : SY/MD
 Sample : M2031-05
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BG540

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM041421WMA.M
 Title : VOC Analysis

37	6.072	1552	1565	1593	rVV2	377134	778825	43.54%	5.817%
38	6.358	1651	1654	1660	rVB4	1513	1321	0.07%	0.010%
39	6.384	1660	1662	1668	rBV2	995	866	0.05%	0.006%
40	6.442	1678	1680	1682	rBV2	707	323	0.02%	0.002%
41	6.532	1703	1708	1709	rBV2	792	524	0.03%	0.004%
42	6.583	1721	1724	1726	rBV	560	384	0.02%	0.003%
43	6.879	1814	1816	1821	rVV2	459	408	0.02%	0.003%
44	6.989	1839	1850	1879	rBV	235515	423360	23.67%	3.162%
45	7.198	1912	1915	1917	rBV	628	315	0.02%	0.002%
46	7.210	1917	1919	1921	rBV2	604	331	0.02%	0.002%
47	7.320	1941	1953	1971	rBV	872297	1484530	82.99%	11.087%
48	7.625	2038	2048	2076	rVV	161575	293535	16.41%	2.192%
49	7.834	2109	2113	2115	rBV2	979	763	0.04%	0.006%
50	7.847	2115	2117	2119	rBV2	735	407	0.02%	0.003%
51	7.944	2136	2147	2156	rBV3	18157	34007	1.90%	0.254%
52	8.091	2183	2193	2212	rBV	419977	716482	40.05%	5.351%
53	8.493	2314	2318	2319	rBV	380	291	0.02%	0.002%
54	8.519	2323	2326	2328	rBV3	613	393	0.02%	0.003%
55	8.577	2342	2344	2348	rVB2	580	327	0.02%	0.002%
56	8.635	2360	2362	2364	rBV2	579	287	0.02%	0.002%
57	8.661	2368	2370	2373	rVV	543	293	0.02%	0.002%
58	8.702	2380	2383	2387	rVV2	591	410	0.02%	0.003%
59	8.725	2387	2390	2395	rVB4	723	474	0.03%	0.004%
60	8.857	2419	2431	2453	rBV	715010	1171814	65.51%	8.752%
61	9.017	2479	2481	2483	rBV2	1342	854	0.05%	0.006%
62	9.233	2545	2548	2551	rBV2	352	298	0.02%	0.002%
63	9.287	2561	2565	2568	rBV2	412	393	0.02%	0.003%
64	9.410	2601	2603	2608	rBV3	453	330	0.02%	0.002%
65	9.773	2712	2716	2718	rBV2	590	432	0.02%	0.003%
66	9.934	2761	2766	2768	rBV3	923	920	0.05%	0.007%
67	9.969	2774	2777	2784	rVB3	621	455	0.03%	0.003%
68	10.024	2792	2794	2796	rBV	550	295	0.02%	0.002%
69	10.072	2807	2809	2813	rVB3	590	324	0.02%	0.002%
70	10.127	2822	2826	2828	rBV2	3443	2553	0.14%	0.019%
71	10.220	2843	2855	2873	rBV	599969	940910	52.60%	7.027%
72	10.387	2899	2907	2918	rVB4	19355	31130	1.74%	0.232%
73	10.451	2925	2927	2930	rBV	448	313	0.02%	0.002%
74	10.551	2950	2958	2962	rBV5	2551	3052	0.17%	0.023%
75	10.725	3007	3012	3016	rBV5	581	528	0.03%	0.004%
76	10.747	3017	3019	3022	rVV2	511	269	0.02%	0.002%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV041421\
 Data File : VV021011.D
 Acq On : 14 Apr 2021 17:23
 Operator : SY/MD
 Sample : M2031-05
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BG540

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM041421WMA.M
 Title : VOC Analysis

77	10.853	3050	3052	3054	rBV4	695	404	0.02%	0.003%
78	10.927	3066	3075	3083	rVB5	5123	7397	0.41%	0.055%
79	11.040	3107	3110	3112	rBV3	804	593	0.03%	0.004%
80	11.143	3138	3142	3144	rBV3	1837	1383	0.08%	0.010%
81	11.255	3166	3177	3202	rBV	719690	1114505	62.31%	8.324%
82	11.538	3258	3265	3280	rBV4	9762	16238	0.91%	0.121%
83	11.631	3282	3294	3313	rVV	931140	1462483	81.76%	10.923%
84	12.004	3407	3410	3415	rBV3	883	814	0.05%	0.006%
85	12.181	3463	3465	3468	rVV3	542	278	0.02%	0.002%
86	12.342	3513	3515	3517	rBV2	810	442	0.02%	0.003%
87	12.355	3517	3519	3522	rBV3	1182	863	0.05%	0.006%
88	12.538	3573	3576	3579	rBV3	591	400	0.02%	0.003%
89	12.567	3583	3585	3587	rBV2	559	317	0.02%	0.002%
90	12.606	3595	3597	3600	rBV2	809	389	0.02%	0.003%
91	12.657	3608	3613	3623	rVB5	3063	4463	0.25%	0.033%
92	12.699	3624	3626	3628	rBV2	607	297	0.02%	0.002%
93	12.934	3697	3699	3702	rBV2	626	489	0.03%	0.004%
94	13.149	3763	3766	3769	rBV2	688	569	0.03%	0.004%
95	13.213	3782	3786	3788	rBV	508	482	0.03%	0.004%
96	13.274	3798	3805	3812	rBV7	3744	4845	0.27%	0.036%
97	13.516	3876	3880	3884	rBV3	1875	2071	0.12%	0.015%
98	13.754	3949	3954	3967	rVV6	2637	3963	0.22%	0.030%
99	13.811	3970	3972	3975	rBV2	732	418	0.02%	0.003%
100	14.448	4168	4170	4172	rBV	801	364	0.02%	0.003%

Sum of corrected areas: 13389342

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV041421\
Data File : VV021011.D
Acq On : 14 Apr 2021 17:23
Operator : SY/MD
Sample : M2031-05
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 10 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BG540

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM041421WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV041421\
Data File : VV021011.D
Acq On : 14 Apr 2021 17:23
Operator : SY/MD
Sample : M2031-05
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 10 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BG540

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM041421WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--			
					#	RT	Resp	Conc
