

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW041724\
 Data File : VW035256.D
 Acq On : 17 Apr 2024 10:18
 Operator : SY/MD
 Sample : P2117-04
 Misc : 25.0mL/MSVOA_V/WATER
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 EOMH0

Quant Time: Apr 18 00:41:04 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR041524WMA.M
 Quant Title : TRACE VOA SFAM1.0
 QLast Update : Thu Apr 18 00:40:19 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	5.535	114	184987	5.000	ug/L	0.00
28) Chlorobenzene-d5	8.783	117	190118	5.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.185	152	79473	5.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.278	65	75205	4.342	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	86.800%
7) Chloroethane-d5	1.532	69	64705	4.808	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	96.200%
11) 1,1-Dichloroethene-d2	2.056	65	32038	4.360	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	87.200%
20) 2-Butanone-d5	3.825	46	141636	48.344	ug/L	0.00
Spiked Amount	50.000	Range	40 - 130	Recovery	=	96.680%
24) Chloroform-d	4.249	84	129059	4.765	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	95.400%
26) 1,2-Dichloroethane-d4	4.944	65	65631	5.091	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	101.800%
32) Benzene-d6	4.960	84	249155	4.613	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	92.200%
36) 1,2-Dichloropropane-d6	5.989	67	83376	4.964	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	99.200%
41) Toluene-d8	7.243	98	196384	4.048	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	81.000%
43) trans-1,3-Dichloroprop...	7.561	79	25602	4.271	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	85.400%
46) 2-Hexanone-d5	8.027	63	99952	40.032	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	80.060%
56) 1,1,2,2-Tetrachloroeth...	10.152	84	59851	4.626	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	92.600%
66) 1,2-Dichlorobenzene-d4	11.561	152	71071	5.031	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	100.600%
Target Compounds						
16) Methylene chloride	2.449	84	29989	1.696	ug/L	99
25) Chloroform	4.275	83	7555	0.269	ug/L	96
38) Bromodichloromethane	6.442	83	4908	0.255	ug/L #	89
49) Dibromochloromethane	8.181	129	2127	0.188	ug/L	84


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV041724\
Data File : VV035256.D
Acq On : 17 Apr 2024 10:18
Operator : SY/MD
Sample : P2117-04
Misc : 25.0mL/MSVOA_V/WATER
ALS Vial : 5 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
EOMH0

Quant Time: Apr 18 00:41:04 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVTR041524WMA.M
Quant Title : TRACE VOA SFAM1.0
QLast Update : Thu Apr 18 00:40:19 2024
Response via : Initial Calibration









#16
Methylene chloride
Concen: 1.696 ug/L
RT: 2.449 min Scan# 41
Delta R.T. 0.003 min
Lab File: VV035256.D
Acq: 17 Apr 2024 10:18




Instrument :
MSVOA_V
ClientSampleId :
EOMH0


Tgt Ion: 84 Resp: 29989
Ion Ratio Lower Upper
84 100
86 64.5 45.6 84.6
49 128.3 89.5 166.1



#25
Chloroform
Concen: 0.269 ug/L
RT: 4.275 min Scan# 1006
Delta R.T. 0.003 min
Lab File: VV035256.D
Acq: 17 Apr 2024 10:18

Tgt Ion: 83 Resp: 7555
Ion Ratio Lower Upper
83 100
85 68.7 46.0 85.4









#38
Bromodichloromethane
Concen: 0.255 ug/L
RT: 6.442 min Scan# 1
Delta R.T. 0.010 min
Lab File: VV035256.D
Acq: 17 Apr 2024 10:18

Instrument :
MSVOA_V
ClientSampleId :
EOMH0

Tgt Ion: 83 Resp: 4908
Ion Ratio Lower Upper
83 100
85 54.1 43.8 81.4
127 4.9 6.3 9.5#



#49
Dibromochloromethane
Concen: 0.188 ug/L
RT: 8.181 min Scan# 2221
Delta R.T. 0.006 min
Lab File: VV035256.D
Acq: 17 Apr 2024 10:18

Tgt Ion: 129 Resp: 2127
Ion Ratio Lower Upper
129 100
127 92.7 55.2 102.6

