

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW041823\
 Data File : VW030613.D
 Acq On : 18 Apr 2023 13:31
 Operator : SY/MD
 Sample : PB152132TB 10X
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VLEB132

Quant Time: Apr 19 01:45:38 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM041723WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Apr 18 02:45:56 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.542	114	233765	50.000	ug/L	0.00
28) Chlorobenzene-d5	8.792	117	233234	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.194	152	104700	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.281	65	74974	43.750	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	87.500%
7) Chloroethane-d5	1.535	69	61488	42.817	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	85.640%
11) 1,1-Dichloroethene-d2	2.066	65	37678	46.363	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	92.720%
21) 2-Butanone-d5	3.799	46	79632	84.602	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	84.600%
24) Chloroform-d	4.259	84	145557	46.869	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	93.740%
26) 1,2-Dichloroethane-d4	4.953	65	99671	49.919	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	99.840%
32) Benzene-d6	4.973	84	260713	47.279	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.560%
36) 1,2-Dichloropropane-d6	5.998	67	84777	49.494	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	98.980%
41) Toluene-d8	7.252	98	239152	46.191	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	92.380%
43) trans-1,3-Dichloroprop...	7.561	79	39659	45.937	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	91.880%
47) 2-Hexanone-d5	8.033	63	57488	85.196	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	85.200%
56) 1,1,2,2-Tetrachloroeth...	10.162	84	111131	44.712	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	89.420%
66) 1,2-Dichlorobenzene-d4	11.570	152	89308	53.665	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	107.340%
Target Compounds						
					Qvalue	
34) Trichloroethene	5.847	95	1661	0.902	ug/L	83

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV041823\
Data File : VV030613.D
Acq On : 18 Apr 2023 13:31
Operator : SY/MD
Sample : PB152132TB 10X
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 5 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VLEB132

Quant Time: Apr 19 01:45:38 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM041723WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Apr 18 02:45:56 2023
Response via : Initial Calibration

