

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW041823\
 Data File : VW030616.D
 Acq On : 18 Apr 2023 14:43
 Operator : SY/MD
 Sample : 02360-08
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0AP0

Quant Time: Apr 19 01:46:09 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM041723WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Apr 18 02:45:56 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.542	114	219777	50.000	ug/L	0.00
28) Chlorobenzene-d5	8.792	117	212453	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.194	152	98049	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.281	65	68408	42.459	ug/L	0.00
Spiked Amount 50.000	Range 60 - 135		Recovery =	84.920%		
7) Chloroethane-d5	1.535	69	57642	42.694	ug/L	0.00
Spiked Amount 50.000	Range 70 - 130		Recovery =	85.380%		
11) 1,1-Dichloroethene-d2	2.066	65	34021	44.527	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	89.060%		
21) 2-Butanone-d5	3.799	46	78604	88.825	ug/L	0.00
Spiked Amount 100.000	Range 40 - 130		Recovery =	88.830%		
24) Chloroform-d	4.262	84	133735	45.803	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	91.600%		
26) 1,2-Dichloroethane-d4	4.950	65	91289	48.631	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	97.260%		
32) Benzene-d6	4.969	84	239727	47.726	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	95.460%		
36) 1,2-Dichloropropane-d6	5.998	67	76789	49.215	ug/L	0.00
Spiked Amount 50.000	Range 70 - 120		Recovery =	98.440%		
41) Toluene-d8	7.252	98	208441	44.198	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	88.400%		
43) trans-1,3-Dichloroprop...	7.561	79	35317	44.909	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	89.820%		
47) 2-Hexanone-d5	8.034	63	53762	87.467	ug/L	0.00
Spiked Amount 100.000	Range 45 - 130		Recovery =	87.470%		
56) 1,1,2,2-Tetrachloroeth...	10.162	84	105901	46.775	ug/L	0.00
Spiked Amount 50.000	Range 65 - 120		Recovery =	93.560%		
66) 1,2-Dichlorobenzene-d4	11.570	152	81266	52.145	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	104.300%		
Target Compounds					Qvalue	
34) Trichloroethene	5.844	95	8163	4.864	ug/L	95

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV041823\
Data File : VV030616.D
Acq On : 18 Apr 2023 14:43
Operator : SY/MD
Sample : 02360-08
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 8 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0AP0

Quant Time: Apr 19 01:46:09 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM041723WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Apr 18 02:45:56 2023
Response via : Initial Calibration

