

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW041823\
 Data File : VW030618.D
 Acq On : 18 Apr 2023 15:29
 Operator : SY/MD
 Sample : 02360-18 200X
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0AQ1

Quant Time: Apr 19 01:46:23 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM041723WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Apr 18 02:45:56 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	5.542	114	224508	50.000	ug/L	0.00
28) Chlorobenzene-d5	8.793	117	216683	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.194	152	99566	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.282	65	67107	40.774	ug/L	0.00
Spiked Amount 50.000	Range 60 - 135		Recovery =	81.540%		
7) Chloroethane-d5	1.536	69	56851	41.221	ug/L	0.00
Spiked Amount 50.000	Range 70 - 130		Recovery =	82.440%		
11) 1,1-Dichloroethene-d2	2.063	65	33548	42.983	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	85.960%		
21) 2-Butanone-d5	3.796	46	85208	94.259	ug/L	0.00
Spiked Amount 100.000	Range 40 - 130		Recovery =	94.260%		
24) Chloroform-d	4.259	84	131593	44.120	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	88.240%		
26) 1,2-Dichloroethane-d4	4.953	65	91431	47.681	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	95.360%		
32) Benzene-d6	4.970	84	240060	46.859	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	93.720%		
36) 1,2-Dichloropropane-d6	5.998	67	76466	48.051	ug/L	0.00
Spiked Amount 50.000	Range 70 - 120		Recovery =	96.100%		
41) Toluene-d8	7.252	98	209151	43.483	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	86.960%		
43) trans-1,3-Dichloroprop...	7.561	79	34740	43.313	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	86.620%		
47) 2-Hexanone-d5	8.034	63	54077	86.262	ug/L	0.00
Spiked Amount 100.000	Range 45 - 130		Recovery =	86.260%		
56) 1,1,2,2-Tetrachloroeth...	10.162	84	106015	45.912	ug/L	0.00
Spiked Amount 50.000	Range 65 - 120		Recovery =	91.820%		
66) 1,2-Dichlorobenzene-d4	11.571	152	81231	51.329	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	102.660%		
Target Compounds					Qvalue	
34) Trichloroethene	5.844	95	4636	2.709	ug/L	90


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV041823\
Data File : VV030618.D
Acq On : 18 Apr 2023 15:29
Operator : SY/MD
Sample : 02360-18 200X
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 10 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0AQ1

Quant Time: Apr 19 01:46:23 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM041723WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Apr 18 02:45:56 2023
Response via : Initial Calibration





#34
 Trichloroethene
 Concen: 2.709 ug/L
 RT: 5.844 min Scan# 1493
 Delta R.T. 0.003 min
 Lab File: VV030618.D
 Acq: 18 Apr 2023 15:29

Instrument :
 MSVOA_V
 ClientSampleId :
 C0AQ1

Tgt Ion: 95	Resp: 4636
Ion Ratio	Lower Upper
95 100	
97 59.0	45.8 85.2
132 107.7	70.6 131.2
130 87.7	70.9 131.7

