

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV041823\
 Data File : VV030612.D
 Acq On : 18 Apr 2023 13:08
 Operator : SY/MD
 Sample : VV0418WBL01
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VBLK323

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM041723WMA.M
 Title : VOC Analysis

Signal : TIC: VV030612.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.282	69	75	89	rVB	119674	131965	15.82%	2.024%
2	1.536	148	154	169	rVB	109850	131386	15.76%	2.015%
3	2.066	310	319	335	rBV	232711	325134	38.99%	4.987%
4	2.163	346	349	351	rBV3	3430	2082	0.25%	0.032%
5	2.359	407	410	413	rVB4	1763	792	0.09%	0.012%
6	2.690	510	513	515	rBV3	1835	1194	0.14%	0.018%
7	2.754	531	533	534	rBV2	1216	484	0.06%	0.007%
8	2.786	541	543	544	rBV2	1137	468	0.06%	0.007%
9	2.831	553	557	558	rBV4	984	616	0.07%	0.009%
10	2.960	595	597	599	rBV3	1026	414	0.05%	0.006%
11	3.098	637	640	641	rBV3	1287	696	0.08%	0.011%
12	3.317	706	708	709	rBV2	1105	420	0.05%	0.006%
13	3.410	735	737	740	rBV3	1372	677	0.08%	0.010%
14	3.468	751	755	758	rVB5	1500	1004	0.12%	0.015%
15	3.484	758	760	764	rVB4	1461	756	0.09%	0.012%
16	3.500	764	765	767	rBV2	1050	479	0.06%	0.007%
17	3.626	801	804	805	rBV3	1966	963	0.12%	0.015%
18	3.696	823	826	827	rBV3	1167	702	0.08%	0.011%
19	3.745	839	841	842	rBV2	1659	669	0.08%	0.010%
20	3.799	848	858	882	rBV2	56404	157907	18.94%	2.422%
21	4.265	985	1003	1023	rBV	141177	366645	43.97%	5.624%
22	4.568	1095	1097	1100	rBV4	1898	1149	0.14%	0.018%
23	4.818	1171	1175	1179	rVB6	1957	1702	0.20%	0.026%
24	4.841	1179	1182	1184	rBV4	1636	1057	0.13%	0.016%
25	4.966	1206	1221	1246	rBV2	317361	833903	100.00%	12.792%
26	5.391	1351	1353	1355	rBV4	1437	845	0.10%	0.013%
27	5.542	1388	1400	1421	rBV	268295	555963	66.67%	8.528%
28	5.767	1468	1470	1472	rBV3	1992	1049	0.13%	0.016%
29	5.998	1530	1542	1563	rBV	190390	392059	47.01%	6.014%
30	6.252	1619	1621	1623	rBV3	1539	736	0.09%	0.011%
31	6.291	1628	1633	1634	rBV5	1663	1466	0.18%	0.022%
32	6.388	1661	1663	1664	rBV2	1468	791	0.09%	0.012%
33	6.532	1707	1708	1710	rBV2	933	492	0.06%	0.008%
34	6.625	1736	1737	1738	rBV	890	305	0.04%	0.005%
35	6.674	1749	1752	1758	rBV7	2227	1970	0.24%	0.030%
36	6.818	1794	1797	1800	rVB4	1662	1002	0.12%	0.015%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV041823\
 Data File : VV030612.D
 Acq On : 18 Apr 2023 13:08
 Operator : SY/MD
 Sample : VV0418WBL01
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VBLK323

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM041723WMA.M
 Title : VOC Analysis

37	6.838	1800	1803	1804	rVB3	1266	601	0.07%	0.009%
38	6.851	1804	1807	1809	rBV3	1467	1218	0.15%	0.019%
39	6.921	1820	1829	1849	rBV	90378	163854	19.65%	2.513%
40	7.172	1905	1907	1909	rBV3	1070	542	0.06%	0.008%
41	7.252	1918	1932	1953	rBV	352335	645724	77.43%	9.905%
42	7.510	2010	2012	2016	rBV4	1478	997	0.12%	0.015%
43	7.561	2018	2028	2046	rBV	68724	126890	15.22%	1.946%
44	7.709	2071	2074	2076	rBV3	1887	1353	0.16%	0.021%
45	7.863	2120	2122	2124	rBV3	1485	641	0.08%	0.010%
46	8.034	2165	2175	2191	rBV	186123	349143	41.87%	5.356%
47	8.793	2400	2411	2433	rBV	413154	683941	82.02%	10.491%
48	9.326	2573	2577	2579	rVB5	1754	1263	0.15%	0.019%
49	9.355	2584	2586	2589	rBV4	1064	723	0.09%	0.011%
50	9.400	2596	2600	2604	rVB6	1735	1506	0.18%	0.023%
51	9.426	2604	2608	2609	rBV4	1355	1008	0.12%	0.015%
52	9.648	2675	2677	2678	rBV2	1154	386	0.05%	0.006%
53	10.063	2804	2806	2808	rBV3	746	258	0.03%	0.004%
54	10.117	2821	2823	2825	rBV3	1599	794	0.10%	0.012%
55	10.159	2826	2836	2852	rVV	257037	409627	49.12%	6.283%
56	10.346	2891	2894	2898	rBV5	2177	1612	0.19%	0.025%
57	10.381	2903	2905	2909	rVV4	1380	1064	0.13%	0.016%
58	10.420	2913	2917	2918	rBV4	1200	578	0.07%	0.009%
59	10.789	3029	3032	3040	rVB9	2102	1920	0.23%	0.029%
60	10.928	3073	3075	3078	rBV4	1610	1070	0.13%	0.016%
61	10.982	3090	3092	3095	rVB3	684	233	0.03%	0.004%
62	11.001	3095	3098	3100	rBV4	1650	1326	0.16%	0.020%
63	11.056	3111	3115	3117	rBV5	1685	1239	0.15%	0.019%
64	11.098	3125	3128	3130	rBV3	1372	883	0.11%	0.014%
65	11.194	3147	3158	3177	rVB	377208	596030	71.47%	9.143%
66	11.407	3219	3224	3226	rBV6	2078	2039	0.24%	0.031%
67	11.571	3262	3275	3292	rBV	352684	574386	68.88%	8.811%
68	11.722	3320	3322	3323	rBV2	1248	465	0.06%	0.007%
69	11.754	3328	3332	3336	rBV7	1498	1478	0.18%	0.023%
70	12.037	3416	3420	3422	rBV4	1787	1713	0.21%	0.026%
71	12.069	3428	3430	3431	rBV2	1106	453	0.05%	0.007%
72	12.104	3439	3441	3444	rBV3	1548	884	0.11%	0.014%
73	12.188	3463	3467	3470	rBV6	1641	1388	0.17%	0.021%
74	12.246	3483	3485	3486	rBV2	1168	460	0.06%	0.007%
75	12.294	3497	3500	3501	rBV2	1616	669	0.08%	0.010%
76	12.474	3554	3556	3558	rBV3	1441	827	0.10%	0.013%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV041823\
 Data File : VV030612.D
 Acq On : 18 Apr 2023 13:08
 Operator : SY/MD
 Sample : VV0418WBL01
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VBLK323

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM041723WMA.M
 Title : VOC Analysis

77	12.760	3640	3645	3647	rBV6	2440	2411	0.29%	0.037%
78	12.870	3677	3679	3682	rBV4	1603	1133	0.14%	0.017%
79	12.892	3683	3686	3688	rVV4	1680	927	0.11%	0.014%
80	13.130	3756	3760	3764	rBV7	2142	2350	0.28%	0.036%
81	13.153	3764	3767	3771	rVV6	1581	1266	0.15%	0.019%
82	13.255	3798	3799	3801	rVB2	1550	502	0.06%	0.008%
83	13.268	3801	3803	3805	rBV3	1198	703	0.08%	0.011%
84	13.590	3901	3903	3906	rBV4	1330	892	0.11%	0.014%
85	13.619	3906	3912	3913	rBV5	1703	1555	0.19%	0.024%
86	13.661	3922	3925	3927	rBV4	2112	1302	0.16%	0.020%
87	13.834	3976	3979	3980	rBV3	1459	826	0.10%	0.013%
88	13.921	4003	4006	4010	rBV5	2027	1737	0.21%	0.027%
89	14.895	4304	4309	4311	rBV5	1600	1663	0.20%	0.026%
90	14.908	4311	4313	4315	rVV3	1791	726	0.09%	0.011%




Sum of corrected areas: 6519121

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV041823\
Data File : VV030612.D
Acq On : 18 Apr 2023 13:08
Operator : SY/MD
Sample : VV0418WBL01
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VBLK323

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM041723WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV041823\
Data File : VV030612.D
Acq On : 18 Apr 2023 13:08
Operator : SY/MD
Sample : VV0418WBL01
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VBLK323

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM041723WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV041823\
Data File : VV030612.D
Acq On : 18 Apr 2023 13:08
Operator : SY/MD
Sample : VV0418WBL01
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VBLK323

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM041723WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	#	RT	Resp	Conc
------------------	----	---------	-------	----------	---	----	------	------