

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV041823\
 Data File : VV030631.D
 Acq On : 18 Apr 2023 20:40
 Operator : SY/MD
 Sample : 02360-06DL 1000X
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0AN8DL

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM041723WMA.M

Title : VOC Analysis

Signal : TIC: VV030631.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.220	51	56	58	rBV5	4632	4241	0.23%	0.054%
2	1.285	69	76	88	rVB	93399	103532	5.69%	1.326%
3	1.536	148	154	169	rVB	91138	108739	5.97%	1.392%
4	2.066	310	319	337	rVB	184195	272239	14.95%	3.486%
5	2.365	410	412	413	rBV2	1176	422	0.02%	0.005%
6	2.555	467	471	473	rVB5	1361	938	0.05%	0.012%
7	2.590	479	482	484	rBV5	1772	1171	0.06%	0.015%
8	2.703	516	517	518	rBV	1402	462	0.03%	0.006%
9	2.732	521	526	530	rBV8	2101	2093	0.11%	0.027%
10	2.777	536	540	542	rBV5	1542	1333	0.07%	0.017%
11	2.815	550	552	553	rBV2	1365	591	0.03%	0.008%
12	2.873	565	570	573	rVB7	1405	1322	0.07%	0.017%
13	2.886	573	574	576	rBV3	1082	395	0.02%	0.005%
14	2.912	580	582	584	rVB2	1445	528	0.03%	0.007%
15	3.060	626	628	632	rVB5	1154	731	0.04%	0.009%
16	3.127	647	649	650	rBV2	1419	504	0.03%	0.006%
17	3.262	687	691	699	rBV10	1535	2024	0.11%	0.026%
18	3.327	707	711	716	rBV7	1772	1925	0.11%	0.025%
19	3.400	732	734	736	rBV3	1207	528	0.03%	0.007%
20	3.433	742	744	750	rVB7	1632	1055	0.06%	0.014%
21	3.455	750	751	754	rBV3	929	606	0.03%	0.008%
22	3.519	769	771	775	rBV5	1143	740	0.04%	0.009%
23	3.548	778	780	782	rBV2	1202	418	0.02%	0.005%
24	3.651	810	812	816	rVB4	1384	623	0.03%	0.008%
25	3.671	816	818	821	rBV4	1095	749	0.04%	0.010%
26	3.751	841	843	845	rBV3	1022	519	0.03%	0.007%
27	3.799	848	858	882	rBV	51050	139392	7.66%	1.785%
28	4.195	979	981	983	rBV4	1694	515	0.03%	0.007%
29	4.262	991	1002	1023	rVB	122757	300442	16.50%	3.847%
30	4.580	1099	1101	1104	rBV4	1530	1064	0.06%	0.014%
31	4.661	1121	1126	1129	rBV6	2302	2214	0.12%	0.028%
32	4.966	1205	1221	1245	rBV2	277453	735076	40.38%	9.412%
33	5.445	1367	1370	1371	rBV3	1667	997	0.05%	0.013%
34	5.542	1388	1400	1425	rBV	274833	564033	30.98%	7.222%
35	5.841	1479	1493	1514	rBV	929761	1820620	100.00%	23.312%
36	5.998	1532	1542	1562	rVB	170556	347272	19.07%	4.447%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV041823\
 Data File : VV030631.D
 Acq On : 18 Apr 2023 20:40
 Operator : SY/MD
 Sample : 02360-06DL 1000X
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0AN8DL

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM041723WMA.M
 Title : VOC Analysis

37	6.339	1646	1648	1650	rBV3	1224	545	0.03%	0.007%
38	6.481	1687	1692	1693	rBV5	1883	1357	0.07%	0.017%
39	6.658	1744	1747	1749	rBV3	1621	1065	0.06%	0.014%
40	6.744	1769	1774	1777	rBV8	2238	2654	0.15%	0.034%
41	6.860	1809	1810	1813	rVV3	1339	527	0.03%	0.007%
42	6.921	1818	1829	1851	rVV	85369	160392	8.81%	2.054%
43	7.111	1883	1888	1894	rBV8	2569	3608	0.20%	0.046%
44	7.252	1921	1932	1954	rBV	307979	556283	30.55%	7.123%
45	7.561	2018	2028	2044	rBV	61421	112189	6.16%	1.436%
46	7.712	2073	2075	2079	rBV5	2312	1794	0.10%	0.023%
47	7.902	2132	2134	2136	rBV3	1319	763	0.04%	0.010%
48	7.976	2155	2157	2162	rBV5	1357	741	0.04%	0.009%
49	8.034	2166	2175	2192	rBV	160520	302063	16.59%	3.868%
50	8.738	2391	2394	2395	rBV3	2374	1240	0.07%	0.016%
51	8.793	2400	2411	2432	rVV	423255	694391	38.14%	8.891%
52	9.133	2515	2517	2521	rBV4	880	681	0.04%	0.009%
53	9.169	2526	2528	2531	rBV3	1479	667	0.04%	0.009%
54	9.201	2536	2538	2540	rBV3	854	483	0.03%	0.006%
55	9.214	2540	2542	2543	rBV2	2089	725	0.04%	0.009%
56	9.387	2593	2596	2597	rBV3	2082	956	0.05%	0.012%
57	9.423	2603	2607	2608	rBV3	1683	1282	0.07%	0.016%
58	9.590	2657	2659	2660	rBV2	1719	768	0.04%	0.010%
59	9.767	2710	2714	2718	rBV6	1521	1506	0.08%	0.019%
60	9.837	2733	2736	2737	rBV3	1357	804	0.04%	0.010%
61	9.892	2751	2753	2756	rBV4	1710	1259	0.07%	0.016%
62	10.162	2826	2837	2854	rBV	231677	367900	20.21%	4.711%
63	10.233	2857	2859	2860	rBV2	1247	417	0.02%	0.005%
64	10.320	2884	2886	2887	rBV	1224	625	0.03%	0.008%
65	10.413	2908	2915	2916	rBV7	1706	1519	0.08%	0.019%
66	10.850	3046	3051	3052	rBV5	1914	1434	0.08%	0.018%
67	10.976	3087	3090	3092	rBV4	1394	829	0.05%	0.011%
68	11.194	3147	3158	3179	rBV	388580	627207	34.45%	8.031%
69	11.284	3184	3186	3187	rBV2	1949	692	0.04%	0.009%
70	11.345	3203	3205	3206	rBV2	1352	706	0.04%	0.009%
71	11.571	3264	3275	3292	rVB	321166	509748	28.00%	6.527%
72	11.709	3316	3318	3321	rBV4	1432	1005	0.06%	0.013%
73	11.808	3346	3349	3350	rBV2	1924	1051	0.06%	0.013%
74	12.021	3413	3415	3418	rBV4	1151	849	0.05%	0.011%
75	12.178	3461	3464	3466	rBV4	1247	560	0.03%	0.007%
76	12.188	3466	3467	3471	rBV4	938	570	0.03%	0.007%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV041823\
 Data File : VV030631.D
 Acq On : 18 Apr 2023 20:40
 Operator : SY/MD
 Sample : 02360-06DL 1000X
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 23 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0AN8DL

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM041723WMA.M
 Title : VOC Analysis

77	12.339	3512	3514	3517	rBV4	1785	1229	0.07%	0.016%
78	12.419	3537	3539	3544	rBV5	1722	970	0.05%	0.012%
79	12.484	3554	3559	3564	rBV9	1086	1392	0.08%	0.018%
80	12.551	3577	3580	3582	rBV4	1366	807	0.04%	0.010%
81	12.590	3590	3592	3595	rBV3	1592	1012	0.06%	0.013%
82	12.789	3652	3654	3655	rBV2	1028	451	0.02%	0.006%
83	12.892	3684	3686	3687	rBV2	1567	637	0.03%	0.008%
84	13.017	3722	3725	3726	rBV3	1532	793	0.04%	0.010%
85	13.053	3734	3736	3739	rBV3	1187	504	0.03%	0.006%
86	13.066	3739	3740	3743	rVV3	1099	518	0.03%	0.007%
87	13.133	3759	3761	3762	rBV2	1587	530	0.03%	0.007%
88	13.194	3775	3780	3781	rBV4	2168	1691	0.09%	0.022%
89	13.397	3839	3843	3845	rBV5	1855	1330	0.07%	0.017%
90	13.419	3848	3850	3853	rVB3	1121	489	0.03%	0.006%
91	13.439	3853	3856	3859	rBV5	2625	2302	0.13%	0.029%
92	13.513	3878	3879	3884	rBV5	1468	1079	0.06%	0.014%
93	13.538	3884	3887	3890	rVB4	2150	1351	0.07%	0.017%
94	13.558	3890	3893	3894	rBV3	1312	753	0.04%	0.010%
95	13.943	4011	4013	4016	rVB3	1444	769	0.04%	0.010%
96	13.966	4016	4020	4021	rBV4	1360	816	0.04%	0.010%
97	14.162	4079	4081	4084	rBV4	1374	790	0.04%	0.010%
98	14.361	4140	4143	4146	rBV4	1631	1489	0.08%	0.019%
99	14.648	4227	4232	4237	rBV7	2562	2730	0.15%	0.035%
100	14.831	4287	4289	4294	rBV5	1592	1589	0.09%	0.020%

Sum of corrected areas: 7809929

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV041823\
Data File : VV030631.D
Acq On : 18 Apr 2023 20:40
Operator : SY/MD
Sample : 02360-06DL 1000X
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 23 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0AN8DL

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM041723WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV041823\
Data File : VV030631.D
Acq On : 18 Apr 2023 20:40
Operator : SY/MD
Sample : 02360-06DL 1000X
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 23 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0AN8DL

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM041723WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	#	RT	Resp	Conc
------------------	----	---------	-------	----------	---	----	------	------