

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV041823\
 Data File : VV030646.D
 Acq On : 19 Apr 2023 03:03
 Operator : SY/MD
 Sample : 02398-04
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 39 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 COMN3

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM041723WMA.M
 Title : VOC Analysis

Signal : TIC: VV030646.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.282	69	75	88	rVB	87858	96089	12.92%	1.602%
2	1.536	147	154	172	rVB	85975	108746	14.62%	1.813%
3	2.066	309	319	333	rBV	188629	272539	36.64%	4.544%
4	2.442	432	436	439	rBV5	2217	1963	0.26%	0.033%
5	2.571	474	476	477	rBV2	1004	425	0.06%	0.007%
6	2.658	502	503	506	rBV2	1031	402	0.05%	0.007%
7	2.703	515	517	521	rBV4	1849	1417	0.19%	0.024%
8	2.873	566	570	572	rBV3	1532	1250	0.17%	0.021%
9	2.905	578	580	582	rBV3	929	380	0.05%	0.006%
10	3.060	626	628	629	rBV2	1364	656	0.09%	0.011%
11	3.217	675	677	680	rVB3	1281	695	0.09%	0.012%
12	3.233	680	682	684	rBV3	1664	662	0.09%	0.011%
13	3.246	684	686	690	rVB5	1457	848	0.11%	0.014%
14	3.265	690	692	693	rBV2	958	427	0.06%	0.007%
15	3.333	710	713	714	rBV3	1106	568	0.08%	0.009%
16	3.352	717	719	720	rBV2	1056	411	0.06%	0.007%
17	3.410	733	737	738	rBV3	1483	936	0.13%	0.016%
18	3.632	803	806	812	rBV7	2030	1795	0.24%	0.030%
19	3.674	817	819	821	rBV3	1284	617	0.08%	0.010%
20	3.799	849	858	884	rBV	50578	141761	19.06%	2.364%
21	4.259	988	1001	1021	rBV	134721	317305	42.66%	5.290%
22	4.677	1129	1131	1133	rBV2	982	361	0.05%	0.006%
23	4.764	1156	1158	1159	rBV2	921	343	0.05%	0.006%
24	4.799	1166	1169	1170	rBV3	1033	580	0.08%	0.010%
25	4.851	1182	1185	1189	rBV5	1385	1282	0.17%	0.021%
26	4.870	1189	1191	1195	rVB4	1214	866	0.12%	0.014%
27	4.896	1195	1199	1202	rBV5	1666	1197	0.16%	0.020%
28	4.966	1203	1221	1243	rBV2	279437	743827	100.00%	12.402%
29	5.375	1345	1348	1349	rBV3	1138	645	0.09%	0.011%
30	5.436	1365	1367	1371	rVB4	1909	1210	0.16%	0.020%
31	5.474	1371	1379	1382	rBV9	2564	3839	0.52%	0.064%
32	5.542	1389	1400	1417	rBV	265470	548140	73.69%	9.139%
33	5.998	1528	1542	1561	rBV2	166896	350733	47.15%	5.848%
34	6.243	1617	1618	1621	rBV3	1348	805	0.11%	0.013%
35	6.278	1628	1629	1632	rVB3	1483	389	0.05%	0.006%
36	6.584	1719	1724	1725	rBV4	2221	1917	0.26%	0.032%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV041823\
 Data File : VV030646.D
 Acq On : 19 Apr 2023 03:03
 Operator : SY/MD
 Sample : 02398-04
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 39 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 COMN3

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM041723WMA.M
 Title : VOC Analysis

37	6.732	1768	1770	1773	rVB4	1220	605	0.08%	0.010%
38	6.760	1776	1779	1780	rBV2	1281	697	0.09%	0.012%
39	6.796	1788	1790	1791	rBV2	941	374	0.05%	0.006%
40	6.921	1816	1829	1843	rBV	84925	163865	22.03%	2.732%
41	7.252	1921	1932	1952	rBV	296162	528701	71.08%	8.815%
42	7.561	2020	2028	2044	rBV	57369	103822	13.96%	1.731%
43	7.960	2150	2152	2155	rBV4	1008	584	0.08%	0.010%
44	8.034	2163	2175	2195	rBV	165616	328254	44.13%	5.473%
45	8.262	2244	2246	2250	rBV4	1502	855	0.11%	0.014%
46	8.654	2367	2368	2369	rBV	1423	472	0.06%	0.008%
47	8.690	2377	2379	2382	rVB4	1513	870	0.12%	0.015%
48	8.793	2400	2411	2428	rBV	411554	690114	92.78%	11.506%
49	9.262	2555	2557	2558	rBV3	1808	778	0.10%	0.013%
50	9.349	2578	2584	2586	rBV5	2168	2382	0.32%	0.040%
51	9.423	2605	2607	2609	rBV3	1225	596	0.08%	0.010%
52	9.516	2633	2636	2638	rBV4	1609	1036	0.14%	0.017%
53	9.616	2664	2667	2668	rBV3	1094	567	0.08%	0.009%
54	9.857	2739	2742	2747	rBV7	1454	1524	0.20%	0.025%
55	9.876	2747	2748	2750	rBV2	1080	472	0.06%	0.008%
56	9.963	2771	2775	2776	rBV3	1731	977	0.13%	0.016%
57	10.159	2826	2836	2852	rBV	236271	376538	50.62%	6.278%
58	10.333	2884	2890	2900	rVB3	9416	13339	1.79%	0.222%
59	10.465	2928	2931	2934	rBV4	2185	1698	0.23%	0.028%
60	10.532	2950	2952	2954	rBV3	1014	371	0.05%	0.006%
61	10.596	2970	2972	2973	rVB2	1591	513	0.07%	0.009%
62	10.670	2992	2995	2998	rBV4	1905	1604	0.22%	0.027%
63	10.747	3016	3019	3022	rBV4	1475	1186	0.16%	0.020%
64	10.905	3065	3068	3071	rBV5	1553	1247	0.17%	0.021%
65	10.966	3085	3087	3089	rBV3	1643	1045	0.14%	0.017%
66	11.027	3102	3106	3109	rBV6	1477	1206	0.16%	0.020%
67	11.114	3129	3133	3136	rBV5	2099	2016	0.27%	0.034%
68	11.194	3147	3158	3178	rBV	394017	618072	83.09%	10.305%
69	11.394	3218	3220	3222	rBV2	856	437	0.06%	0.007%
70	11.429	3228	3231	3233	rBV3	1839	945	0.13%	0.016%
71	11.567	3264	3274	3292	rVB	320636	516114	69.39%	8.605%
72	11.789	3338	3343	3344	rBV4	2172	1204	0.16%	0.020%
73	11.866	3365	3367	3370	rVB4	1437	583	0.08%	0.010%
74	11.950	3391	3393	3394	rBV2	1044	351	0.05%	0.006%
75	12.088	3434	3436	3437	rBV2	1386	510	0.07%	0.009%
76	12.133	3446	3450	3454	rVB7	1765	1611	0.22%	0.027%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV041823\
 Data File : VV030646.D
 Acq On : 19 Apr 2023 03:03
 Operator : SY/MD
 Sample : 02398-04
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 39 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 COMN3

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM041723WMA.M
 Title : VOC Analysis

77	12.400	3530	3533	3534	rBV4	1794	889	0.12%	0.015%
78	12.599	3592	3595	3601	rBV7	1824	1590	0.21%	0.027%
79	12.622	3601	3602	3604	rBV2	997	484	0.07%	0.008%
80	12.670	3616	3617	3620	rBV3	909	363	0.05%	0.006%
81	12.776	3644	3650	3651	rBV6	1406	1288	0.17%	0.021%
82	12.834	3665	3668	3672	rBV6	1865	1635	0.22%	0.027%
83	12.908	3687	3691	3693	rBV5	1693	1122	0.15%	0.019%
84	12.934	3697	3699	3700	rBV2	734	360	0.05%	0.006%
85	13.153	3765	3767	3771	rVB5	2111	1232	0.17%	0.021%
86	13.178	3771	3775	3776	rBV3	1003	673	0.09%	0.011%
87	13.236	3791	3793	3796	rBV4	1106	828	0.11%	0.014%
88	13.271	3803	3804	3807	rBV3	1610	753	0.10%	0.013%
89	13.355	3828	3830	3834	rVB4	1393	948	0.13%	0.016%
90	13.513	3876	3879	3881	rBV4	1209	704	0.09%	0.012%
91	13.635	3914	3917	3918	rBV3	1403	634	0.09%	0.011%
92	13.683	3931	3932	3934	rBV2	1323	615	0.08%	0.010%
93	13.763	3953	3957	3959	rBV5	1524	1168	0.16%	0.019%
94	13.825	3972	3976	3978	rBV5	2642	2348	0.32%	0.039%
95	13.847	3981	3983	3986	rVV5	1013	656	0.09%	0.011%
96	13.898	3997	3999	4003	rBV4	1514	927	0.12%	0.015%
97	14.230	4100	4102	4104	rBV4	1609	943	0.13%	0.016%
98	14.416	4158	4160	4163	rBV3	1721	1047	0.14%	0.017%
99	14.818	4283	4285	4288	rBV4	1693	1228	0.17%	0.020%
100	15.323	4440	4442	4445	rBV5	1808	1257	0.17%	0.021%

Sum of corrected areas: 5997853

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV041823\
Data File : VV030646.D
Acq On : 19 Apr 2023 03:03
Operator : SY/MD
Sample : 02398-04
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 39 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
COMN3

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM041723WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV041823\
Data File : VV030646.D
Acq On : 19 Apr 2023 03:03
Operator : SY/MD
Sample : 02398-04
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 39 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
COMN3

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM041723WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	#	RT	Resp	Conc
------------------	----	---------	-------	----------	---	----	------	------