

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW041921\
 Data File : VW021053.D
 Acq On : 19 Apr 2021 14:15
 Operator : SY/MD
 Sample : M2031-10
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VHBLK001

Quant Time: Apr 20 01:39:59 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM041421WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Apr 20 01:39:15 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.622	114	359934	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.857	117	345684	50.00	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.255	152	181822	50.00	ug/L	0.00

System Monitoring Compounds						
4) Vinyl Chloride-d3	1.310	65	107687	55.00	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	110.00%
7) Chloroethane-d5	1.574	69	85035	55.24	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	110.48%
11) 1,1-Dichloroethene-d2	2.111	63	181915	43.31	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	86.62%
21) 2-Butanone-d5	3.908	46	111054	86.24	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	86.24%
24) Chloroform-d	4.352	84	256363	52.74	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	105.48%
26) 1,2-Dichloroethane-d4	5.037	65	191303	58.23	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	116.46%
32) Benzene-d6	5.053	84	446963	52.37	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	104.74%
36) 1,2-Dichloropropane-d6	6.076	67	115925	48.93	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	97.86%
41) Toluene-d8	7.320	98	441671	52.22	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	104.44%
43) trans-1,3-Dichloroprop...	7.625	79	76427	52.34	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	104.68%
47) 2-Hexanone-d5	8.095	63	101077	99.31	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	99.31%
56) 1,1,2,2-Tetrachloroeth...	10.220	84	177125	46.12	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	92.24%
66) 1,2-Dichlorobenzene-d4	11.632	152	191424	51.57	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	103.14%

Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV041921\
Data File : VV021053.D
Acq On : 19 Apr 2021 14:15
Operator : SY/MD
Sample : M2031-10
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VHBLK001

Quant Time: Apr 20 01:39:59 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM041421WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Apr 20 01:39:15 2021
Response via : Initial Calibration

