

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW042023\
 Data File : VW030723.D
 Acq On : 20 Apr 2023 17:45
 Operator : SY/MD
 Sample : 02411-16
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0AR9

Quant Time: Apr 21 00:19:52 2023
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM041723WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Apr 21 00:14:50 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.542	114	251470	50.000	ug/L	0.00
28) Chlorobenzene-d5	8.792	117	240996	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.194	152	114406	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.281	65	73660	39.957	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	79.920%
7) Chloroethane-d5	1.539	69	63981	41.416	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	82.840%
11) 1,1-Dichloroethene-d2	2.066	65	35192	40.255	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	80.500%
21) 2-Butanone-d5	3.805	46	83182	82.152	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	82.150%
24) Chloroform-d	4.259	84	134811	40.353	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	80.700%
26) 1,2-Dichloroethane-d4	4.950	65	93783	43.663	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	87.320%
32) Benzene-d6	4.969	84	246884	43.329	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	86.660%
36) 1,2-Dichloropropane-d6	5.998	67	75455	42.633	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	85.260%
41) Toluene-d8	7.252	98	215611	40.303	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	80.600%
43) trans-1,3-Dichloroprop...	7.561	79	37240	41.746	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	83.500%
47) 2-Hexanone-d5	8.034	63	54304	77.885	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	77.890%
56) 1,1,2,2-Tetrachloroeth...	10.159	84	102062	39.741	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	79.480%
66) 1,2-Dichlorobenzene-d4	11.570	152	88497	48.666	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	97.340%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV042023\
Data File : VV030723.D
Acq On : 20 Apr 2023 17:45
Operator : SY/MD
Sample : 02411-16
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 22 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0AR9

Quant Time: Apr 21 00:19:52 2023
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM041723WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Apr 21 00:14:50 2023
Response via : Initial Calibration

