

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV042023\
 Data File : VV030721.D
 Acq On : 20 Apr 2023 16:57
 Operator : SY/MD
 Sample : 02334-07
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 COMJ1

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM041723WMA.M
 Title : VOC Analysis

Signal : TIC: VV030721.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.282	69	75	91	rBV	109246	118483	15.50%	1.878%
2	1.539	148	155	166	rVB	104558	124312	16.26%	1.970%
3	2.066	310	319	336	rVB	201301	293972	38.45%	4.659%
4	2.593	479	483	486	rBV6	1427	1074	0.14%	0.017%
5	2.671	502	507	509	rBV5	2764	1986	0.26%	0.031%
6	2.802	543	548	551	rBV7	1286	1085	0.14%	0.017%
7	2.838	557	559	561	rBV2	1115	478	0.06%	0.008%
8	2.925	583	586	587	rBV3	1394	594	0.08%	0.009%
9	2.970	597	600	604	rVB7	1404	1224	0.16%	0.019%
10	3.095	634	639	640	rBV4	1817	1365	0.18%	0.022%
11	3.105	640	642	647	rVB5	1476	961	0.13%	0.015%
12	3.127	647	649	650	rBV2	1173	514	0.07%	0.008%
13	3.275	691	695	697	rBV5	1365	1084	0.14%	0.017%
14	3.352	717	719	721	rBV3	870	445	0.06%	0.007%
15	3.439	742	746	750	rBV7	1600	1378	0.18%	0.022%
16	3.609	797	799	805	rVB7	1592	918	0.12%	0.015%
17	3.635	805	807	810	rBV4	1681	894	0.12%	0.014%
18	3.648	810	811	812	rBV	1141	376	0.05%	0.006%
19	3.802	850	859	888	rBV	47086	144730	18.93%	2.294%
20	4.259	989	1001	1026	rVB	124216	313989	41.07%	4.976%
21	4.561	1093	1095	1096	rBV2	1122	269	0.04%	0.004%
22	4.571	1096	1098	1100	rBV2	912	471	0.06%	0.007%
23	4.777	1160	1162	1164	rVB3	1120	361	0.05%	0.006%
24	4.966	1205	1221	1248	rBV4	286411	764595	100.00%	12.117%
25	5.317	1328	1330	1335	rBV6	2007	1850	0.24%	0.029%
26	5.439	1365	1368	1369	rBV2	1446	887	0.12%	0.014%
27	5.542	1388	1400	1419	rBV2	293449	603072	78.87%	9.557%
28	5.998	1531	1542	1559	rVB	167504	339014	44.34%	5.373%
29	6.256	1618	1622	1627	rBV8	1475	1671	0.22%	0.026%
30	6.413	1668	1671	1673	rBV4	1399	903	0.12%	0.014%
31	6.474	1688	1690	1694	rBV4	994	525	0.07%	0.008%
32	6.551	1711	1714	1715	rBV2	1248	919	0.12%	0.015%
33	6.645	1741	1743	1747	rBV5	1743	1345	0.18%	0.021%
34	6.683	1752	1755	1757	rBV3	1420	979	0.13%	0.016%
35	6.838	1801	1803	1805	rBV3	734	364	0.05%	0.006%
36	6.886	1814	1818	1819	rBV4	1386	1076	0.14%	0.017%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV042023\
 Data File : VV030721.D
 Acq On : 20 Apr 2023 16:57
 Operator : SY/MD
 Sample : 02334-07
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 COMJ1

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM041723WMA.M
 Title : VOC Analysis

37	6.921	1819	1829	1852	rVV2	89059	170256	22.27%	2.698%
38	7.252	1920	1932	1958	rBV	328649	590669	77.25%	9.361%
39	7.561	2019	2028	2045	rBV	62527	112316	14.69%	1.780%
40	7.940	2144	2146	2148	rBV4	1517	656	0.09%	0.010%
41	8.034	2166	2175	2210	rBV	157651	334048	43.69%	5.294%
42	8.465	2307	2309	2312	rVB2	1693	645	0.08%	0.010%
43	8.600	2348	2351	2354	rBV4	1164	930	0.12%	0.015%
44	8.616	2354	2356	2359	rBV3	1481	957	0.13%	0.015%
45	8.793	2400	2411	2432	rBV	444095	740356	96.83%	11.733%
46	9.297	2567	2568	2572	rBV4	1172	698	0.09%	0.011%
47	9.397	2597	2599	2601	rBV3	1593	816	0.11%	0.013%
48	9.465	2614	2620	2623	rBV7	1997	2287	0.30%	0.036%
49	9.696	2691	2692	2694	rBV2	1010	464	0.06%	0.007%
50	9.792	2719	2722	2725	rBV4	1535	1506	0.20%	0.024%
51	9.831	2729	2734	2736	rBV6	1923	1337	0.17%	0.021%
52	9.953	2770	2772	2778	rBV6	1386	1120	0.15%	0.018%
53	9.995	2783	2785	2786	rBV2	1390	532	0.07%	0.008%
54	10.159	2820	2836	2851	rBV	232175	377541	49.38%	5.983%
55	10.391	2905	2908	2909	rBV3	714	366	0.05%	0.006%
56	10.651	2987	2989	2990	rBV2	861	472	0.06%	0.007%
57	10.690	2999	3001	3003	rBV3	1108	617	0.08%	0.010%
58	10.902	3065	3067	3071	rVB5	1592	1161	0.15%	0.018%
59	10.966	3083	3087	3088	rBV4	1289	865	0.11%	0.014%
60	11.001	3095	3098	3102	rBV6	1036	1011	0.13%	0.016%
61	11.194	3146	3158	3176	rBV	426774	689489	90.18%	10.927%
62	11.567	3264	3274	3290	rBV	331571	535274	70.01%	8.483%
63	12.069	3428	3430	3432	rBV3	1554	797	0.10%	0.013%
64	12.403	3529	3534	3538	rBV7	1679	1993	0.26%	0.032%
65	12.902	3687	3689	3691	rBV3	1120	428	0.06%	0.007%
66	12.915	3691	3693	3694	rBV2	999	390	0.05%	0.006%
67	13.008	3721	3722	3723	rBV	989	266	0.03%	0.004%
68	13.072	3740	3742	3743	rBV2	905	309	0.04%	0.005%
69	13.120	3753	3757	3760	rVB6	1114	929	0.12%	0.015%
70	13.136	3760	3762	3763	rBV2	760	256	0.03%	0.004%
71	13.522	3877	3882	3884	rBV6	1690	1303	0.17%	0.021%
72	13.612	3907	3910	3911	rBV2	1278	769	0.10%	0.012%
73	13.773	3959	3960	3964	rBV4	1213	693	0.09%	0.011%
74	13.821	3973	3975	3978	rBV4	912	475	0.06%	0.008%
75	14.001	4029	4031	4032	rBV2	1027	482	0.06%	0.008%
76	14.082	4054	4056	4061	rBV5	1778	1390	0.18%	0.022%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV042023\
Data File : VV030721.D
Acq On : 20 Apr 2023 16:57
Operator : SY/MD
Sample : 02334-07
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 20 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
COMJ1

Integration Parameters: LSCINT.P
Integrator: RTE
Smoothing : OFF Filtering: 5
Sampling : 1 Min Area: 0 % of largest Peak
Start Thrs: 0.2 Max Peaks: 100
Stop Thrs : 0 Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >
Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM041723WMA.M
Title : VOC Analysis

77	14.165	4080	4082	4083	rBV2	1165	600	0.08%	0.010%
78	14.297	4121	4123	4126	rBV3	1730	1092	0.14%	0.017%
79	14.654	4231	4234	4238	rBV5	1327	1176	0.15%	0.019%
80	14.741	4259	4261	4264	rBV4	1278	828	0.11%	0.013%
81	15.294	4431	4433	4438	rBV5	1664	1396	0.18%	0.022%



Sum of corrected areas: 6310124

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV042023\
Data File : VV030721.D
Acq On : 20 Apr 2023 16:57
Operator : SY/MD
Sample : 02334-07
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 20 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
COMJ1

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM041723WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV042023\
Data File : VV030721.D
Acq On : 20 Apr 2023 16:57
Operator : SY/MD
Sample : 02334-07
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 20 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
COMJ1

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM041723WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV042023\
Data File : VV030721.D
Acq On : 20 Apr 2023 16:57
Operator : SY/MD
Sample : 02334-07
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 20 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
COMJ1

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM041723WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	#	RT	Resp	Conc
------------------	----	---------	-------	----------	---	----	------	------