

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV042121\
 Data File : VV021073.D
 Acq On : 21 Apr 2021 13:13
 Operator : SY/MD
 Sample : VV0421WBL01
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VBLK167

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM042121WMA.M

Title : VOC Analysis

Signal : TIC: VV021073.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.307	77	83	101	rBV	446300	451436	17.07%	2.220%
2	1.571	158	165	179	rVB	329444	381860	14.44%	1.878%
3	2.108	322	332	353	rBV	732324	1063015	40.19%	5.229%
4	2.510	449	457	475	rVB7	5935	12811	0.48%	0.063%
5	2.574	475	477	479	rBV	601	338	0.01%	0.002%
6	2.590	479	482	484	rVV2	730	463	0.02%	0.002%
7	2.712	518	520	522	rBV2	701	310	0.01%	0.002%
8	2.773	529	539	543	rBV7	1911	3019	0.11%	0.015%
9	2.883	572	573	578	rVB3	355	287	0.01%	0.001%
10	2.940	587	591	593	rVB	544	321	0.01%	0.002%
11	2.966	593	599	602	rBV2	402	386	0.01%	0.002%
12	3.291	696	700	704	rVB3	365	352	0.01%	0.002%
13	3.519	767	771	777	rVB2	903	742	0.03%	0.004%
14	3.571	785	787	790	rBV	463	280	0.01%	0.001%
15	3.638	804	808	810	rBV	551	489	0.02%	0.002%
16	3.757	839	845	851	rBV3	461	630	0.02%	0.003%
17	3.793	851	856	859	rVV4	419	345	0.01%	0.002%
18	3.857	873	876	879	rBV2	641	469	0.02%	0.002%
19	3.911	881	893	940	rBV2	106609	472617	17.87%	2.325%
20	4.352	1015	1030	1058	rVB	458352	1109460	41.95%	5.457%
21	4.747	1149	1153	1155	rBV	343	267	0.01%	0.001%
22	4.956	1212	1218	1221	rBV4	834	967	0.04%	0.005%
23	5.050	1229	1247	1281	rBV2	1034495	2644668	100.00%	13.008%
24	5.355	1339	1342	1345	rBV3	698	552	0.02%	0.003%
25	5.407	1356	1358	1360	rBV2	579	319	0.01%	0.002%
26	5.442	1367	1369	1374	rVB5	913	703	0.03%	0.003%
27	5.500	1384	1387	1388	rBV2	919	607	0.02%	0.003%
28	5.619	1411	1424	1447	rBV	795919	1589106	60.09%	7.816%
29	5.915	1506	1516	1529	rBV7	7013	14674	0.55%	0.072%
30	5.985	1535	1538	1541	rVB3	893	520	0.02%	0.003%
31	6.072	1550	1565	1597	rBV	562016	1164264	44.02%	5.727%
32	6.204	1603	1606	1611	rBV4	1490	1446	0.05%	0.007%
33	6.374	1656	1659	1661	rVB3	750	360	0.01%	0.002%
34	6.387	1661	1663	1664	rBV	710	348	0.01%	0.002%
35	6.471	1685	1689	1691	rBV4	781	612	0.02%	0.003%
36	6.522	1702	1705	1706	rBV	602	269	0.01%	0.001%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV042121\
 Data File : VV021073.D
 Acq On : 21 Apr 2021 13:13
 Operator : SY/MD
 Sample : VV0421WBL01
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VBLK167

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM042121WMA.M
 Title : VOC Analysis

37	6.567	1716	1719	1722	rBV3	751	465	0.02%	0.002%
38	6.616	1730	1734	1736	rBV2	741	487	0.02%	0.002%
39	6.744	1770	1774	1776	rBV4	760	423	0.02%	0.002%
40	6.789	1785	1788	1793	rVB3	937	640	0.02%	0.003%
41	6.853	1805	1808	1812	rBV3	575	451	0.02%	0.002%
42	6.882	1815	1817	1820	rVB	652	287	0.01%	0.001%
43	6.902	1820	1823	1825	rBV2	531	386	0.01%	0.002%
44	6.934	1830	1833	1835	rBV	420	275	0.01%	0.001%
45	6.989	1839	1850	1870	rBV2	329597	606581	22.94%	2.984%
46	7.320	1940	1953	1971	rBV	1261164	2179410	82.41%	10.720%
47	7.587	2033	2036	2038	rBV3	767	534	0.02%	0.003%
48	7.625	2038	2048	2074	rVV	237455	423758	16.02%	2.084%
49	7.870	2122	2124	2127	rVB2	788	304	0.01%	0.001%
50	7.889	2127	2130	2131	rBV	525	351	0.01%	0.002%
51	7.985	2155	2160	2161	rBV4	1519	1227	0.05%	0.006%
52	8.050	2177	2180	2181	rBV2	797	410	0.02%	0.002%
53	8.095	2184	2194	2221	rBV	576978	1058333	40.02%	5.206%
54	8.574	2340	2343	2344	rBV	686	383	0.01%	0.002%
55	8.599	2349	2351	2354	rBV2	513	324	0.01%	0.002%
56	8.654	2365	2368	2370	rVV	619	389	0.01%	0.002%
57	8.680	2373	2376	2379	rBV3	488	285	0.01%	0.001%
58	8.857	2419	2431	2456	rBV	1167098	1912340	72.31%	9.406%
59	9.146	2514	2521	2522	rBV6	2740	2473	0.09%	0.012%
60	9.217	2539	2543	2546	rVB2	675	511	0.02%	0.003%
61	9.307	2569	2571	2575	rVB3	667	372	0.01%	0.002%
62	9.329	2575	2578	2581	rBV2	504	341	0.01%	0.002%
63	9.426	2605	2608	2614	rVV3	990	798	0.03%	0.004%
64	9.451	2614	2616	2619	rVB2	721	313	0.01%	0.002%
65	9.529	2637	2640	2641	rBV	530	290	0.01%	0.001%
66	9.625	2667	2670	2673	rBV3	618	500	0.02%	0.002%
67	9.664	2680	2682	2684	rBV	514	265	0.01%	0.001%
68	9.808	2722	2727	2729	rBV2	636	601	0.02%	0.003%
69	9.850	2736	2740	2744	rBV4	687	591	0.02%	0.003%
70	9.876	2744	2748	2750	rBV2	573	368	0.01%	0.002%
71	9.927	2761	2764	2766	rBV	1016	661	0.02%	0.003%
72	10.133	2820	2828	2835	rBV7	6279	8975	0.34%	0.044%
73	10.220	2843	2855	2883	rBV	835658	1333723	50.43%	6.560%
74	10.352	2893	2896	2902	rBV6	1571	1522	0.06%	0.007%
75	10.445	2923	2925	2927	rBV	620	336	0.01%	0.002%
76	10.747	3016	3019	3021	rBV3	884	510	0.02%	0.003%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV042121\
 Data File : VV021073.D
 Acq On : 21 Apr 2021 13:13
 Operator : SY/MD
 Sample : VV0421WBL01
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VBLK167

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM042121WMA.M
 Title : VOC Analysis

77	10.924	3065	3074	3084	rVB7	6461	10132	0.38%	0.050%
78	11.075	3119	3121	3124	rBV3	544	298	0.01%	0.001%
79	11.152	3137	3145	3149	rBV5	3037	3970	0.15%	0.020%
80	11.194	3153	3158	3166	rVV4	4507	5226	0.20%	0.026%
81	11.255	3166	3177	3197	rBV	1161573	1812794	68.55%	8.917%
82	11.506	3250	3255	3258	rBV3	647	589	0.02%	0.003%
83	11.631	3279	3294	3314	rBV	1258650	1987681	75.16%	9.777%
84	11.786	3339	3342	3348	rVB5	1924	2066	0.08%	0.010%
85	12.252	3483	3487	3488	rBV2	510	356	0.01%	0.002%
86	12.326	3507	3510	3513	rBV3	798	632	0.02%	0.003%
87	12.355	3517	3519	3521	rBV	660	266	0.01%	0.001%
88	12.509	3564	3567	3569	rVB2	795	320	0.01%	0.002%
89	12.580	3586	3589	3593	rVB3	868	671	0.03%	0.003%
90	12.609	3593	3598	3602	rBV3	1209	1315	0.05%	0.006%
91	12.657	3605	3613	3624	rVV7	7957	11632	0.44%	0.057%
92	12.821	3661	3664	3666	rVB2	1226	608	0.02%	0.003%
93	13.233	3789	3792	3793	rBV	767	381	0.01%	0.002%
94	13.274	3798	3805	3815	rVB3	9853	15409	0.58%	0.076%
95	13.345	3825	3827	3830	rVB2	784	359	0.01%	0.002%
96	13.361	3830	3832	3835	rBV2	699	453	0.02%	0.002%
97	13.397	3840	3843	3845	rBV	1025	667	0.03%	0.003%
98	13.519	3875	3881	3892	rVB	8023	12720	0.48%	0.063%
99	13.927	4006	4008	4015	rBV4	967	935	0.04%	0.005%
100	14.210	4093	4096	4099	rBV3	821	617	0.02%	0.003%

Sum of corrected areas: 20330602

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV042121\
Data File : VV021073.D
Acq On : 21 Apr 2021 13:13
Operator : SY/MD
Sample : VV0421WBL01
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VBLK167

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM042121WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV042121\
Data File : VV021073.D
Acq On : 21 Apr 2021 13:13
Operator : SY/MD
Sample : VV0421WBL01
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 9 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VBLK167

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM042121WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--			
					#	RT	Resp	Conc
