

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW042221\
 Data File : VW021091.D
 Acq On : 22 Apr 2021 12:44
 Operator : SY/MD
 Sample : VW0422WBL01
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VBLK169

Quant Time: Apr 23 04:34:41 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM042121WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Apr 23 04:33:55 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Difluorobenzene	5.619	114	730520	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.857	117	697189	50.00	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.255	152	335923	50.00	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.307	65	266644	44.42	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	88.84%
7) Chloroethane-d5	1.571	69	207449	46.98	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	93.96%
11) 1,1-Dichloroethene-d2	2.108	63	385605	34.83	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	69.66%
21) 2-Butanone-d5	3.902	46	295354	100.76	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	100.76%
24) Chloroform-d	4.349	84	499930	46.72	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	93.44%
26) 1,2-Dichloroethane-d4	5.034	65	342989	50.42	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	100.84%
32) Benzene-d6	5.050	84	931623	50.17	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	100.34%
36) 1,2-Dichloropropane-d6	6.072	67	285671	51.54	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	103.08%
41) Toluene-d8	7.317	98	861588	47.95	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	95.90%
43) trans-1,3-Dichloroprop...	7.625	79	148364	48.98	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	97.96%
47) 2-Hexanone-d5	8.092	63	239222	108.83	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	108.83%
56) 1,1,2,2-Tetrachloroeth...	10.220	84	394724	47.22	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	94.44%
66) 1,2-Dichlorobenzene-d4	11.632	152	348486	52.52	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	105.04%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV042221\
Data File : VV021091.D
Acq On : 22 Apr 2021 12:44
Operator : SY/MD
Sample : VV0422WBL01
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 4 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VBLK169

Quant Time: Apr 23 04:34:41 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM042121WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Apr 23 04:33:55 2021
Response via : Initial Calibration

