


Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV042221\
Data File : VV021100.D
Acq On : 22 Apr 2021 17:36
Operator : SY/MD
Sample : M2065-01ME
Misc : 3.31g/5.0mL/100uL/5.0mL/MSVOA_V/MEOH
ALS Vial : 15 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BG4Z8ME

Manual Integrations
APPROVED

MMDadoda
4/27/2021 4:41:31 PM

Quant Time: Apr 23 04:35:46 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM042121WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Apr 23 04:33:55 2021
Response via : Initial Calibration






Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV042221\
Data File : VV021100.D
Acq On : 22 Apr 2021 17:36
Operator : SY/MD
Sample : M2065-01ME
Misc : 3.31g/5.0mL/100uL/5.0mL/MSVOA_V/MEOH
ALS Vial : 15 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BG4Z8ME

Manual Integrations
APPROVED

MMDadoda
4/27/2021 4:41:31 PM

Quant Time: Apr 23 04:35:46 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM042121WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Apr 23 04:33:55 2021
Response via : Initial Calibration



TIC: VV021100.D\data.ms

(15) Methyl Acetate (T)

2.449min (+ 0.010) 2.92 ug/L

response 13050

Ion	Exp%	Act%
43.00	100.00	100.00
74.00	26.50	25.89
0.00	0.00	0.00
0.00	0.00	0.00




Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV042221\
Data File : VV021100.D
Acq On : 22 Apr 2021 17:36
Operator : SY/MD
Sample : M2065-01ME
Misc : 3.31g/5.0mL/100uL/5.0mL/MSVOA_V/MEOH
ALS Vial : 15 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BG4Z8ME

Manual Integrations
APPROVED

MMDadoda
4/27/2021 4:41:31 PM

Quant Time: Apr 23 04:35:46 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM042121WMA.M
Quant Title : VOC Analysis
QLast Update : Fri Apr 23 04:33:55 2021
Response via : Initial Calibration



TIC: VV021100.D\data.ms

(15) Methyl Acetate (T)

2.449min (+ 0.010) 3.81 ug/L m

response 17009

Ion	Exp%	Act%
43.00	100.00	100.00
74.00	26.50	19.86#
0.00	0.00	0.00
0.00	0.00	0.00

MD
4/27/21

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW042221\
 Data File : VW021100.D
 Acq On : 22 Apr 2021 17:36
 Operator : SY/MD
 Sample : M2065-01ME
 Misc : 3.31g/5.0mL/100uL/5.0mL/MSVOA_V/MEOH
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleID :
 BG4Z8ME

Manual Integrations
 APPROVED

MMDadoda
 4/27/2021 4:41:31 PM

Quant Time: Apr 23 04:35:46 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM042121WMA.M
 Quant Title : VOC Analysis
 QLast Update : Fri Apr 23 04:33:55 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
Internal Standards						
1) 1,4-Difluorobenzene	5.619	114	720266	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.857	117	685014	50.00	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.255	152	330833	50.00	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.307	65	229581	38.79	ug/L	0.00
Spiked Amount	50.000	Range 60 - 135	Recovery	=	77.58%	
7) Chloroethane-d5	1.568	69	179820	41.30	ug/L	0.00
Spiked Amount	50.000	Range 70 - 130	Recovery	=	82.60%	
11) 1,1-Dichloroethene-d2	2.105	63	341927	31.32	ug/L	0.00
Spiked Amount	50.000	Range 60 - 125	Recovery	=	62.64%	
21) 2-Butanone-d5	3.915	46	276075	95.52	ug/L	0.02
Spiked Amount	100.000	Range 40 - 130	Recovery	=	95.52%	
24) Chloroform-d	4.352	84	454371	43.06	ug/L	0.00
Spiked Amount	50.000	Range 70 - 125	Recovery	=	86.12%	
26) 1,2-Dichloroethane-d4	5.037	65	313781	46.78	ug/L	0.00
Spiked Amount	50.000	Range 70 - 125	Recovery	=	93.56%	
32) Benzene-d6	5.053	84	853793	46.80	ug/L	0.00
Spiked Amount	50.000	Range 70 - 125	Recovery	=	93.60%	
36) 1,2-Dichloropropane-d6	6.072	67	261473	48.02	ug/L	0.00
Spiked Amount	50.000	Range 70 - 120	Recovery	=	96.04%	
41) Toluene-d8	7.320	98	771981	43.72	ug/L	0.00
Spiked Amount	50.000	Range 80 - 120	Recovery	=	87.44%	
43) trans-1,3-Dichloroprop...	7.625	79	131604	44.22	ug/L	0.00
Spiked Amount	50.000	Range 60 - 125	Recovery	=	88.44%	
47) 2-Hexanone-d5	8.095	63	218857	101.33	ug/L	0.00
Spiked Amount	100.000	Range 45 - 130	Recovery	=	101.33%	
56) 1,1,2,2-Tetrachloroeth...	10.223	84	371785	45.26	ug/L	0.00
Spiked Amount	50.000	Range 65 - 120	Recovery	=	90.52%	
66) 1,2-Dichlorobenzene-d4	11.632	152	318586	48.75	ug/L	0.00
Spiked Amount	50.000	Range 80 - 120	Recovery	=	97.50%	
Target Compounds						
15) Methyl Acetate	2.449	43	17009m	3.81	ug/L	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

MD
 4/27/21