

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV042221\
 Data File : VV021094.D
 Acq On : 22 Apr 2021 14:03
 Operator : SY/MD
 Sample : M2144-02
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0GH2

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM042121WMA.M

Title : VOC Analysis

Signal : TIC: VV021094.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.307	77	83	97	rBV	366577	377628	15.15%	1.947%
2	1.571	158	165	175	rVB	286137	322173	12.93%	1.661%
3	2.108	323	332	346	rBV	648030	913849	36.67%	4.711%
4	2.825	553	555	557	rBV2	622	267	0.01%	0.001%
5	2.889	571	575	578	rBV4	820	736	0.03%	0.004%
6	2.973	600	601	603	rBV	424	177	0.01%	0.001%
7	3.140	651	653	654	rBV2	540	205	0.01%	0.001%
8	3.153	656	657	660	rVB2	404	132	0.01%	0.001%
9	3.169	660	662	664	rBV2	704	308	0.01%	0.002%
10	3.310	699	706	710	rBV4	1108	975	0.04%	0.005%
11	3.330	710	712	713	rBV	349	131	0.01%	0.001%
12	3.343	713	716	717	rBV	300	180	0.01%	0.001%
13	3.407	732	736	739	rBV2	594	560	0.02%	0.003%
14	3.423	739	741	742	rBV	170	49	0.00%	0.000%
15	3.433	742	744	746	rBV2	319	192	0.01%	0.001%
16	3.445	746	748	752	rVV3	584	468	0.02%	0.002%
17	3.481	756	759	764	rVB4	1172	745	0.03%	0.004%
18	3.513	764	769	772	rBV4	883	900	0.04%	0.005%
19	3.545	777	779	780	rBV	337	114	0.00%	0.001%
20	3.609	797	799	803	rBV2	360	255	0.01%	0.001%
21	3.629	803	805	807	rVB2	804	271	0.01%	0.001%
22	3.642	807	809	811	rVB	531	179	0.01%	0.001%
23	3.661	811	815	817	rBV2	585	447	0.02%	0.002%
24	3.725	833	835	838	rVB3	460	307	0.01%	0.002%
25	3.748	838	842	843	rBV2	490	246	0.01%	0.001%
26	3.760	843	846	848	rBV2	711	429	0.02%	0.002%
27	3.793	855	856	857	rBV2	378	78	0.00%	0.000%
28	3.802	857	859	861	rBV	422	160	0.01%	0.001%
29	3.815	861	863	865	rBV	482	208	0.01%	0.001%
30	3.841	869	871	874	rVB3	922	467	0.02%	0.002%
31	3.860	874	877	878	rBV2	747	282	0.01%	0.001%
32	3.915	881	894	925	rBV2	133845	580887	23.31%	2.995%
33	4.355	1015	1031	1063	rBV2	434352	1178086	47.27%	6.073%
34	4.857	1184	1187	1189	rBV2	1147	788	0.03%	0.004%
35	4.902	1198	1201	1203	rBV2	874	422	0.02%	0.002%
36	4.976	1222	1224	1226	rBV2	483	171	0.01%	0.001%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV042221\
 Data File : VV021094.D
 Acq On : 22 Apr 2021 14:03
 Operator : SY/MD
 Sample : M2144-02
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0GH2

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM042121WMA.M
 Title : VOC Analysis

37	5.050	1230	1247	1281	rBV2	969331	2492347	100.00%	12.849%
38	5.558	1402	1405	1406	rBV2	788	368	0.01%	0.002%
39	5.619	1412	1424	1451	rBV	729571	1481116	59.43%	7.636%
40	5.973	1532	1534	1540	rVB3	1658	1068	0.04%	0.006%
41	6.072	1553	1565	1586	rBV	531124	1084797	43.53%	5.593%
42	6.378	1658	1660	1661	rBV	598	238	0.01%	0.001%
43	6.468	1685	1688	1695	rVB4	677	763	0.03%	0.004%
44	6.503	1695	1699	1704	rBV7	1343	1262	0.05%	0.007%
45	6.529	1705	1707	1710	rBV3	370	218	0.01%	0.001%
46	6.574	1720	1721	1723	rBV3	625	213	0.01%	0.001%
47	6.590	1723	1726	1727	rBV3	900	509	0.02%	0.003%
48	6.616	1732	1734	1736	rBV2	414	219	0.01%	0.001%
49	6.728	1767	1769	1771	rBV2	571	303	0.01%	0.002%
50	6.741	1771	1773	1777	rVB3	895	551	0.02%	0.003%
51	6.857	1806	1809	1813	rVB3	684	468	0.02%	0.002%
52	6.989	1839	1850	1867	rBV	309533	560126	22.47%	2.888%
53	7.175	1905	1908	1912	rVB4	1424	849	0.03%	0.004%
54	7.265	1935	1936	1938	rBV	583	226	0.01%	0.001%
55	7.320	1941	1953	1973	rBV	1152291	1984144	79.61%	10.229%
56	7.580	2032	2034	2035	rBV2	594	244	0.01%	0.001%
57	7.625	2038	2048	2068	rBV2	211202	379454	15.22%	1.956%
58	7.908	2133	2136	2138	rBV2	978	620	0.02%	0.003%
59	7.944	2138	2147	2149	rBV5	2253	2886	0.12%	0.015%
60	8.095	2184	2194	2223	rBV	569956	1043530	41.87%	5.380%
61	8.593	2347	2349	2353	rBV5	850	540	0.02%	0.003%
62	8.718	2385	2388	2391	rBV2	795	490	0.02%	0.003%
63	8.857	2419	2431	2456	rBV	1119383	1905910	76.47%	9.826%
64	9.079	2496	2500	2501	rBV	1486	827	0.03%	0.004%
65	9.143	2512	2520	2522	rBV5	1887	1901	0.08%	0.010%
66	9.204	2538	2539	2540	rBV5	786	226	0.01%	0.001%
67	9.297	2565	2568	2570	rBV3	1122	662	0.03%	0.003%
68	9.548	2643	2646	2648	rBV3	1109	694	0.03%	0.004%
69	9.625	2668	2670	2672	rBV	642	359	0.01%	0.002%
70	9.673	2682	2685	2686	rBV2	916	437	0.02%	0.002%
71	9.722	2698	2700	2702	rVB2	783	294	0.01%	0.002%
72	9.741	2704	2706	2708	rVB2	628	287	0.01%	0.001%
73	9.799	2722	2724	2726	rBV	591	297	0.01%	0.002%
74	9.828	2730	2733	2734	rBV2	488	297	0.01%	0.002%
75	9.927	2761	2764	2769	rBV4	921	985	0.04%	0.005%
76	10.014	2788	2791	2793	rBV	645	496	0.02%	0.003%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV042221\
 Data File : VV021094.D
 Acq On : 22 Apr 2021 14:03
 Operator : SY/MD
 Sample : M2144-02
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0GH2

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM042121WMA.M

Title : VOC Analysis

77	10.027	2793	2795	2797	rVB2	794	307	0.01%	0.002%
78	10.133	2818	2828	2841	rBV10	4723	8736	0.35%	0.045%
79	10.220	2841	2855	2874	rBV	800436	1238563	49.69%	6.385%
80	10.706	3004	3006	3008	rBV2	491	233	0.01%	0.001%
81	10.718	3008	3010	3014	rVB3	964	463	0.02%	0.002%
82	10.879	3058	3060	3061	rBV	552	218	0.01%	0.001%
83	10.921	3068	3073	3083	rVB9	5492	8261	0.33%	0.043%
84	11.197	3152	3159	3165	rBV5	4848	6508	0.26%	0.034%
85	11.255	3166	3177	3202	rVV	1084717	1720403	69.03%	8.869%
86	11.545	3262	3267	3275	rBV8	5309	7655	0.31%	0.039%
87	11.632	3282	3294	3314	rBV	1181099	1979569	79.43%	10.205%
88	12.066	3427	3429	3430	rBV	522	199	0.01%	0.001%
89	12.403	3531	3534	3536	rBV	827	518	0.02%	0.003%
90	12.577	3581	3588	3592	rBV5	1230	1567	0.06%	0.008%
91	12.615	3596	3600	3603	rBV4	1413	1089	0.04%	0.006%
92	12.651	3607	3611	3613	rBV3	1163	893	0.04%	0.005%
93	13.271	3796	3804	3816	rBV3	35974	54985	2.21%	0.283%
94	13.754	3946	3954	3967	rBV3	20391	32347	1.30%	0.167%


Sum of corrected areas: 19397207

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV042221\
Data File : VV021094.D
Acq On : 22 Apr 2021 14:03
Operator : SY/MD
Sample : M2144-02
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 7 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0GH2

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM042121WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P



Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV042221\
Data File : VV021094.D
Acq On : 22 Apr 2021 14:03
Operator : SY/MD
Sample : M2144-02
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 7 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0GH2

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM042121WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV042221\
Data File : VV021094.D
Acq On : 22 Apr 2021 14:03
Operator : SY/MD
Sample : M2144-02
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 7 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0GH2

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM042121WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	#	RT	Resp	Conc
------------------	----	---------	-------	----------	---	----	------	------