

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV042224\
 Data File : VV035332.D
 Acq On : 22 Apr 2024 14:53
 Operator : SY/MD
 Sample : P2182-06 100X
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 MC0RC8

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM032624WMA.M
 Title : VOC Analysis

Signal : TIC: VV035332.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.278	68	74	88	rVB	79401	86002	8.95%	1.474%
2	1.532	146	153	167	rVB	110198	131798	13.72%	2.259%
3	2.059	308	317	329	rBV	108295	158824	16.53%	2.723%
4	2.243	372	374	375	rBV2	564	232	0.02%	0.004%
5	2.452	429	439	446	rBV4	3017	5092	0.53%	0.087%
6	2.545	465	468	469	rBV	1041	523	0.05%	0.009%
7	2.667	501	506	512	rBV3	461	551	0.06%	0.009%
8	2.969	599	600	604	rBV2	309	197	0.02%	0.003%
9	3.043	620	623	627	rBV2	182	192	0.02%	0.003%
10	3.188	665	668	674	rVV2	214	209	0.02%	0.004%
11	3.432	741	744	749	rVB	316	245	0.03%	0.004%
12	3.465	749	754	760	rVB2	300	315	0.03%	0.005%
13	3.506	760	767	770	rBV2	453	501	0.05%	0.009%
14	3.529	770	774	778	rBV2	340	388	0.04%	0.007%
15	3.670	813	818	822	rVB2	344	290	0.03%	0.005%
16	3.760	840	846	848	rBV	316	245	0.03%	0.004%
17	3.825	848	866	897	rBV3	18136	74717	7.78%	1.281%
18	4.249	983	998	1040	rVV	167232	437977	45.59%	7.508%
19	4.493	1071	1074	1079	rBV3	676	619	0.06%	0.011%
20	4.561	1093	1095	1102	rVB3	494	479	0.05%	0.008%
21	4.603	1102	1108	1110	rBV2	522	340	0.04%	0.006%
22	4.744	1149	1152	1159	rBV3	273	314	0.03%	0.005%
23	4.879	1190	1194	1196	rBV	394	267	0.03%	0.005%
24	4.953	1202	1217	1255	rBV2	340499	960766	100.00%	16.469%
25	5.310	1326	1328	1333	rVB2	341	232	0.02%	0.004%
26	5.333	1333	1335	1338	rVB3	535	269	0.03%	0.005%
27	5.368	1339	1346	1350	rVB2	506	488	0.05%	0.008%
28	5.429	1362	1365	1368	rBV3	329	235	0.02%	0.004%
29	5.535	1388	1398	1431	rBV	176237	387207	40.30%	6.637%
30	5.751	1463	1465	1472	rVB4	690	489	0.05%	0.008%
31	5.837	1482	1492	1519	rVB3	6187	15188	1.58%	0.260%
32	5.989	1526	1539	1569	rBV	237402	508022	52.88%	8.708%
33	6.191	1599	1602	1606	rBV3	268	204	0.02%	0.003%
34	6.246	1616	1619	1624	rVB3	496	571	0.06%	0.010%
35	6.272	1624	1627	1630	rBV2	376	307	0.03%	0.005%
36	6.468	1685	1688	1694	rVB2	231	233	0.02%	0.004%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW042224\
 Data File : VW035332.D
 Acq On : 22 Apr 2024 14:53
 Operator : SY/MD
 Sample : P2182-06 100X
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 MC0RC8

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM032624WMA.M
 Title : VOC Analysis

37	6.635	1737	1740	1744	rVB3	399	295	0.03%	0.005%
38	6.722	1762	1767	1769	rBV5	228	228	0.02%	0.004%
39	6.915	1818	1827	1854	rBV	79630	163385	17.01%	2.801%
40	7.156	1898	1902	1906	rBV3	337	347	0.04%	0.006%
41	7.246	1918	1930	1959	rBV	206242	390232	40.62%	6.689%
42	7.558	2017	2027	2054	rBV	57919	118369	12.32%	2.029%
43	7.857	2116	2120	2124	rVB2	444	396	0.04%	0.007%
44	7.879	2124	2127	2130	rBV3	545	402	0.04%	0.007%
45	7.905	2130	2135	2138	rBV3	328	257	0.03%	0.004%
46	7.927	2138	2142	2146	rBV2	251	246	0.03%	0.004%
47	7.992	2158	2162	2165	rBV3	356	303	0.03%	0.005%
48	8.027	2165	2173	2220	rBV2	189269	474743	49.41%	8.138%
49	8.358	2272	2276	2284	rVV5	914	1359	0.14%	0.023%
50	8.390	2284	2286	2290	rVB4	717	497	0.05%	0.009%
51	8.416	2291	2294	2298	rBV5	268	224	0.02%	0.004%
52	8.490	2316	2317	2322	rVB3	742	432	0.04%	0.007%
53	8.538	2327	2332	2337	rBV4	669	675	0.07%	0.012%
54	8.705	2381	2384	2385	rBV	422	218	0.02%	0.004%
55	8.751	2393	2398	2399	rBV2	322	239	0.02%	0.004%
56	8.786	2399	2409	2437	rBV	243841	436565	45.44%	7.483%
57	9.005	2475	2477	2481	rBV2	302	244	0.03%	0.004%
58	9.127	2511	2515	2518	rBV2	328	260	0.03%	0.004%
59	9.268	2556	2559	2563	rVB2	291	212	0.02%	0.004%
60	9.297	2563	2568	2570	rBV	392	357	0.04%	0.006%
61	9.345	2580	2583	2585	rVB	410	209	0.02%	0.004%
62	9.468	2616	2621	2624	rBV	267	227	0.02%	0.004%
63	9.503	2628	2632	2635	rVV3	344	215	0.02%	0.004%
64	9.728	2696	2702	2704	rBV	377	379	0.04%	0.006%
65	9.850	2736	2740	2744	rBV2	372	286	0.03%	0.005%
66	10.149	2822	2833	2859	rVV	455834	723502	75.30%	12.402%
67	10.374	2900	2903	2906	rVB2	490	324	0.03%	0.006%
68	10.487	2935	2938	2940	rBV2	338	213	0.02%	0.004%
69	10.638	2979	2985	2987	rBV3	325	284	0.03%	0.005%
70	10.750	3016	3020	3026	rBV3	424	497	0.05%	0.009%
71	11.136	3134	3140	3145	rBV4	1219	1587	0.17%	0.027%
72	11.184	3145	3155	3178	rBV	178999	307813	32.04%	5.276%
73	11.320	3193	3197	3201	rBV3	487	408	0.04%	0.007%
74	11.403	3220	3223	3226	rBV2	241	191	0.02%	0.003%
75	11.561	3261	3272	3301	rBV	243812	411625	42.84%	7.056%
76	11.747	3328	3330	3335	rVB2	510	284	0.03%	0.005%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV042224\
 Data File : VV035332.D
 Acq On : 22 Apr 2024 14:53
 Operator : SY/MD
 Sample : P2182-06 100X
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 MC0RC8

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM032624WMA.M
 Title : VOC Analysis

77	12.014	3411	3413	3417	rVB2	324	198	0.02%	0.003%
78	12.043	3418	3422	3426	rVV3	337	292	0.03%	0.005%
79	12.065	3426	3429	3432	rVV2	338	280	0.03%	0.005%
80	12.136	3449	3451	3456	rVB3	281	198	0.02%	0.003%
81	12.323	3506	3509	3513	rVB3	298	212	0.02%	0.004%
82	12.496	3559	3563	3568	rVB2	390	320	0.03%	0.005%
83	12.593	3590	3593	3597	rBV2	426	479	0.05%	0.008%
84	12.786	3651	3653	3657	rVB3	485	276	0.03%	0.005%
85	13.098	3746	3750	3753	rVB3	298	285	0.03%	0.005%
86	13.123	3753	3758	3760	rBV2	379	321	0.03%	0.006%
87	13.207	3777	3784	3797	rBV4	5087	8964	0.93%	0.154%
88	13.448	3853	3859	3863	rBV4	1484	2002	0.21%	0.034%
89	13.596	3901	3905	3907	rBV2	387	289	0.03%	0.005%
90	13.689	3928	3934	3942	rVB6	1683	2631	0.27%	0.045%
91	13.837	3976	3980	3981	rBV	506	404	0.04%	0.007%
92	13.863	3987	3988	3993	rVB	506	271	0.03%	0.005%
93	13.914	4002	4004	4008	rBV3	360	235	0.02%	0.004%
94	14.172	4080	4084	4087	rBV3	500	437	0.05%	0.007%
95	14.204	4092	4094	4096	rBV2	357	202	0.02%	0.003%
96	14.252	4106	4109	4113	rBV4	662	422	0.04%	0.007%
97	14.808	4279	4282	4284	rVB3	718	335	0.03%	0.006%
98	14.901	4309	4311	4312	rBV2	580	264	0.03%	0.005%
99	15.175	4394	4396	4398	rBV2	601	343	0.04%	0.006%
100	15.281	4424	4429	4432	rBV4	1072	1013	0.11%	0.017%

Sum of corrected areas: 5833730

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV042224\
Data File : VV035332.D
Acq On : 22 Apr 2024 14:53
Operator : SY/MD
Sample : P2182-06 100X
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
MC0RC8

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM032624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV042224\
Data File : VV035332.D
Acq On : 22 Apr 2024 14:53
Operator : SY/MD
Sample : P2182-06 100X
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 13 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
MC0RC8

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM032624WMA.M
Quant Title : VOC Analysis

TIC Library : C:\Database\NIST20.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--			
					#	RT	Resp	Conc
