

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV042321\
 Data File : VV021113.D
 Acq On : 23 Apr 2021 12:43
 Operator : SY/MD
 Sample : M2121-05
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :

Quant Time: Apr 24 03:43:47 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM042121WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat Apr 24 03:42:40 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	5.619	114	691270	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.857	117	671905	50.00	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.255	152	321040	50.00	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.307	65	233782	41.16	ug/L	0.00
Spiked Amount 50.000	Range 60 - 135		Recovery = 82.32%			
7) Chloroethane-d5	1.571	69	188502	45.11	ug/L	0.00
Spiked Amount 50.000	Range 70 - 130		Recovery = 90.22%			
11) 1,1-Dichloroethene-d2	2.108	63	348488	33.26	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery = 66.52%			
21) 2-Butanone-d5	3.902	46	259599	93.59	ug/L	0.00
Spiked Amount 100.000	Range 40 - 130		Recovery = 93.59%			
24) Chloroform-d	4.352	84	461124	45.54	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery = 91.08%			
26) 1,2-Dichloroethane-d4	5.037	65	321069	49.88	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery = 99.76%			
32) Benzene-d6	5.053	84	849861	47.49	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery = 94.98%			
36) 1,2-Dichloropropane-d6	6.072	67	262698	49.18	ug/L	0.00
Spiked Amount 50.000	Range 70 - 120		Recovery = 98.36%			
41) Toluene-d8	7.317	98	792222	45.74	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 91.48%			
43) trans-1,3-Dichloroprop...	7.625	79	139396	47.76	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery = 95.52%			
47) 2-Hexanone-d5	8.092	63	211703	99.93	ug/L	0.00
Spiked Amount 100.000	Range 45 - 130		Recovery = 99.93%			
56) 1,1,2,2-Tetrachloroeth...	10.220	84	358967	44.56	ug/L	0.00
Spiked Amount 50.000	Range 65 - 120		Recovery = 89.12%			
66) 1,2-Dichlorobenzene-d4	11.632	152	331057	52.20	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 104.40%			
Target Compounds					Qvalue	
13) Acetone	2.201	43	25009	9.65	ug/L	96


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV042321\
Data File : VV021113.D
Acq On : 23 Apr 2021 12:43
Operator : SY/MD
Sample : M2121-05
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 2 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :

Quant Time: Apr 24 03:43:47 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM042121WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Apr 24 03:42:40 2021
Response via : Initial Calibration





#13
 Acetone
 Concen: 9.65 ug/L
 RT: 2.201 min Scan# 361
 Delta R.T. 0.003 min
 Lab File: VV021113.D
 Acq: 23 Apr 2021 12:43

Instrument :
 MSVOA_V
 ClientSampleId :

Tgt Ion: 43 Resp: 25009

Ion	Ratio	Lower	Upper
43	100		
58	13.6	0.0	30.8

