

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV042321\
 Data File : VV021119.D
 Acq On : 23 Apr 2021 15:05
 Operator : SY/MD
 Sample : M2144-04
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0GH4

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM042121WMA.M

Title : VOC Analysis

Signal : TIC: VV021119.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.307	77	83	95	rBV	323333	325167	13.98%	1.852%
2	1.571	158	165	178	rVB	260501	295670	12.71%	1.684%
3	2.108	323	332	348	rBV	573060	822645	35.36%	4.686%
4	2.359	404	410	416	rBV7	1048	1329	0.06%	0.008%
5	2.577	475	478	479	rBV3	714	376	0.02%	0.002%
6	2.751	529	532	535	rBV3	540	365	0.02%	0.002%
7	2.780	539	541	543	rBV2	655	447	0.02%	0.003%
8	2.828	553	556	558	rBV2	770	420	0.02%	0.002%
9	2.902	576	579	581	rBV	737	448	0.02%	0.003%
10	2.966	595	599	602	rBV2	767	591	0.03%	0.003%
11	2.986	602	605	607	rVV2	612	409	0.02%	0.002%
12	3.002	607	610	613	rVB2	553	328	0.01%	0.002%
13	3.021	613	616	617	rBV	715	385	0.02%	0.002%
14	3.047	621	624	630	rVV5	880	810	0.03%	0.005%
15	3.147	653	655	660	rBV2	476	324	0.01%	0.002%
16	3.272	692	694	697	rVB2	579	271	0.01%	0.002%
17	3.323	705	710	711	rBV	627	451	0.02%	0.003%
18	3.407	734	736	739	rBV2	471	312	0.01%	0.002%
19	3.439	744	746	749	rBV2	355	221	0.01%	0.001%
20	3.516	766	770	776	rBV3	376	439	0.02%	0.003%
21	3.558	780	783	787	rVB2	416	270	0.01%	0.002%
22	3.581	787	790	791	rBV	525	277	0.01%	0.002%
23	3.667	816	817	822	rBV3	386	283	0.01%	0.002%
24	3.690	822	824	831	rVB2	528	627	0.03%	0.004%
25	3.754	842	844	846	rBV	589	294	0.01%	0.002%
26	3.831	864	868	871	rBV2	759	554	0.02%	0.003%
27	3.905	879	891	926	rBV3	155229	616542	26.50%	3.512%
28	4.352	1015	1030	1065	rVB	410042	1066788	45.86%	6.076%
29	4.606	1106	1109	1111	rBV3	902	640	0.03%	0.004%
30	4.658	1120	1125	1128	rBV5	1480	1586	0.07%	0.009%
31	4.693	1134	1136	1138	rBV3	589	334	0.01%	0.002%
32	4.818	1173	1175	1177	rBV	708	355	0.02%	0.002%
33	4.931	1207	1210	1212	rBV2	600	429	0.02%	0.002%
34	5.050	1230	1247	1273	rBV2	910886	2326393	100.00%	13.251%
35	5.417	1358	1361	1362	rBV3	1182	549	0.02%	0.003%
36	5.539	1397	1399	1402	rBV2	439	262	0.01%	0.001%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV042321\
 Data File : VV021119.D
 Acq On : 23 Apr 2021 15:05
 Operator : SY/MD
 Sample : M2144-04
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0GH4

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM042121WMA.M
 Title : VOC Analysis

37	5.558	1402	1405	1407	rBV2	807	550	0.02%	0.003%
38	5.622	1413	1425	1449	rBV	619639	1246892	53.60%	7.102%
39	5.912	1505	1515	1531	rBV3	22434	45927	1.97%	0.262%
40	6.076	1552	1566	1590	rBV	511364	1039869	44.70%	5.923%
41	6.278	1627	1629	1632	rVB4	1014	449	0.02%	0.003%
42	6.442	1677	1680	1683	rBV4	974	640	0.03%	0.004%
43	6.526	1703	1706	1707	rBV3	829	451	0.02%	0.003%
44	6.635	1737	1740	1743	rBV4	382	338	0.01%	0.002%
45	6.658	1745	1747	1749	rVV3	1275	687	0.03%	0.004%
46	6.687	1753	1756	1761	rVB5	1274	1162	0.05%	0.007%
47	6.799	1788	1791	1793	rBV2	907	567	0.02%	0.003%
48	6.828	1798	1800	1803	rVV2	498	250	0.01%	0.001%
49	6.851	1805	1807	1810	rVV2	489	224	0.01%	0.001%
50	6.992	1839	1851	1872	rBV	286195	522391	22.45%	2.976%
51	7.320	1941	1953	1971	rBV	1070795	1842812	79.21%	10.497%
52	7.625	2037	2048	2077	rBV2	199185	367907	15.81%	2.096%
53	7.912	2135	2137	2140	rBV3	1397	777	0.03%	0.004%
54	8.095	2184	2194	2220	rBV	576449	1055447	45.37%	6.012%
55	8.400	2287	2289	2290	rBV2	1271	540	0.02%	0.003%
56	8.857	2420	2431	2459	rBV	934287	1520698	65.37%	8.662%
57	9.079	2498	2500	2504	rVB2	1063	645	0.03%	0.004%
58	9.108	2507	2509	2511	rBV2	445	248	0.01%	0.001%
59	9.191	2533	2535	2537	rBV	581	305	0.01%	0.002%
60	9.220	2541	2544	2547	rBV2	888	695	0.03%	0.004%
61	9.236	2547	2549	2552	rVB3	1124	505	0.02%	0.003%
62	9.265	2556	2558	2562	rVV2	523	332	0.01%	0.002%
63	9.317	2569	2574	2575	rBV2	709	548	0.02%	0.003%
64	9.391	2595	2597	2599	rBV2	1033	633	0.03%	0.004%
65	9.461	2616	2619	2620	rBV2	549	249	0.01%	0.001%
66	9.484	2624	2626	2628	rBV	511	221	0.01%	0.001%
67	9.545	2643	2645	2647	rBV3	439	239	0.01%	0.001%
68	9.645	2672	2676	2681	rBV3	932	877	0.04%	0.005%
69	9.841	2734	2737	2738	rBV	842	454	0.02%	0.003%
70	9.944	2767	2769	2770	rBV	600	319	0.01%	0.002%
71	10.082	2810	2812	2813	rBV	749	276	0.01%	0.002%
72	10.220	2843	2855	2875	rBV	772701	1213074	52.14%	6.910%
73	10.384	2901	2906	2908	rBV4	2355	2000	0.09%	0.011%
74	10.461	2926	2930	2932	rBV2	848	549	0.02%	0.003%
75	10.584	2965	2968	2971	rBV4	1126	981	0.04%	0.006%
76	10.657	2988	2991	2992	rBV	564	272	0.01%	0.002%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV042321\
 Data File : VV021119.D
 Acq On : 23 Apr 2021 15:05
 Operator : SY/MD
 Sample : M2144-04
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0GH4

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM042121WMA.M
 Title : VOC Analysis

77	10.670	2992	2995	3000	rVB3	1223	993	0.04%	0.006%
78	10.719	3008	3010	3013	rBV	454	247	0.01%	0.001%
79	10.754	3013	3021	3022	rBV4	869	990	0.04%	0.006%
80	10.805	3035	3037	3041	rVB3	752	384	0.02%	0.002%
81	10.924	3067	3074	3081	rBV7	4280	5637	0.24%	0.032%
82	11.066	3116	3118	3120	rBV2	555	307	0.01%	0.002%
83	11.146	3137	3143	3148	rBV6	2054	2518	0.11%	0.014%
84	11.182	3152	3154	3156	rBV	474	320	0.01%	0.002%
85	11.256	3165	3177	3195	rBV	905385	1429607	61.45%	8.143%
86	11.490	3248	3250	3253	rVB3	976	442	0.02%	0.003%
87	11.506	3253	3255	3257	rBV3	847	507	0.02%	0.003%
88	11.632	3282	3294	3318	rVB	1126902	1764978	75.87%	10.053%
89	12.291	3495	3499	3500	rBV	875	560	0.02%	0.003%
90	12.506	3563	3566	3569	rBV2	1092	649	0.03%	0.004%
91	12.661	3607	3614	3616	rBV5	1116	1198	0.05%	0.007%
92	12.715	3628	3631	3636	rVB3	737	670	0.03%	0.004%
93	12.876	3678	3681	3686	rBV4	1252	1143	0.05%	0.007%
94	13.066	3736	3740	3741	rBV2	805	590	0.03%	0.003%
95	13.136	3759	3762	3765	rBV2	845	570	0.02%	0.003%
96	13.767	3955	3958	3961	rBV2	1296	758	0.03%	0.004%
97	13.828	3973	3977	3979	rBV3	925	816	0.04%	0.005%
98	13.985	4023	4026	4030	rBV4	1066	1218	0.05%	0.007%
99	14.259	4109	4111	4115	rVB2	1259	755	0.03%	0.004%
100	14.413	4157	4159	4162	rBV3	962	656	0.03%	0.004%

Sum of corrected areas: 17556104

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV042321\
Data File : VV021119.D
Acq On : 23 Apr 2021 15:05
Operator : SY/MD
Sample : M2144-04
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0GH4

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM042121WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV042321\
Data File : VV021119.D
Acq On : 23 Apr 2021 15:05
Operator : SY/MD
Sample : M2144-04
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 11 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0GH4

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM042121WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--			
					#	RT	Resp	Conc
