

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV042321\
 Data File : VV021131.D
 Acq On : 23 Apr 2021 20:10
 Operator : SY/MD
 Sample : M2123-06 100X
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BG7A6

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM042121WMA.M

Title : VOC Analysis

Signal : TIC: VV021131.D\data.ms

peak #	R.T. min	first scan	max scan	last scan	PK TY	peak height	corr. area	corr. % max.	% of total
1	1.310	77	84	104	rVB	286750	307630	13.90%	1.653%
2	1.571	158	165	177	rVB	245607	276762	12.50%	1.488%
3	2.111	323	333	347	rBV	516855	745139	33.66%	4.005%
4	2.558	469	472	475	rBV2	978	828	0.04%	0.004%
5	2.725	521	524	527	rVB3	647	422	0.02%	0.002%
6	2.767	529	537	549	rVV7	4555	7788	0.35%	0.042%
7	2.828	553	556	559	rVB3	1079	518	0.02%	0.003%
8	2.857	561	565	570	rVB2	734	595	0.03%	0.003%
9	2.886	570	574	576	rBV2	499	325	0.01%	0.002%
10	2.934	583	589	590	rBV2	432	412	0.02%	0.002%
11	3.014	611	614	616	rBV3	723	430	0.02%	0.002%
12	3.082	632	635	639	rBV3	418	304	0.01%	0.002%
13	3.182	663	666	667	rBV	520	277	0.01%	0.001%
14	3.320	706	709	711	rBV2	812	368	0.02%	0.002%
15	3.384	726	729	732	rVB2	729	455	0.02%	0.002%
16	3.410	732	737	742	rBV3	1417	1331	0.06%	0.007%
17	3.436	742	745	751	rVB3	954	556	0.03%	0.003%
18	3.468	751	755	758	rBV	611	500	0.02%	0.003%
19	3.494	761	763	769	rVB2	421	318	0.01%	0.002%
20	3.542	773	778	780	rVB3	397	352	0.02%	0.002%
21	3.712	828	831	832	rBV2	794	368	0.02%	0.002%
22	3.770	846	849	851	rBV	726	397	0.02%	0.002%
23	3.805	858	860	863	rVB2	522	293	0.01%	0.002%
24	3.838	868	870	875	rVB	884	552	0.02%	0.003%
25	3.867	875	879	880	rBV	361	284	0.01%	0.002%
26	3.918	880	895	932	rBV3	301402	971000	43.87%	5.219%
27	4.355	1016	1031	1063	rVB2	384064	953879	43.09%	5.127%
28	4.805	1169	1171	1175	rVB3	591	341	0.02%	0.002%
29	4.834	1175	1180	1184	rBV5	1106	942	0.04%	0.005%
30	4.924	1206	1208	1209	rBV2	743	298	0.01%	0.002%
31	4.985	1223	1227	1230	rBV3	870	605	0.03%	0.003%
32	5.050	1230	1247	1277	rBV2	866878	2213528	100.00%	11.898%
33	5.365	1343	1345	1348	rBV2	1181	548	0.02%	0.003%
34	5.407	1353	1358	1361	rBV4	1202	1069	0.05%	0.006%
35	5.510	1388	1390	1394	rBV4	497	341	0.02%	0.002%
36	5.622	1412	1425	1453	rBV	800518	1617675	73.08%	8.695%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV042321\
 Data File : VV021131.D
 Acq On : 23 Apr 2021 20:10
 Operator : SY/MD
 Sample : M2123-06 100X
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BG7A6

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM042121WMA.M
 Title : VOC Analysis

37	6.005	1541	1544	1550	rBV4	1037	866	0.04%	0.005%
38	6.075	1552	1566	1591	rBV	488200	1007644	45.52%	5.416%
39	6.378	1658	1660	1663	rVV3	694	463	0.02%	0.002%
40	6.574	1718	1721	1723	rBV	612	307	0.01%	0.002%
41	6.590	1723	1726	1727	rBV2	718	393	0.02%	0.002%
42	6.767	1778	1781	1782	rVB2	633	317	0.01%	0.002%
43	6.783	1782	1786	1789	rVB2	962	751	0.03%	0.004%
44	6.809	1789	1794	1796	rBV3	577	442	0.02%	0.002%
45	6.821	1796	1798	1801	rVV	1015	449	0.02%	0.002%
46	6.834	1801	1802	1808	rVB2	656	402	0.02%	0.002%
47	6.866	1809	1812	1816	rBV2	520	411	0.02%	0.002%
48	6.915	1824	1827	1828	rBV2	435	277	0.01%	0.001%
49	6.992	1838	1851	1873	rBV	268589	499990	22.59%	2.687%
50	7.191	1911	1913	1914	rBV2	764	354	0.02%	0.002%
51	7.320	1941	1953	1971	rBV	982739	1711690	77.33%	9.200%
52	7.625	2038	2048	2071	rBV2	193903	344344	15.56%	1.851%
53	7.985	2157	2160	2161	rBV3	1376	666	0.03%	0.004%
54	8.014	2167	2169	2171	rVB2	735	283	0.01%	0.002%
55	8.095	2184	2194	2231	rBV	570229	1073779	48.51%	5.772%
56	8.452	2302	2305	2312	rVB4	1428	1514	0.07%	0.008%
57	8.625	2356	2359	2362	rBV4	942	529	0.02%	0.003%
58	8.805	2412	2415	2419	rBV2	655	439	0.02%	0.002%
59	8.857	2419	2431	2462	rBV	1245743	1997577	90.24%	10.737%
60	9.095	2502	2505	2509	rBV5	1172	1228	0.06%	0.007%
61	9.162	2518	2526	2529	rBV6	1945	2806	0.13%	0.015%
62	9.226	2544	2546	2548	rBV2	673	295	0.01%	0.002%
63	9.291	2563	2566	2568	rBV3	822	513	0.02%	0.003%
64	9.493	2627	2629	2633	rVB2	1179	772	0.03%	0.004%
65	9.548	2644	2646	2650	rVV2	637	420	0.02%	0.002%
66	9.705	2692	2695	2698	rBV2	903	603	0.03%	0.003%
67	9.738	2702	2705	2707	rBV	578	377	0.02%	0.002%
68	9.805	2723	2726	2727	rBV	678	388	0.02%	0.002%
69	9.931	2762	2765	2769	rBV4	762	617	0.03%	0.003%
70	9.992	2781	2784	2787	rBV2	638	368	0.02%	0.002%
71	10.014	2787	2791	2796	rVB5	874	791	0.04%	0.004%
72	10.091	2809	2815	2817	rBV2	559	585	0.03%	0.003%
73	10.220	2844	2855	2879	rBV	781846	1247694	56.37%	6.706%
74	10.387	2904	2907	2910	rBV3	765	394	0.02%	0.002%
75	10.570	2962	2964	2967	rVV3	867	380	0.02%	0.002%
76	10.596	2969	2972	2974	rVV3	1188	686	0.03%	0.004%

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV042321\
 Data File : VV021131.D
 Acq On : 23 Apr 2021 20:10
 Operator : SY/MD
 Sample : M2123-06 100X
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 24 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BG7A6

Integration Parameters: LSCINT.P

Integrator: RTE

Smoothing : OFF

Filtering: 5

Sampling : 1

Min Area: 0 % of largest Peak

Start Thrs: 0.2

Max Peaks: 100

Stop Thrs : 0

Peak Location: TOP

If leading or trailing edge < 100 prefer < Baseline drop else tangent >

Peak separation: 5

Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM042121WMA.M
 Title : VOC Analysis

77	10.622	2977	2980	2983	rVB3	847	431	0.02%	0.002%
78	10.644	2985	2987	2990	rVB3	903	466	0.02%	0.003%
79	10.686	2997	3000	3005	rVB4	1298	1033	0.05%	0.006%
80	10.715	3005	3009	3010	rBV2	1049	740	0.03%	0.004%
81	10.792	3031	3033	3038	rBV	564	387	0.02%	0.002%
82	10.828	3042	3044	3047	rBV3	768	500	0.02%	0.003%
83	10.889	3059	3063	3064	rBV2	502	331	0.01%	0.002%
84	11.033	3105	3108	3111	rBV2	629	484	0.02%	0.003%
85	11.149	3139	3144	3146	rBV4	2106	1915	0.09%	0.010%
86	11.191	3154	3157	3160	rBV4	1081	964	0.04%	0.005%
87	11.255	3165	3177	3204	rBV	1197113	1864636	84.24%	10.022%
88	11.586	3278	3280	3281	rBV	911	299	0.01%	0.002%
89	11.631	3282	3294	3313	rVV	1092558	1715196	77.49%	9.219%
90	11.869	3365	3368	3372	rBV3	843	661	0.03%	0.004%
91	11.930	3384	3387	3392	rBV4	1006	813	0.04%	0.004%
92	12.017	3411	3414	3415	rBV2	698	407	0.02%	0.002%
93	12.082	3431	3434	3437	rVV3	878	765	0.03%	0.004%
94	12.098	3437	3439	3441	rVV3	1509	626	0.03%	0.003%
95	12.191	3466	3468	3470	rBV2	729	387	0.02%	0.002%
96	12.361	3514	3521	3525	rBV4	944	1489	0.07%	0.008%
97	12.516	3567	3569	3571	rBV	654	383	0.02%	0.002%
98	12.741	3636	3639	3642	rBV2	719	447	0.02%	0.002%
99	13.004	3718	3721	3726	rBV2	649	613	0.03%	0.003%
100	13.821	3971	3975	3976	rBV2	820	582	0.03%	0.003%

Sum of corrected areas: 18604789

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV042321\
Data File : VV021131.D
Acq On : 23 Apr 2021 20:10
Operator : SY/MD
Sample : M2123-06 100X
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 24 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BG7A6

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM042121WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

No Library Search Compounds Detected

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV042321\
Data File : VV021131.D
Acq On : 23 Apr 2021 20:10
Operator : SY/MD
Sample : M2123-06 100X
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 24 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BG7A6

Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM042121WMA.M
Quant Title : VOC Analysis

TIC Library : C:\DATABASE\NIST11.L
TIC Integration Parameters: LSCINT.P

TIC Top Hit name	RT	EstConc	Units	Response	--Internal Standard--			
					#	RT	Resp	Conc
