

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW042624\
 Data File : VW035440.D
 Acq On : 26 Apr 2024 21:14
 Operator : SY/MD
 Sample : VW0426WBL02
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 29 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 VBLK278

Quant Time: Apr 27 01:20:44 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM042624WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat Apr 27 01:20:16 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.532	114	526418	50.000	ug/L	0.00
28) Chlorobenzene-d5	8.783	117	511899	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.185	152	226512	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.278	65	186912	44.181	ug/L	0.00
Spiked Amount	50.000	Range 60 - 135	Recovery	=	88.360%	
7) Chloroethane-d5	1.526	69	111928	46.177	ug/L	0.00
Spiked Amount	50.000	Range 70 - 130	Recovery	=	92.360%	
11) 1,1-Dichloroethene-d2	2.053	65	76340	44.151	ug/L	0.00
Spiked Amount	50.000	Range 60 - 125	Recovery	=	88.300%	
21) 2-Butanone-d5	3.796	46	214219	98.799	ug/L	0.00
Spiked Amount	100.000	Range 40 - 130	Recovery	=	98.800%	
24) Chloroform-d	4.246	84	314926	44.239	ug/L	0.00
Spiked Amount	50.000	Range 70 - 125	Recovery	=	88.480%	
26) 1,2-Dichloroethane-d4	4.937	65	192205	46.355	ug/L	0.00
Spiked Amount	50.000	Range 70 - 125	Recovery	=	92.700%	
32) Benzene-d6	4.957	84	641537	47.690	ug/L	0.00
Spiked Amount	50.000	Range 70 - 125	Recovery	=	95.380%	
36) 1,2-Dichloropropane-d6	5.986	67	201675	48.591	ug/L	0.00
Spiked Amount	50.000	Range 70 - 120	Recovery	=	97.180%	
41) Toluene-d8	7.240	98	548255	45.217	ug/L	0.00
Spiked Amount	50.000	Range 80 - 120	Recovery	=	90.440%	
43) trans-1,3-Dichloroprop...	7.551	79	86096	44.343	ug/L	0.00
Spiked Amount	50.000	Range 60 - 125	Recovery	=	88.680%	
47) 2-Hexanone-d5	8.031	63	121476	101.525	ug/L	0.00
Spiked Amount	100.000	Range 45 - 130	Recovery	=	101.520%	
56) 1,1,2,2-Tetrachloroeth...	10.149	84	282821	47.809	ug/L	0.00
Spiked Amount	50.000	Range 65 - 120	Recovery	=	95.620%	
66) 1,2-Dichlorobenzene-d4	11.558	152	203342	51.310	ug/L	0.00
Spiked Amount	50.000	Range 80 - 120	Recovery	=	102.620%	

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV042624\
Data File : VV035440.D
Acq On : 26 Apr 2024 21:14
Operator : SY/MD
Sample : VV0426WBL02
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 29 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
VBLK278

Quant Time: Apr 27 01:20:44 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM042624WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Apr 27 01:20:16 2024
Response via : Initial Calibration

