

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW042624\
 Data File : VW035448.D
 Acq On : 27 Apr 2024 00:24
 Operator : SY/MD
 Sample : P2279-08 100X
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 37 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 CORR1

Quant Time: Apr 27 01:42:59 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM042624WMA.M
 Quant Title : VOC Analysis
 QLast Update : Sat Apr 27 01:20:16 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.532	114	482090	50.000	ug/L	0.00
28) Chlorobenzene-d5	8.783	117	466396	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.185	152	190061	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.278	65	160537	41.436	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	82.880%
7) Chloroethane-d5	1.526	69	97063	43.726	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	87.460%
11) 1,1-Dichloroethene-d2	2.053	65	65184	41.165	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	82.340%
21) 2-Butanone-d5	3.796	46	206849	104.172	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	104.170%
24) Chloroform-d	4.246	84	290650	44.583	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	89.160%
26) 1,2-Dichloroethane-d4	4.937	65	186133	49.018	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	98.040%
32) Benzene-d6	4.957	84	576282	47.018	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.040%
36) 1,2-Dichloropropane-d6	5.986	67	189477	50.106	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	100.220%
41) Toluene-d8	7.243	98	461369	41.764	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	83.520%
43) trans-1,3-Dichloroprop...	7.555	79	77955	44.067	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	88.140%
47) 2-Hexanone-d5	8.031	63	108204	99.255	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	99.260%
56) 1,1,2,2-Tetrachloroeth...	10.153	84	268625	49.839	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	99.680%
66) 1,2-Dichlorobenzene-d4	11.558	152	171616	51.610	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	103.220%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV042624\
Data File : VV035448.D
Acq On : 27 Apr 2024 00:24
Operator : SY/MD
Sample : P2279-08 100X
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 37 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0RR1

Quant Time: Apr 27 01:42:59 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM042624WMA.M
Quant Title : VOC Analysis
QLast Update : Sat Apr 27 01:20:16 2024
Response via : Initial Calibration

