

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV042721\
 Data File : VV021176.D
 Acq On : 27 Apr 2021 15:30
 Operator : SY/MD
 Sample : M2165-16ME
 Misc : 5.56g/5.0mL/100uL/5.0mL/MSVOA_V/MEOH
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :

Quant Time: Apr 28 03:30:54 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM042121WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed Apr 28 03:28:03 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Difluorobenzene	5.616	114	722017	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.860	117	701891	50.00	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.262	152	335885	50.00	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.307	65	226759	38.22	ug/L	0.00
Spiked Amount 50.000	Range 60 - 135		Recovery =	76.44%		
7) Chloroethane-d5	1.571	69	98501	22.57	ug/L	0.00
Spiked Amount 50.000	Range 70 - 130		Recovery =	45.14%#		
11) 1,1-Dichloroethene-d2	2.095	63	320636	29.30	ug/L	-0.02
Spiked Amount 50.000	Range 60 - 125		Recovery =	58.60%#		
21) 2-Butanone-d5	3.928	46	84193	29.06	ug/L	0.03
Spiked Amount 100.000	Range 40 - 130		Recovery =	29.06%#		
24) Chloroform-d	4.349	84	436193	41.24	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	82.48%		
26) 1,2-Dichloroethane-d4	5.034	65	314150	46.72	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	93.44%		
32) Benzene-d6	5.047	84	825325	44.15	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery =	88.30%		
36) 1,2-Dichloropropane-d6	6.072	67	248090	44.46	ug/L	0.00
Spiked Amount 50.000	Range 70 - 120		Recovery =	88.92%		
41) Toluene-d8	7.320	98	783072	43.28	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	86.56%		
43) trans-1,3-Dichloroprop...	7.629	79	134257	44.03	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery =	88.06%		
47) 2-Hexanone-d5	8.101	63	33206	15.00	ug/L	0.00
Spiked Amount 100.000	Range 45 - 130		Recovery =	15.00%#		
56) 1,1,2,2-Tetrachloroeth...	10.236	84	332869	39.55	ug/L	0.02
Spiked Amount 50.000	Range 65 - 120		Recovery =	79.10%		
66) 1,2-Dichlorobenzene-d4	11.638	152	315571	47.56	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery =	95.12%		
Target Compounds						Qvalue
44) trans-1,3-Dichloropropene	7.622	75	6614	0.82	ug/L	91
46) Tetrachloroethene	7.976	164	187697	38.75	ug/L	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV042721\
Data File : VV021176.D
Acq On : 27 Apr 2021 15:30
Operator : SY/MD
Sample : M2165-16ME
Misc : 5.56g/5.0mL/100uL/5.0mL/MSVOA_V/MEOH
ALS Vial : 15 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :

Quant Time: Apr 28 03:30:54 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM042121WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Apr 28 03:28:03 2021
Response via : Initial Calibration









#44
trans-1,3-Dichloropropene
Concen: 0.82 ug/L
RT: 7.622 min Scan# 2047
Delta R.T. -0.029 min
Lab File: VV021176.D
Acq: 27 Apr 2021 15:30

Instrument :
MSVOA_V
ClientSampleId :

Tgt Ion: 75 Resp: 6614
Ion Ratio Lower Upper
75 100
77 36.1 21.8 40.6



#46
Tetrachloroethene
Concen: 38.75 ug/L
RT: 7.976 min Scan# 2157
Delta R.T. -0.003 min
Lab File: VV021176.D
Acq: 27 Apr 2021 15:30

Tgt Ion: 164 Resp: 187697
Ion Ratio Lower Upper
164 100
129 92.7 63.8 118.4
131 90.3 59.3 110.1
166 126.9 87.7 162.9

