

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW042721\
 Data File : VW021175.D
 Acq On : 27 Apr 2021 15:06
 Operator : SY/MD
 Sample : M2165-15ME
 Misc : 7.10g/5.0mL/100uL/5.0mL/MSVOA_V/MEOH
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 GB3F6ME

Quant Time: Apr 28 03:30:42 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM042121WMA.M
 Quant Title : VOC Analysis
 QLast Update : Wed Apr 28 03:28:03 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.619	114	710460	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.860	117	704382	50.00	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.262	152	333231	50.00	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.307	65	225889	38.69	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	77.38%
7) Chloroethane-d5	1.571	69	158366	36.88	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	73.76%
11) 1,1-Dichloroethene-d2	2.092	63	330358	30.68	ug/L	-0.02
Spiked Amount	50.000	Range	60 - 125	Recovery	=	61.36%
21) 2-Butanone-d5	3.921	46	183646	64.42	ug/L	0.03
Spiked Amount	100.000	Range	40 - 130	Recovery	=	64.42%
24) Chloroform-d	4.349	84	438384	42.12	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	84.24%
26) 1,2-Dichloroethane-d4	5.034	65	305588	46.19	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	92.38%
32) Benzene-d6	5.047	84	826860	44.08	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	88.16%
36) 1,2-Dichloropropane-d6	6.072	67	240059	42.87	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	85.74%
41) Toluene-d8	7.320	98	777846	42.84	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	85.68%
43) trans-1,3-Dichloroprop...	7.625	79	134287	43.88	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	87.76%
47) 2-Hexanone-d5	8.130	63	193665	87.20	ug/L	0.04
Spiked Amount	100.000	Range	45 - 130	Recovery	=	87.20%
56) 1,1,2,2-Tetrachloroeth...	10.233	84	336533	39.85	ug/L	0.01
Spiked Amount	50.000	Range	65 - 120	Recovery	=	79.70%
66) 1,2-Dichlorobenzene-d4	11.635	152	313667	47.65	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	95.30%
Target Compounds						
46) Tetrachloroethene	7.979	164	103863	21.37	ug/L	Qvalue 97

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV042721\
Data File : VV021175.D
Acq On : 27 Apr 2021 15:06
Operator : SY/MD
Sample : M2165-15ME
Misc : 7.10g/5.0mL/100uL/5.0mL/MSVOA_V/MEOH
ALS Vial : 14 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
GB3F6ME

Quant Time: Apr 28 03:30:42 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM042121WMA.M
Quant Title : VOC Analysis
QLast Update : Wed Apr 28 03:28:03 2021
Response via : Initial Calibration

