

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV042920\  
 Data File : VV015789.D  
 Acq On : 29 Apr 2020 13:53  
 Operator : SY/MD  
 Sample : L2419-07  
 Misc : 25.0mL/MSVOA V/WATER  
 ALS Vial : 10 Sample Multiplier: 1

Instrument :  
 MSVOA\_V  
 ClientSampleId :  
 C0AF4

Quant Time: Apr 30 05:28:32 2020  
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA\_V\METHOD\SOMVTR042220WMA.M  
 Quant Title : TRACE VOA SOM01.0  
 QLast Update : Thu Apr 30 01:35:08 2020  
 Response via : Initial Calibration

| Internal Standards         | R.T.  | QIon | Response | Conc | Units | Dev(Min) |
|----------------------------|-------|------|----------|------|-------|----------|
| 1) 1,4-Difluorobenzene     | 5.64  | 114  | 133757   | 5.00 | ug/L  | 0.00     |
| 28) Chlorobenzene-d5       | 8.87  | 117  | 128449   | 5.00 | ug/L  | 0.00     |
| 60) 1,4-Dichlorobenzene-d4 | 11.27 | 152  | 60669    | 5.00 | ug/L  | 0.00     |

## System Monitoring Compounds

|                                |        |       |          |          |      |         |
|--------------------------------|--------|-------|----------|----------|------|---------|
| 4) Vinyl Chloride-d3           | 1.32   | 65    | 38672    | 5.53     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 40 - 130 | Recovery | =    | 110.60% |
| 7) Chloroethane-d5             | 1.58   | 69    | 34514    | 5.12     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 65 - 130 | Recovery | =    | 102.40% |
| 11) 1,1-Dichloroethene-d2      | 2.12   | 63    | 56921    | 3.72     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 60 - 125 | Recovery | =    | 74.40%  |
| 20) 2-Butanone-d5              | 3.91   | 46    | 94811    | 42.24    | ug/L | -0.04   |
| Spiked Amount                  | 50.000 | Range | 40 - 130 | Recovery | =    | 84.48%  |
| 24) Chloroform-d               | 4.38   | 84    | 71424    | 4.38     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 70 - 125 | Recovery | =    | 87.60%  |
| 26) 1,2-Dichloroethane-d4      | 5.06   | 65    | 41906    | 4.60     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 70 - 130 | Recovery | =    | 92.00%  |
| 32) Benzene-d6                 | 5.08   | 84    | 141302   | 4.61     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 70 - 125 | Recovery | =    | 92.20%  |
| 36) 1,2-Dichloropropane-d6     | 6.10   | 67    | 44668    | 4.56     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 60 - 140 | Recovery | =    | 91.20%  |
| 41) Toluene-d8                 | 7.34   | 98    | 125933   | 4.32     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 70 - 130 | Recovery | =    | 86.40%  |
| 43) trans-1,3-Dichloropropene- | 7.65   | 79    | 15007    | 3.96     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 55 - 130 | Recovery | =    | 79.20%  |
| 46) 2-Hexanone-d5              | 8.11   | 63    | 61715    | 33.41    | ug/L | 0.00    |
| Spiked Amount                  | 50.000 | Range | 45 - 130 | Recovery | =    | 66.82%  |
| 57) 1,1,2,2-Tetrachloroethane- | 10.24  | 84    | 28191    | 3.86     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 65 - 120 | Recovery | =    | 77.20%  |
| 64) 1,2-Dichlorobenzene-d4     | 11.65  | 152   | 45361    | 4.40     | ug/L | 0.00    |
| Spiked Amount                  | 5.000  | Range | 80 - 120 | Recovery | =    | 88.00%  |

## Target Compounds

|                            |       |     |      |            | Ovalue |
|----------------------------|-------|-----|------|------------|--------|
| 3) Chloromethane           | 1.25  | 50  | 1790 | 0.181 ug/L | # 78   |
| 13) Acetone                | 2.19  | 43  | 8597 | 5.516 ug/L | 96     |
| 47) Tetrachloroethene      | 8.00  | 164 | 1167 | 0.160 ug/L | 89     |
| 70) 1,2,3-Trichlorobenzene | 13.77 | 180 | 2960 | 0.257 ug/L | 97     |

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV042920\  
Data File : VV015789.D  
Acq On : 29 Apr 2020 13:53  
Operator : SY/MD  
Sample : L2419-07  
Misc : 25.0mL/MSVOA V/WATER  
ALS Vial : 10 Sample Multiplier: 1

Instrument :  
MSVOA\_V  
ClientSampleId :  
C0AF4

Quant Time: Apr 30 05:28:32 2020  
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA\_V\METHOD\SOMVTR042220WMA.M  
Quant Title : TRACE VOA SOM01.0  
QLast Update : Thu Apr 30 01:35:08 2020  
Response via : Initial Calibration

