

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VW042924\
 Data File : VW035461.D
 Acq On : 29 Apr 2024 11:23
 Operator : SY/MD
 Sample : P2204-01 10X
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 E1CX1

Quant Time: Apr 30 02:10:05 2024
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM042624WMA.M
 Quant Title : VOC Analysis
 QLast Update : Tue Apr 30 02:09:05 2024
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.529	114	529529	50.000	ug/L	0.00
28) Chlorobenzene-d5	8.783	117	517948	50.000	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.185	152	236468	50.000	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.278	65	177804	41.781	ug/L	0.00
Spiked Amount	50.000	Range	60 - 135	Recovery	=	83.560%
7) Chloroethane-d5	1.529	69	142246	58.340	ug/L	0.00
Spiked Amount	50.000	Range	70 - 130	Recovery	=	116.680%
11) 1,1-Dichloroethene-d2	2.050	65	76481	43.972	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	87.940%
21) 2-Butanone-d5	3.799	46	228437	104.737	ug/L	0.00
Spiked Amount	100.000	Range	40 - 130	Recovery	=	104.740%
24) Chloroform-d	4.243	84	321084	44.839	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	89.680%
26) 1,2-Dichloroethane-d4	4.934	65	196807	47.186	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.380%
32) Benzene-d6	4.953	84	644865	47.377	ug/L	0.00
Spiked Amount	50.000	Range	70 - 125	Recovery	=	94.760%
36) 1,2-Dichloropropane-d6	5.982	67	208842	49.730	ug/L	0.00
Spiked Amount	50.000	Range	70 - 120	Recovery	=	99.460%
41) Toluene-d8	7.240	98	559926	45.640	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	91.280%
43) trans-1,3-Dichloroprop...	7.551	79	91244	46.445	ug/L	0.00
Spiked Amount	50.000	Range	60 - 125	Recovery	=	92.900%
47) 2-Hexanone-d5	8.031	63	122039	100.804	ug/L	0.00
Spiked Amount	100.000	Range	45 - 130	Recovery	=	100.800%
56) 1,1,2,2-Tetrachloroeth...	10.149	84	294448	49.193	ug/L	0.00
Spiked Amount	50.000	Range	65 - 120	Recovery	=	98.380%
66) 1,2-Dichlorobenzene-d4	11.558	152	215434	52.073	ug/L	0.00
Spiked Amount	50.000	Range	80 - 120	Recovery	=	104.140%

Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV042924\
Data File : VV035461.D
Acq On : 29 Apr 2024 11:23
Operator : SY/MD
Sample : P2204-01 10X
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 6 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
E1CX1

Quant Time: Apr 30 02:10:05 2024
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM042624WMA.M
Quant Title : VOC Analysis
QLast Update : Tue Apr 30 02:09:05 2024
Response via : Initial Calibration

