

Data Path : Z:\VOASRV\HPCHEM1\MSVOA V\DATA\VV050120\
 Data File : VV015865.D
 Acq On : 01 May 2020 18:02
 Operator : SY/MD
 Sample : L2471-01
 Misc : 25.0mL/MSVOA V/WATER
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 C0Y14

Quant Time: May 02 05:37:03 2020
 Quant Method : Z:\VOASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR042220WMA.M
 Quant Title : TRACE VOA SOM01.0
 QLast Update : Sat May 02 00:06:27 2020
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Difluorobenzene	5.64	114	114970	5.00	ug/L	0.00
28) Chlorobenzene-d5	8.87	117	111066	5.00	ug/L	0.00
60) 1,4-Dichlorobenzene-d4	11.27	152	50209	5.00	ug/L	0.00

System Monitoring Compounds

4) Vinyl Chloride-d3	1.31	65	29628	4.93	ug/L	0.00
Spiked Amount	5.000	Range	40 - 130	Recovery	=	98.60%
7) Chloroethane-d5	1.58	69	27676	4.78	ug/L	0.00
Spiked Amount	5.000	Range	65 - 130	Recovery	=	95.60%
11) 1,1-Dichloroethene-d2	2.12	63	44807	3.41	ug/L	0.00
Spiked Amount	5.000	Range	60 - 125	Recovery	=	68.20%
20) 2-Butanone-d5	3.95	46	89808	46.55	ug/L	-0.02
Spiked Amount	50.000	Range	40 - 130	Recovery	=	93.10%
24) Chloroform-d	4.38	84	63519	4.54	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	90.80%
26) 1,2-Dichloroethane-d4	5.06	65	38031	4.85	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	97.00%
32) Benzene-d6	5.08	84	120783	4.56	ug/L	0.00
Spiked Amount	5.000	Range	70 - 125	Recovery	=	91.20%
36) 1,2-Dichloropropane-d6	6.10	67	39227	4.63	ug/L	0.00
Spiked Amount	5.000	Range	60 - 140	Recovery	=	92.60%
41) Toluene-d8	7.34	98	107835	4.28	ug/L	0.00
Spiked Amount	5.000	Range	70 - 130	Recovery	=	85.60%
43) trans-1,3-Dichloropropene-	7.65	79	12778	3.90	ug/L	0.00
Spiked Amount	5.000	Range	55 - 130	Recovery	=	78.00%
46) 2-Hexanone-d5	8.12	63	61501	38.50	ug/L	0.00
Spiked Amount	50.000	Range	45 - 130	Recovery	=	77.00%
57) 1,1,2,2-Tetrachloroethane-	10.24	84	26772	4.24	ug/L	0.00
Spiked Amount	5.000	Range	65 - 120	Recovery	=	84.80%
64) 1,2-Dichlorobenzene-d4	11.65	152	40297	4.72	ug/L	0.00
Spiked Amount	5.000	Range	80 - 120	Recovery	=	94.40%


Target Compounds					Ovalue
25) Chloroform	4.41	83	3199	0.205 ug/L	89




(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\V0ASRV\HPCHEM1\MSVOA V\DATA\VV050120\
Data File : VV015865.D
Acq On : 01 May 2020 18:02
Operator : SY/MD
Sample : L2471-01
Misc : 25.0mL/MSVOA V/WATER
ALS Vial : 19 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
C0Y14

Quant Time: May 02 05:37:03 2020
Quant Method : Z:\V0ASRV\HPCHEM1\MSVOA_V\METHOD\SOMVTR042220WMA.M
Quant Title : TRACE VOA SOM01.0
QLast Update : Sat May 02 00:06:27 2020
Response via : Initial Calibration





#25

Chloroform

Concen: 0.205 ug/L

RT: 4.41 min Scan# 1031

Delta R.T. 0.00 min

Lab File: VV015865.D

Acq: 01 May 2020 18:02

Instrument :

MSVOA_V

ClientSampleId :

C0Y14

Tot Ion: 83 Resp: 3199

Ion Ratio Lower Upper

83 100

85 74.2 46.1 85.5

