

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV050321\
 Data File : VV021244.D
 Acq On : 03 May 2021 14:40
 Operator : SY/MD
 Sample : M2192-07
 Misc : 5.0mL/MSVOA_V/WATER
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 MSVOA_V
 ClientSampleId :
 BG599

Manual Integrations
 APPROVED

MMDadoda
 5/4/2021 11:49:45 AM

Quant Time: May 04 05:25:16 2021
 Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM050321WMA.M
 Quant Title : VOC Analysis
 QLast Update : Mon May 03 18:54:51 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Difluorobenzene	5.619	114	621313	50.00	ug/L	0.00
28) Chlorobenzene-d5	8.857	117	602426	50.00	ug/L	0.00
58) 1,4-Dichlorobenzene-d4	11.255	152	312870	50.00	ug/L	0.00
System Monitoring Compounds						
4) Vinyl Chloride-d3	1.307	65	147753	53.61	ug/L	0.00
Spiked Amount 50.000	Range 60 - 135		Recovery = 107.22%			
7) Chloroethane-d5	1.571	69	136204	55.30	ug/L	0.00
Spiked Amount 50.000	Range 70 - 130		Recovery = 110.60%			
11) 1,1-Dichloroethene-d2	2.108	63	287232m	37.36	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery = 74.72%			
21) 2-Butanone-d5	3.902	46	214203	96.86	ug/L	0.00
Spiked Amount 100.000	Range 40 - 130		Recovery = 96.86%			
24) Chloroform-d	4.355	84	451563	51.47	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery = 102.94%			
26) 1,2-Dichloroethane-d4	5.037	65	347273	52.89	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery = 105.78%			
32) Benzene-d6	5.053	84	755617	54.46	ug/L	0.00
Spiked Amount 50.000	Range 70 - 125		Recovery = 108.92%			
36) 1,2-Dichloropropane-d6	6.072	67	186307	52.28	ug/L	0.00
Spiked Amount 50.000	Range 70 - 120		Recovery = 104.56%			
41) Toluene-d8	7.320	98	751401	52.26	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 104.52%			
43) trans-1,3-Dichloroprop...	7.625	79	131494	49.61	ug/L	0.00
Spiked Amount 50.000	Range 60 - 125		Recovery = 99.22%			
47) 2-Hexanone-d5	8.095	63	156918	95.35	ug/L	0.00
Spiked Amount 100.000	Range 45 - 130		Recovery = 95.35%			
56) 1,1,2,2-Tetrachloroeth...	10.223	84	267562	46.92	ug/L	0.00
Spiked Amount 50.000	Range 65 - 120		Recovery = 93.84%			
66) 1,2-Dichlorobenzene-d4	11.631	152	332754	53.97	ug/L	0.00
Spiked Amount 50.000	Range 80 - 120		Recovery = 107.94%			
Target Compounds						Qvalue
13) Acetone	2.201	43	13768m	5.27	ug/L	

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\voasrv\HPCHEM1\MSVOA_V\Data\VV050321\
Data File : VV021244.D
Acq On : 03 May 2021 14:40
Operator : SY/MD
Sample : M2192-07
Misc : 5.0mL/MSVOA_V/WATER
ALS Vial : 14 Sample Multiplier: 1

Instrument :
MSVOA_V
ClientSampleId :
BG599

Manual Integrations
APPROVED

MMDadoda
5/4/2021 11:49:45 AM

Quant Time: May 04 05:25:16 2021
Quant Method : Z:\voasrv\HPCHEM1\MSVOA_V\Method\SFAMVLM050321WMA.M
Quant Title : VOC Analysis
QLast Update : Mon May 03 18:54:51 2021
Response via : Initial Calibration

